District I

P.O. Box 1980, Hobbs, NM

District II P.O. Drawer DD, Artesia, NM

District III

1000 Rio Brazo Rd., Aztec, NM

State of New Mexico Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION P.O. BOX 2088 SANTA FE, NEW MEXICO 87504-2088

SUBMIT 1 COPY TO

APPROPRIATE DISTRICT OFFICE AND I COPY TO NTA FE OFFICE

PIT REMEDIATION AND CLOSURE RE

30 7045 - 27436	
Operator: XTO ENERGY, INC.	Telephone: (505) 324-1090
Address: 2700 FARMINGTON AVE., BLDG.	K SUITE 1, FARMINGTON, NM 87401
Facility or Well Name: VALDEZ COM	B #
Location: Unit or Qtr/Qtr Sec Sec	4 TZ9N R 11W County San Juan
Pit Type: Separator Dehydrator Other_ P	RODUCTION TANK
Land Type: BLM X , State , Fee , ,	Other
l .	gth <u>NA</u> , width <u>NA</u> , depth <u>NA</u>
(Attach diagram) Reference: wellhead	X, other
Footage from reference:	75'
Direction from reference	e: Degrees East North West South
Depth To Groundwater: (Vertical distance from contaminants to seasonal high water elevation of groundwater)	Less than 50 feet (20 points) 20 91V 50 feet to 99 feet (10 points) Greater than 100 feet (0 points)
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)	Yes (20 points) No (0 points)0
Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)	Less than 100 feet (20 points) 100 feet to 1000 feet (10 points) Greater than 1000 feet (0 points)
	RANKING SCORE (TOTAL POINTS):
revised: 03/12/01	bei1202.wod

CTOZI PROD. TANK Date Completed: ___ 2 118 03 Date Remediation Started: Approx. cubic yards NA Excavation X Remediation Method: (Check all appropriate Landfarmed ____ Insitu Bioremediation sections) Other CLOSE AS IS. Onsite X Offsite Remediation Location: (i.e. landfarmed onsite, name and location of offsite facility) General Description of Remedial Action: Excavation. Test hole advanced. No remediation necessary. No Yes Ves Depth 3 Groundwater Encountered: Sample location see Attached Documents Final Pit Closure Sampling: (if multiple samples, 3 (Test hole bottom attach sample results Sample depth ____ and diagram of sample locations and depths) Sample date 2/4/03 Sample time 1020 Sample Results (ppm) ____ Soil: Benzene Water: Benzene (ppb) ND**Total BTEX** (ppm) _____ Toluene (ppb) 0.6 Field Headspace (ppm) Ethylbenzene (ppb) \(\bar{1}\bar{1}\bar{1}\) TPH (ppm) Total Xylenes (ppb) 1.8 Groundwater Sample: (If yes, attach sample results) I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF DATE _____ PRINTED NAME _____ Jeffrey C. Blagg C Stag AND TITLE President P.E. # 11607

.	BLAG	G ENGI	NEERING	, INC.	100	ATION NO	CT02 (
CLIENT: XTO	P.O. BOX	87, BLO	OMFIELD	, NM 874					
		(505) 632	-1199		cod	OR NO:	12153		
FIELD REPORT	: PIT CL	OSURE	VERIF	CATIO	N PAG	E No:	/_ of/_		
LOCATION: NAME: VALOR	r com !	3 WELL#:	/ TYPE	PROD. TAN	i		2/4/03		
QUAD/UNIT: D SEC: ZH	TWP: Z92 RNO	3: 1W PM: N	m CNTY: 5	ST: Nm	<u> </u>	FINISHED:			
QTR/FOOTAGE: 1080 5 1	790 ¹ E 50	WISE CONTR	ACTOR: HOI	(FERNANDO	SPEC	RONMENTAL IALIST:	NV		
EXCAVATION APPROX	. <u><i>NA</i></u> FT. x	<u>NA</u> FT.	x <u>NA</u> FT	. DEEP. CL	JBIC YARE	AGE:	AU		
DISPOSAL FACILITY:	02-51	re	REMEDIA	TION METHO	OD: _	CLOSE A	5 15		
LAND USE: RANGE		LEASE:			FORMAT	ION:	CK		
FIELD NOTES & REMAR			IMATELY7				,		
DEPTH TO GROUNDWATER: <50			71000'		URFACE WAT	ER: _ < /	>00		
NMOCD RANKING SCORE: 30	NMOCD TPH	CLOSURE STD:	/00 P	PM					
SOIL AND EXCAVATIO	N DESCRIPT	TON:		OVM CALIB.			RF = 0.52		
				TIME:		,	111 0.02		
SOIL TYPE: SAND SILTY SAN				ER					
SOIL COLOR:	DHESIVE SLIGHTLY			COHESIVE					
CONSISTENCY (NON COHESIVE SO	ILS): COSE FIRM	DENSE / VERY	DENSE						
PLASTICITY (CLAYS): NON PLASTIC DENSITY (COHESIVE CLAYS & SILT:				HIGHLY PLASTI	С				
MOISTURE: DRY / SLIGHTLY MOIST	•					(Cu	0350		
DISCOLORATION/STAINING OBSER' HC ODOR DETECTED: YES (NO) E)	_	PLANATION							
SAMPLE TYPE: GRAB COMPOSITE									
ADDITIONAL COMMENTS: DOUBLE WALL STEEL TANK REMOVED PRIOR TO SAMPLING. GROWDWATER EXPOSED									
ENCONSTRUCTO ANY SOIL STAIRING ON SURROUNDING SIDEWAYS.									
			LD 418.1 CALC						
SCALE SAMP. TIN	IE SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)		
0 FT									
PIT PERIMET	ER N				PITE	ROFIL	E		
1	10] o	VM		1 11 1	IXOI IL	<u> </u>		
ľ	WEND	, , , , , , , , , , , , , , , , , , , 	DING				. (
ر سورلد	HE.	SAMPLE ID	FIELD HEADSPACE (ppm)	Α			*		
SAMPLE PT.		1 @ 2 @	-	-		16	(
BERM	P.D ;	3 @				erm —	\		
	N3	4 @ 5 @		 					
T \ (//\tilde{\bullet})	F 6W			3' _	L	~~~	الح		
16' A 7	A 8.6.				7				
			_						
SWRFACE		IARSA	AMPLES		Glound	44 (च \$			
161	-1	CAMBIE	IALYSIS TIME						
/ SUSPECTED		PW186W(3')	BTEX 1020	2					
LOON GRADIENT D	rection		3ED)	_			į		
P.D. = PIT DEPRESSION; B.G. = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. =	GRADE; B = BELOW TANK BOTTOM								
TRAVEL NOTES: CALLOUT:	2/4/03-1	norn.	ONSITE:	2 4 03 -					

612 E. Murray Drive Farmington, NM 87401

Off: (505) 327-1072

iiná bá

P.O. Box 2606 Farmington, NM 87499

Fax: (505) 327-1496

Date: 18-Feb-03

CLIENT:

Blagg Engineering

Work Order:

0302003

Project:

XTO Energy; Valdez Com B #1

Lab ID:

0302003-001A

Client Sample Info: Production Tank Pit

Client Sample ID: PW1 @ GW (3ft.)

Collection Date: 2/4/2003 10:20:00 AM

Matrix: AQUEOUS

Parameter	Result	PQL Q	ıal Units	DF	Date Analyzed	
AROMATIC VOLATILES BY GC/PID	SW8021B				Analyst: JEM	
Benzene	ND	0.5	μg/L .	1	2/13/2003	
Ethylbenzene	1.7	0.5	μg/L	1	2/13/2003	
m,p-Xylene	1.0	1.0	μg/L	1	2/13/2003	
o-Xylene	0.8	0.5	μg/L	1	2/13/2003	
Toluene	0.6	0.5	μg/L	1	2/13/2003	

Qualifiers:

ND - Not Detected at the Practical Quantitation Limit

J - Analyte detected below Practical Quantitation Limit

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted precision limits

E - Value above Upper Quantitation Limit - UQL

Page 1 of 1