

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB NO. 1004-0135  
Expires: November 30, 2000

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

**SUBMIT IN TRIPLICATE - Other instructions on reverse side.**


1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. CONT 151
2. Name of Operator CONOCOPHILLIPS CO.		6. If Indian, Allottee or Tribe Name
3a. Address P.O. BOX 2197 WL3 4061 HOUSTON, TX 77252		7. If Unit or CA/Agreement, Name and/or No.
3b. Phone No. (include area code) Ph: 832.486.2326 Fx: 832.486.2688		8. Well Name and No. AXI APACHE K 3
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 9 T26N R5W NENE 1071FNL 790FEL		9. API Well No. 30-039-06626
		10. Field and Pool, or Exploratory BLANCO PC SOUTH
		11. County or Parish, and State RIO ARRIBA COUNTY, NM

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

This well was plugged and abandoned on 08/23/2003 as per the daily summary attached.



14. I hereby certify that the foregoing is true and correct.	
Electronic Submission #30441 verified by the BLM Well Information System For CONOCOPHILLIPS CO., sent to the Rio Puerco Committed to AFMSS for processing by ANGIE MEDINA-JONES on 05/07/2004 ()	
Name (Printed/Typed) DEBORAH MARBERRY	Title SUBMITTING CONTACT
Signature (Electronic Submission)	Date 05/07/2004

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved By	Division of Multi-Resources	JUL 1 2004
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**\*\* OPERATOR-SUBMITTED \*\* OPERATOR-SUBMITTED \*\* OPERATOR-SUBMITTED \*\***

## Daily Summary

API/UWI 300390662600	County RIO ARRIBA	State/Province NEW MEXICO	Surface Legal Location NMPM-26N-5W-9-A	N/S Dist. (ft) 1071.0	N/S Ref. N	E/W Dist. (ft) 790.0	E/W Ref. E
Ground Elevation (ft) 7225.00	Spud Date 7/16/1956	Rig Release Date	Latitude (DMS) 36° 30' 21.492" N	Longitude (DMS) 107° 21' 27.72" W			

Start Date	Ops This Rpt
8/12/2003 00:00	HELD PJSM. ROAD RIG AND EQUIPMENT TO LOC AND SPOT. RETURN TO YD.
8/13/2003 00:00	LOAD SUPPLIES, TRAVEL TO LOC. HELD PJSM. SERVICE EQUIPMENT. USE GAS MONITOR AROUND WELL HEAD. LEL 0%, OXY. 20.9%, RU UNIT. SITP=130#, SICP=10#. BH SLIGHT BLOW. RU PT, BLOW DOWN LINES FENCE AND LINE PIT. BLOW DOWN TBG. PUMP 10 BBL TO KILL WELL. ND WELL HEAD, PU ON WELL HEAD AND ARE UNABLE TO REMOVE W/ WINCH LINE. PU WELL HEAD W/ BLOCKS. STRIP OFF Mc EVOY WELL HEAD. STRIP OFF HANGER. ( TBG. SCREWED INTO TBG. HEAD. ), NU BOP, FUNCTION TEST BOP. POOH AND TALLY 122 JTS #3799' 2 3/8" TBG. PU BIT SUB AND 3 7/8" CONE BIT. TIH W/ 122JTS TBG AND POOH. LD BIT. PU 4.5" DHS CR AND TIH W/ 121 JTS 2 3/8" TBG. PU 14' OF SUBS AND SET CR @ 3783'. PT TBG. TO 1000# HELD GOOD. LOAD HOLE W/ 35 BBL CIRCULATE CLEAN W/ TOTAL OF 60 BBL. PT CSG. TO 500#. TEST WAS GOOD. PUMP PLUG #1 W/ 56 SKS 15.6 PPG CEMENT ( 3783'- 3150'). TOC @ 3045'. LD TBG. UP TO 1992'. SIW. TRAVEL TO YD.
8/14/2003 00:00	LOAD SUPPLIES. TRAVEL TO LOC. HELD PJSM. OPEN UP WELL AND STAND BACK 64 JS 2 3/8" TBG. LD STINGER. TAG TOC @ 3078'. PERF HOLES @ 2085' W/ 3-31/2 HSC. PUMP RATE @ 2 BPM @ 100#. PU 4.5" DHS CR AND TIH W/ 64 JTS 2 3/8" TBG. PU 1 JT AND SET RETAINER @ 2023'. STING UOT AND ATTEMPT TO SING BACK IN . RETAINER GOING DOWN W/ 4 POINTS ON. UNABLE TO GET RETAINER TO TAKE WEIGHT. OK'D BY B. HAMMOND TO PUSH RETAINER DOWN. PU 4 JS AND PUSHED RETAINER DOWN TO 2147'. PUMP PLUG #2 W/ 67 SKS 15.6 PPG CEMENT. 2147'- 1264'. TOC @ 1264'. LD ALL TBG. AND STINGER. LOAD CSG. W/4.5 BBL. DISPLACE CEMENT TO 1800'. SIW W/ 1000#. WOC AS REQUIRED BY JAT REP. TAG TOC @ 1760'. PERF @ 219' W/ 3-31/2 HSC. BREAK CIRCULATION W/ 10 BBL. PUMP A TOTAL OF 30 BBL. PUMP PLUG # 3 ( SURFACE). W/ 95 SKS15.6# CEMENT. FROM 219' TO SURFACE. CIRCULATE GOOD CEMENT OUT BH AND SI. RD FLOOR AND HAND RAILS ON FLOAT. DIG OUT WELL HEAD AND SDFN.