

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: November 30, 2000

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Dry <input type="checkbox"/> Other		5. Lease Serial No. NMSF080917	
b. Type of Completion <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Work Over <input type="checkbox"/> Deepen <input type="checkbox"/> Plug Back <input type="checkbox"/> Other		6. If Indian, Allottee or Tribe Name	
2. Name of Operator BP AMERICA PRODUCTION CO		7. Unit or CA Agreement Name and No.	
3. Address 200 ENERGY CT FARMINGTON, NM 87402		8. Lease Name and Well No. ATLANTIC B LS 2C	
3a. Phone No. (include area code) Ph: 281.366.4491		9. API Well No. 30-045-32171-00-S1	
4. Location of Well (Report location clearly and in accordance with Federal requirements)* Sec 4 T30N R10W Mer NMP At surface SWNE Lot 11 1800FNL 1590FEL 36.50600 N Lat, 107.53100 W Lon At top prod interval reported below At total depth		10. Field and Pool, or Exploratory BLANCO MESAVERDE	
14. Date Spudded 05/10/2004		15. Date T.D. Reached 05/03/2004	
16. Date Completed <input type="checkbox"/> D & A <input checked="" type="checkbox"/> Ready to Prod. 05/09/2004		17. Elevations (DF, KB, RT, GL)* 6346 GL	
18. Total Depth: MD 5695 TVD		19. Plug Back T.D.: MD 5689 TVD	
20. Depth Bridge Plug Set: MD TVD		21. Type Electric & Other Mechanical Logs Run (Submit copy of each) CBL	
22. Was well cored? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis) Was DST run? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis) Directional Survey? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis)			

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12.250	8.625 J-55	20.0	0	130		143		0	
7.875	5.500 J-55	16.0	0	2728		346		0	
4.750	2.875 J-55	7.0	0	5685		143		2025	

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) MESAVERDE	5265	5369	5265 TO 5369	0.200	30	
B)						
C)						
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
5265 TO 5369	77,865# OF 16/30 BRADY SAND, 70% QUALITY FOAM & N2

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
06/27/2004	07/12/2004	12	→	1.0	536.0	1.0			FLows FROM WELL
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
3/4	SI	60.0	→	2	1072	2		PGW	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
			→						

(See Instructions and spaces for additional data on reverse side)

ELECTRONIC SUBMISSION #34161 VERIFIED BY THE BLM WELL INFORMATION SYSTEM

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

ACCEPTED FOR RECORD

AUG 06 2004

FARMINGTON FIELD OFFICE
BY 98

NMOCD

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

29. Disposition of Gas(Sold, used for fuel, vented, etc.)

FLARED

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
SAN JOSE	0	212		FRUITLAND COAL	2856
NACIMIENTO	212	1610		PICTURED CLIFFS	3066
OJO ALAMO	1610	1757		LEWIS SHALE	3300
				CLIFF HOUSE	4504
				MENEFEE	4834
				POINT LOOKOUT	5254
				MANCOS	5597

32. Additional remarks (include plugging procedure):

Please see attached well subsequent report.

33. Circle enclosed attachments:

- | | | | |
|---|--------------------|---------------|-----------------------|
| 1. Electrical/Mechanical Logs (1 full set req'd.) | 2. Geologic Report | 3. DST Report | 4. Directional Survey |
| 5. Sundry Notice for plugging and cement verification | 6. Core Analysis | 7 Other: | |

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

**Electronic Submission #34161 Verified by the BLM Well Information System.
For BP AMERICA PRODUCTION CO, sent to the Farmington
Committed to AFMSS for processing by ADRIENNE BRUMLEY on 08/06/2004 (04AXB3096SE)**

Name (please print) MARY CORLEYTitle AUTHORIZED REPRESENTATIVESignature (Electronic Submission)Date 08/05/2004

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** REVISED ** REVISED ** REVISED ** REVISED ** REVISED ** REVISED ** REVISED ****

ATLANTIC B LS 2C
COMPLETION SUBSEQUENT REPORT
07/27/2004

05/26/2004 RU & run CBL. TOC @ 2025'. NU Frac head & Frac valve – test CSG to 5000#. Test OK.

RU & perf Point Lookout/Menefee, w/3 JSPF: .200 inch diameter: 10 Shots / 30 Holes: 5369, 5360, 5350, 5321, 5311, 5305, 5295, 5287, 5281, 5265

RU & Frac w/77,865# of 16/30 Brady Sand, 70% Quality Foam & N2.

Open well to pit on ¼" choke & flowed back for 8 hrs. Upsized to ½" choke & flowed back for 8 hrs. Upsized to ¾" choke & flowed back for 8 hrs.

TIH W/Coil TBG & C/O to PBTD @ 5689'. RU & flow back thru ¾" choke for 12 hrs.

RU, TIH & w/Coil TBG & C/O to PBTD. RU & flow back well thru ¾" choke for 8 hrs.

RU & flow test well thru ¾" choke for 12 hrs. 536 MCF gas, trace oil, trace water. FCP 60#.

TIH & tag fill & C/O to PBTD. TOH.

07/13/2004 ND BOP. NUWH. RD & MOSU. Rig Release @ 11:00 hrs.