

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

FORM APPROVED
OMB NO. 1004-0137

Expires: November 30, 2000

5. LEASE DESIGNATION AND SERIAL NO.

SF-079010

1 a. Type of Well ☐ Oil Well ☒ Gas Well ☐ Dry ☐ Other

b. Type of Completion: ☒ New Well ☐ Work Over ☐ Deepen ☐ Diff. Resvr.

Other

2. Name of Operator

Devon Energy Production Co. LP Attn: Kenny Rhoades

3. Address

1751 Highway 511 Navajo Dam, New Mexico 87419

4. Location of Well (Report location clearly and in accordance with Federal requirements)*

At Surface SW SW 720' FSL & 720' FWL Unit M

At top prod. interval reported below Same

At total depth Same

14. Date Spudded

5/30/2004

15. Date T.D. Reached

6/8/2004

16. Date Completed 7/21/2004

☐ D & A Ready to Produce

18. Total Depth:

MD 3565'
TVD

19. Plug Back T.D.:

3542'

20. Depth Bridge Plug Set:

MD
TVD

22. Type of Electric & Other Mechanical Logs Run (Submit copy of each)

22. Was well cored? ☒ No ☐ Yes (Submit Analysis)

Was DST run? ☒ No ☐ Yes (Submit Report)

Directional Survey? ☐ No ☒ Yes (Submit Copy)

HRI-SDL-DSEN-GR SDL-DSEN-GR CBL-CCL-GR

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL.)	Cement Top*	Amount Pulled
12-1/4"	9-5/8" I-40	32.3#	0'	290'		175 sx "B"	37	Surface	0
8-3/4"	7" J-55	23#	0'	2900'		lead-575 sx 50/50 Poz tail-75 sx "B"	150 19	Surface	0
6-1/4"	4-1/2" J-55	11.6#	0'	3555'		lead 225 sx 50/50 Poz foam tail 75 sx "B"	120 19	1530'	0

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2-3/8"	3453'							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) Pictured Cliffs	3349'	3457'	3349'-3457'	0.33"	16	Open
B)						
C)						
D)						
E)						
F)						
G)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
3349'-3457'	84,262 # 20/40 Brady sand, 19,723 gals gelled KCL and 628,409 SCF Nitrogen

28. Production - Interval A

Date First Production	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Gas Gravity	Production Method
N/A	7/17/04	12	→	0	653 mcf	4 bbls	0	Flowing
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Well Status	
		0	→	0	1306 mcf	8 bbls	0	Shut In waiting first delivery

28a. Production - Interval B

Date First Production	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Gas Gravity	Production Method
			→					
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Well Status	
			→					

(See instructions and spaces for additional data on reverse side)

NMOCD

ACCEPTED FOR RECORD

AUG 13 2004

FARMINGTON FIELD OFFICE
BY JB

28b. Production - Interval C

Date First Production	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Well Status	

28c. Production - Interval D

Date First Production	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)
Vented

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top Meas. Depth
				Ojo Alamo	not logged
				Kirtland	not logged
				Fruitland	2862'
				Pictured Cliffs	3214'
				Lewis	3464'
				Huerfano Bentonite	
				Chacra	
				Menefee	
				Point Lookout	
				Mancos	
				Gallup	
				Greenhorn	
				Graneros	
				Dakota	

32. Additional remarks (including plugging procedure):

33. Circle enclosed attachments:

1. Electrical/Mechanical Logs (1 full set req'd.) 2. Geologic Report 3. DST Report 4. Directional Survey
5. Sundry Notice for plugging and cement verification 6. Core Analysis 7. Other

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) Kenny Rhoades Title Company Representative

Signature  Date 8-6-04

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CDDT**CDX-DART Drilling & Technology LLC.**5485 BELTLINE ROAD, SUITE 330 DALLAS, TEXAS 75254
PHONE: 972-692-1400 FAX: 972-692-1401

N.E.B.U	RIG # 8	Depth	Degree
220		150'	1°
		303'	1½°
		631'	1½°
		1139'	¾°
		1639'	1°
		2122'	1°
		2594'	¾°