District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-144
June 1, 2004

drilling and production facilities, submit to

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NN 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office.

Pit or Below-Grade Tank Registration or Closure	
Is pit or below-grade tank covered by a general plant? Yes \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	_

Type of action. Registration of a pit of	of below-grade tank and coostie of a pit of below-grad		
	505 486-3041 e-mail address 4850h goss@dvn.com		
Address: P.O. Box 6459 Navajo Dam, NM 87419	200 100 50 11 0 mail address. Jason. 2008(24 m. 40 m.	•	
Facility or well name: NEBU #66A API #: 30-045-22922	2 U/L or Qtr/Qtr NW/SW Sec 31 T 31N R 7W		
County: San Juan Latitude: N 36°51.5' Longitude: W 107°37.0' NAD: 1927 1983 Surface Owner Federal State Private Indian			
County. San Juan Lande. 14 30 31.5 Longitude. W	1707 57.0 NAD. 1727 1 1705 2 Surface O	Which I coucial [1] State [2] I Hvale [2] Indian [2]	
<u>Pit</u>	Below-grade tank		
Type: Drilling Production Disposal	Volume: 35 bbl Type of fluid: Produced Water		
Workover ☐ Emergency ☐	Construction material: Steel		
Lined Unlined	Double-walled, with leak detection? Yes 🛛 If not, explain why not.		
Liner type: Synthetic Thicknessmil Clay			
Pit Volumebbl			
	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points)	
water elevation of ground water.)	100 feet or more	(0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)	
water source, or less than 1000 feet from all other water sources.)	No	(0 points)	
water source, or less than 1000 feet from an other water sources.)	1		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)	
	200 feet or more, but less than 1000 feet	(10 points)	
	1000 feet or more	(0 points)	
	Ranking Score (Total Points)	40 Points	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicat	te disposal location: (check the onsite box if	
your are burying in place) onsite 🗌 offsite 🔲 If offsite, name of facility (3) Attach a general description of remedial action taken including			
remediation start date and end date. (4) Groundwater encountered: No 🗆 Yes 🗀 If yes, show depth below ground surfaceft. and attach sample results. (5)			
Attach soil sample results and a diagram of sample locations and excavations	s		
Additional Comments:			
Actual tank location is N 36°51.450' W 107°37.026'			
Well footages 2100/ENIL 200/EWI		D	
Jeny 2 Four			
•			
DEFUTY OIL & GAS INSPECTOR DIST III			
		····	
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines , Date: August 2, 2004	a general permit , or an (attached) alternative O	above-described pit or below-grade tank has CD-approved plan □.	
Printed Name/Title <u>Jason Goss/ Field Engineer</u> Signature	Jood Hoo		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.			
Approval:			
Printed Name/Title	Signature	Date:	