<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Form C-144 June 1, 2004

Oil Conservation Division

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe. NM 87505

Pit or Below-Grade Tank Registration or Closure

Printed Name/Title	Signature	Date:	
Approval:			
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.	ot relieve the operator of liability should the content e operator of its responsibility for compliance with	is of the pit or tank contaminate ground water or any other federal, state, or local laws and/or	
Printed Name/Title RON LECHWAR HES COORDINATOR	Signature Won Luk		
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines ☐, Date: 9/15/04	a general permit , or an (attached) afternativ	the above-described pit or below-grade tank has e OCD-approved plan .	
		DIQ1 III	
DEFUTY OIL & GAS INSPECTOR DIST III			
		Additional Comments:	A1
Attach soil sample results and a diagram of sample locations and excavation	S		
remediation start date and end date. (4) Groundwater encountered: No 🗌 Yes 📗 If yes, show depth below ground surfaceft. and attach sample results. (5)			
your are burying in place) onsite \(\square\) offsite \(\square\) If offsite, name of facility_		·	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks (2) Ind	icate disposal location: (check the onsite how if	
	Ranking Score (Total Points)	0 POINTS	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)◀	
water source, or less than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet 200 feet or more, but less than 1000 feet	(20 points) (10 points)	
	No	(0 points)◀	
water elevation of ground water.) Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)	
	100 feet or more	(0 points)◀	
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet 50 feet or more, but less than 100 feet	(20 points) (10 points)	
Pit Volumebbl			
Lined Unlined Liner type: Synthetic Thickness mil Clay	Double-walled, with leak detection? Yes 🔀 If i	walled, with leak detection? Yes 🛛 If not, explain why not.	
Workover	Construction material: METAL		
<u>Type:</u> Drilling ☐ Production ☐ Disposal ☐	Volume: 90 bbl Type of fluid: PRODUCED FLUID		
Pit	Below-grade tank	· · · · · · · · · · · · · · · · · · ·	
County: RIO ARRIBA Latitude 36 34 77N Longitude 107 33 10	` `	ederal 🛛 State 🗌 Private 🔲 Indian 🗍	
Address: 500 WEST ILLINOIS, MIDLAND, TEXAS 79701 Facility or well name: RINCON 133E API # 30-	-039-25187 U/L or Qtr/Qtr D	Sec 14 T 27N R 7W	
Operator: PURE RESOURCES Telephone: 432 498-8600	e-mail address: RLECHWAR@RURERE	SOURCES.COM	
Type of action: Registration of a pit o	(%)	J	
The analysis Designation of the	r below-grade tank Closure of apit or below-g	mode tonl	