District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \) No \(\subseteq \) Type of action: Registration of a pit or below-grade tank \(\subseteq \) Closure of a pit or below-grade tank \(\subseteq \)		
Outstand Construe Cloud Winnin Oil Deposition Telephones	505 225 1921 a mail address: ichurac@d	uses and direction com-
Operator: Carolynn Clark Wiggin Oil Properties Telephone: 505-325-1821 e-mail address: johnroe@duganproduction.com		
Address: <u>c/o Dugan Production Corp. @ P. O. Box 420, Farmington, NM 87499</u> Facility or well name: Clark No. 10 API #: 30-039-23288 U/L or Qtr/Qtr D Sec 5 T 24N R 3W		
County: Rio Arriba Latitude 36.34158 Longitude -107.18608 NAD: 1927 1983 Surface Owner Federal State Private Indian		
County. Rio Attiba Latitude 50.54136 Conglude -107,18008	NAD. 1927 1903 Sulface Owner reductar	State Filvate Illular
Pit	Below-grade tank	
Type: Drilling Production Disposal	Volume: 40 bbl Type of fluid: produced water	
Workover ☐ Emergency ☐	Construction material: <u>steel</u>	
Lined Unlined U	Double-walled, with leak detection? Yes 🛛 If not, explain why not.	
Liner type: Synthetic Thicknessmil Clay		
Pit Volumebbl		
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points) 0
water elevation of ground water.) ±500'	100 feet or more	(0 points)
Wallhood materian group / Logs than 200 feet from a mirrote demostic	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	(No	(0 points) 0
water source, or less than 1000 feet from all other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points) 10
±350' to Billy Rice Canyon Ephemeral Wash	1000 feet or more	(0 points)
	Ranking Score (Total Points)	10
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility (3) Attach a general description of remedial action taken including		
remediation start date and end date. (4) Groundwater encountered: No 🗌 Yes 📗 If yes, show depth below ground surface ft. and attach sample results. (5)		
Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments:		
Joev M. I		
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines ⊠, Date: September 30, 2004		
Printed Name/Title John D. Roe Signature John D. Roe		
Printed Name/Title John D. Roe Signature John D. Roe Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval: Printed Name/Title DEPUTY ON & GAS INSPECTOR, DIST. Signature Signature Signature Signature		