District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM

State of New Mexico **Energy Minerals and Natural Resources**

> Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 20

Submit 1 copy to appropriate District Office and I copy to Santa Fe Office

Risk

(Revised 3/9/94)

PIT REMEDIATION AND CLOSURE RE

Operator: Burlington Resources

Telephone: 505-326-9841

Address: 3401 East 30th St., Farmington, NM 87402

Facility Or: RICHARDSON

Well No: 10E

Pit No: 1

R 012W

Well Name

87505

Location: Unit or Qtr/Qtr Sec L

Sec <u>10</u> T 031N

County San-Juan

Pit Type: vent

(Separator, Dehydrator, Tank, Vent, Other)

Land Type: BLM

(BLM, State, Fee, Other)

Pit Location:

Pit Dimension length 10

width 10

depth 4

Reference: wellhead

Other

Footage from reference: 80

Direction from reference (azimuth): 45

degrees

Depth To Ground Water:

(Vertical distance from

contaminants to seasonal

Less than 50 feet 50 feet to 99 feet

(20 points) (10 points)

high water elevation of ground water.)

Greater than 100 feet

(0 points) 0

Wellhead Protection Area:

(Less than 200 feet from a private domestic water source, or; less than

1000 feet from all other water

Yes (20 points)

sources.)

(0 points) 0

Distance to Surface Water:

(Horizontal distance to perennial lakes, ponds, rivers, streams, creeks,

irrigation canals and ditches.)

Less than 200 feet

(20 points)

200 feet to 1000 feet Greater than 1000 feet (10 points) (0 points) 0

RANKING SCORE (TOTAL POINTS): 0

	Richardson 10E #1
Date Remediation Started:	<u>3/16/2002</u> Date completed:
Remediation Method:	Excavation Approx. cubic yards:
(Check all appropriate sections.)	Landfarmed Insitu Bioremediation
	Other
Remediation Location: (i.e. landfarmed onsite, name and location of offsite facility)	Onsite Offsite
is detailed below. The	emedial Action: The lab data from the initial assessment of the pit bit is NOT located inside the OCD defined Vulnerable Area. Based ANALYSIS, it is proposed to close the pit by backfilling with tank in the depression.
Ground Water Encountere	d: No (yes or no) Depth:
Final Pit:	Sample location center of pit
Closure Sampling: (if multiple samples,	Sample depth <u>3</u>
attach sample results and diagram of sample	Sample Date <u>3/16/2002</u> Sample time <u>2:35:00 PM</u>
locations and depths)	Sample Results:
	Benzene(ppm) 14
	Total BTEX(ppm) 140
	Field Headspace(ppm) 858
	TPH <u>6659</u>
Ground Water Sample: No.	o (If yes, attach sample results)
I hereby certify that the in belief.	formation above is true and complete to the best of my knowledge and
Date: 4/7/03	Signature 29 hosely
 Title: Environmental Sn	ecialist Printed Name: Ed Hasely

RISK ANALYSIS FOR EARTHEN PIT CLOSURE

Burlington Resources requests closure of the earthen pit at this location using a limited risk analysis based upon the following conditions:

- 1. The pit is <u>not</u> located inside the NMOCD defined Vulnerable Areas.
- 2. Groundwater is estimated to be at a depth greater than 100 feet.
- 3. The pit is <u>not</u> located within the Wellhead Protection Area within 200 feet of a private domestic water source or within 1000 feet of all other water sources.
- 4. The pit is located greater than 1000 feet to surface water.
- 5. The soils from below the pit bottom were analyzed to provide a record of the benzene, Total BTEX, and Total Petroleum Hydrocarbons (TPH) levels. Total Petroleum Hydrocarbons (TPH) levels were less than 10,000 ppm.

Burlington Resources believes that the earthen pit poses minimal threat to groundwater, human health and the environment.

2506 West Main Street Farmington, NM 87401

Client:

Burlington Resources

Project:

Pit Closure

Sample ID:

Richardson 10E 4-75 6660001-1

Lab ID:

0302W01050

Matrix:

Soil

Condition:

Cool/Intact

Date Reported: 04/12/02

Date Sampled: 03/16/02

Date Received: 03/18/02 Date Extracted: N/A

Date Analyzed: 04/02/02

Parameter	Analytical Result	PQL	Units
BTEX - METHOD 8021B	Nout		Omis
Benzene	14	5	mg/Kg
Toluene	38	5	mg/Kg
Ethylbenzene	28	5	mg/Kg
Xylenes (total)	60	15	mg/Kg
Total BTEX	140	30	mg/Kg
GRO/DRO - METHOD 8015M			
Gasoline Range Organics(C6-C10)	6,300	50	mg/Kg
Diesel Range Organics (C10 - C22)	359	50	mg/Kg
Total Petroleum Hydrocarbons (C6-C22)	6,659	100	mg/Kg

Reference: Method 8021b, Volatile Organic Compounds, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, United States Environmental

Protection Agency, SW-846, Volume IB.

Reviewed By:

Analyst: