TABULATION OF DEVIATION TEST

BP America Production Company

DEPTH	DEVIATION	DEPTH	DEVIATION	
652	0.75	•		•
1167	0.25	•		- 100 TO
1701	0.25			
2209	1.25			SEP SEP
2718	1.25			1 00 to 2004 55
3129	1.25			
	AFFIDAVIT			2022292

THIS IS TO CERTIFY that to the best of my knowledge, the above tabulation details the deviation test taken on **BP America Production Company's:**

	Ludwick LS	15M		API#	30-045-32366		
	2450' FSL &						
	San Juan C						
		Signed: Title:	Regulatory	Ty A Analyst	lava		
THE STATE OF TEXAS) COUNTY OF HARRIS))) 33.					
)					
BEFORE ME, the und	dersigned au	thority, on this c	lay personali	y appeared	CHERRY H	ILAVA	
known to me to be a Re		Regulatory Anal	egulatory Analyst		for BP America ProductionCompany and		
person whose name has knowledge of the		•			me dully sworn on oat and correct.	n, states that she	

SUBSCRIBED AND SWORN to before me, a Notary Public in and for said County and State this August 2004

Notary Public

day of

My Commission Expires:

ZINDA J. BERRY Notary Public, State of Texas My Commission Expires February 28, 2007