District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 1 copy to appropriate District Office and I copy to the Santa Fe Office

(Revised 3/9/94)

PIT REMEDIATION AND CLOSURE REPORT 30 Operator: Burlington Resources Telephone: 505-326-9841 Address: 3401 East 30th St., Farmington, NM 87402 Facility Or: SAN JUAN 27-5 UNIT Pit No: 1 Well No: 173 Well Name Location: Unit or Qtr/Qtr Sec O Sec 09 T 027N R 005W County Pit Type: separator (Separator, Dehydrator, Tank, Vent, Other) Land Type: BLM (BLM, State, Fee, Other) Pit Location: Pit Dimension length 14 width 14 depth 2 Reference: wellhead Other Footage from reference: 10 Direction from reference (azimuth): 320 degrees Depth To Ground Water: (Vertical distance from contaminants to seasonal Less than 50 feet (20 points) high water elevation of 50 feet to 99 feet (10 points) Greater than 100 feet ground water.) (0 points) 0Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than Yes (20 points) 1000 feet from all other water No (0 points) 0 sources.) Distance to Surface Water: Less than 200 feet (20 points) (Horizontal distance to perennial 200 feet to 1000 feet lakes, ponds, rivers, streams, creeks, (10 points) Greater than 1000 feet irrigation canals and ditches.) (0 points) 0RANKING SCORE (TOTAL POINTS): 0

Date Remediation Started	: <u>4/2/2002</u>	Date completed:			
Remediation Method:	Excavation	Approx. cubic yards:			
(Check all appropriate sections.)	Landfarmed	Insitu Bioremediation			
	Other				
Remediation Location: (i.e. landfarmed onsite, name and location of offsite facility)	Onsite	Offsite			
General Description of Remedial Action: The lab data from the initial assessment of the pit is detailed below. The pit is NOT located inside the OCD defined Vulnerable Area. Based upon the attached RISK ANALYSIS, it is proposed to close the pit by backfilling with clean soils.					
Ground Water Encountered: No (yes or no) Depth:					
Final Pit: Closure Sampling: (if multiple samples, attach sample results and diagram of sample locations and depths)	Sample location Sample depth Sample Date	_			
-	Sample Resul	ts:			
	Benzene(p	opm) <u>&lt;5</u>			
Total BTEX(ppm) 160					
Field Headspace(ppm) 1672					
	TPH <u>270</u>	<u>4</u>			
Ground Water Sample: N	o (If yes, a	attach sample results)			
belief.		is true and complete to the best of my knowledge and			
Date: 3/31/6		Signature 2 / hase			
Title: Environmental Sp	<u>ecialist</u>	Printed Name: Ed Hasely			

## RISK ANALYSIS FOR EARTHEN PIT CLOSURE

Burlington Resources requests closure of the earthen pit at this location using a limited risk analysis based upon the following conditions:

- 1. The pit is <u>not</u> located inside the NMOCD defined Vulnerable Areas.
- 2. Groundwater is estimated to be at a depth greater than 100 feet.
- 3. The pit is <u>not</u> located within the Wellhead Protection Area within 200 feet of a private domestic water source or within 1000 feet of all other water sources.
- 4. The pit is located greater than 1000 feet to surface water.
- 5. The soils from below the pit bottom were analyzed and the only parameter above NMOCD closure guidelines was total BTEX, which exceeded 50 ppm. The benzene and Total Petroleum Hydrocarbons (TPH) levels were within the NMOCD closure guidelines.

Burlington Resources believes that the earthen pit poses minimal threat to groundwater, human health and the environment.

Client:

**Burlington Resources** 

Project:

**Pit Closure** 

Sample ID:

SJ 27-5 UNIT 173 4434501

Lab ID:

0302W01408

Matrix:

Soil

Condition:

Cool/Intact

Date Reported: 05/20/02

**Date Sampled:** 04/02/02

Date Received: 04/04/02

Date Extracted: 04/11/02

Date Analyzed: 04/17/02

Parameter	Analytical Result	PQL	Units
	Result		
BTEX - METHOD 8021B			
Benzene	<5	5	mg/Kg
oluene	12	5	mg/Kg
Ethylbenzene	17	5	mg/Kg
(ylenes (total)	127	15	mg/Kg
otal BTEX	160	30	mg/Kg
GRO/DRO - METHOD 8015M			
Gasoline Range Organics(C6-C10)	2,401	50	mg/Kg
Diesel Range Organics (C10 - C22)	303	50	mg/Kg
otal Petroleum Hydrocarbons (C6-C22)	2,704	100	mg/Kg

Reference: Method 8021b, Volatile Organic Compounds, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, United States Environmental

Protection Agency, SW-846, Volume IB.

Analyst: