District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 **District IV** 1220 S. St. Francis Dr., Santa Fe, NM

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

€ Submit 1 copy to appropriate District Office

and 1 copy to the Santa Fe Office

(Revised 3/9/94)

30-045-241 PIT REMEDIATION AND CLOSURE REPORT

Operator: Burlington Resources

Telephone:

505-326-9841

Address: 3401 East 30th St., Farmington, NM 87402

Facility Or: HANKS

Well No: 12E

Pit No: 2

Well Name

Location: Unit or Qtr/Qtr Sec P

Sec 07 T 027N R 009W

County San Jua

Pit Type: vent

(Separator, Dehydrator, Tank, Vent, Other)

Land Type: BLM

(BLM, State, Fee, Other)

Pit Location:

Pit Dimension length 15

width 15

depth 2.5

Reference: wellhead

Other

Footage from reference:

Direction from reference (azimuth): 260 degrees

Depth To Ground Water:

(Vertical distance from

contaminants to seasonal

Less than 50 feet

(20 points) (10 points)

high water elevation of ground water.)

50 feet to 99 feet Greater than 100 feet

(0 points) 0

Wellhead Protection Area:

(Less than 200 feet from a private domestic water source, or; less than

1000 feet from all other water

(20 points)

(0 points) 0

sources.)

Distance to Surface Water:

irrigation canals and ditches.)

(Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, Less than 200 feet 200 feet to 1000 feet (20 points) (10 points)

Greater than 1000 feet

(0 points) 0

RANKING SCORE (TOTAL POINTS): 0

Date Remediation Started	l: <u>3/27/2002</u> Date completed:		
Remediation Method: (Check all appropriate sections.)	Excavation Approx. cubic yards:		
	Landfarmed Insitu Bioremediation		
,	Other		
Remediation Location: (i.e. landfarmed onsite, name and location of offsite facility)	Onsite Offsite		
General Description of Remedial Action: The lab data from the initial assessment of the pit is detailed below. The pit is NOT located inside the OCD defined Vulnerable Area. Based upon the attached RISK ANALYSIS, it is proposed to close the pit by backfilling with clean soils or setting a tank in the depression.			
Ground Water Encountered: No (yes or no) Depth:			
Final Pit: Closure Sampling: (if multiple samples, attach sample results and diagram of sample locations and depths)	Sample location <u>center of pit</u> Sample depth <u>3</u> Sample Date <u>3/27/2002</u> Sample time <u>12:55:00 PM</u>		
	Sample Results:		
	Benzene(ppm) 19		
	Total BTEX(ppm) 1460		
	Field Headspace(ppm) 1327		
	TPH <u>8602</u>		
Ground Water Sample: N	(If yes, attach sample results)		
I hereby certify that the information above is true and complete to the best of my knowledge and belief.			
Date: 4/7/03	Signature Sheek		
Title: Environmental Specialist Printed Name: Ed Hasely			

RISK ANALYSIS FOR EARTHEN PIT CLOSURE

Burlington Resources requests closure of the earthen pit at this location using a limited risk analysis based upon the following conditions:

- 1. The pit is <u>not</u> located inside the NMOCD defined Vulnerable Areas.
- 2. Groundwater is estimated to be at a depth greater than 100 feet.
- 3. The pit is <u>not</u> located within the Wellhead Protection Area within 200 feet of a private domestic water source or within 1000 feet of all other water sources.
- 4. The pit is located greater than 1000 feet to surface water.
- 5. The soils from below the pit bottom were analyzed to provide a record of the benzene, Total BTEX, and Total Petroleum Hydrocarbons (TPH) levels. Total Petroleum Hydrocarbons (TPH) levels were less than 10,000 ppm.

Burlington Resources believes that the earthen pit poses minimal threat to groundwater, human health and the environment.

Client:

Burlington Resources

Project:

Pit Closure

Sample ID:

HANKS 12E 2720101-2

Lab ID:

0302W01216

Matrix:

Soil

Condition:

Cool/Intact

Date Reported: 05/01/02

Date Sampled: 03/27/02

Date Received: 03/28/02

Date Extracted: N/A

Date Analyzed: 04/09/02

Parameter	Analytical Result	PQL	Units
BTEX - METHOD 8021B			
Benzene	19	5	mg/Kg
Toluene	382	5	mg/Kg
Ethylbenzene	65	5	mg/Kg
Xylenes (total)	996	15	mg/Kg
Total BTEX	1,460	30	mg/Kg
GRO/DRO - METHOD 8015M			
Gasoline Range Organics(C6-C10)	8,380	50	mg/Kg
Diesel Range Organics (C10 - C22)	222	50	mg/Kg
Total Petroleum Hydrocarbons (C6-C22)	8,602	100	mg/Kg

Reference

Method 8021b, Volatile Organic Compounds, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, United States Environmental

Protection Agency, SW-846, Volume IB.

Reviewed By:

Analyst:	