District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 copy to appropriate

Office and 1 copy to the Santa Fe Office

BTEX (Revised 3/9/94)

PIT REMEDIATION AND CLOSURE REPORT 30-045-27474

		45.5V.V
Operator: <u>Burlington Resources</u>	Telephone: <u>505-326-9841</u>	CONTRACTOR OF THE PARTY OF THE
Address: 3401 East 30th St., Farmington, N	M 87402	APR 2002
Facility Or: SAN JUAN 32-9 UNIT Well Name	Well No: <u>103</u> Pit No: <u>1</u>	
Location: Unit or Qtr/Qtr Sec A Sec 1	8 T <u>031N</u> R <u>009W</u>	County San Juan
Pit Type: <u>vent</u> (Separator, Dehydrat	or, Tank, Vent, Other)	The state of the s
Land Type: <u>BLM</u> (BLM, State, Fee, O	ther)	
Pit Location: Pit Dimension length 12	width 12	depth <u>3</u>
Reference: wellhead Other_		
Footage from reference: 50		
Direction from reference (azimuth):	13.5 degrees	
high water elevation of	Less than 50 feet 50 feet to 99 feet Greater than 100 feet	(20 points) (10 points) (0 points) <u>0</u>
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>
Distance to Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches.)	Less than 200 feet 200 feet to 1000 feet Greater than 1000 feet	(20 points) (10 points) (0 points) <u>0</u>
·	RANKING SCORE (TOTA	L POINTS): <u>0</u>

Date Remediation Started	: <u>3/12/2002</u> Date completed:			
Remediation Method:	Excavation Approx. cubic yards:			
(Check all appropriate sections.)	Landfarmed Insitu Bioremediation			
	Other			
Remediation Location: (i.e. landfarmed onsite, name and location of offsite facility)	Onsite Offsite			
is detailed below. The	emedial Action: The lab data from the initial assessment of the pit pit is NOT located inside the OCD defined Vulnerable Area. Based K ANALYSIS, it is proposed to close the pit by backfilling with			
Ground Water Encountered: No (yes or no) Depth:				
Final Pit: Closure Sampling: (if multiple samples, attach sample results and diagram of sample locations and depths)	Sample location <u>center of pit</u> Sample depth <u>3</u> Sample Date <u>3/12/2002</u> Sample time <u>6:30:00 PM</u>			
	Sample Results:			
Benzene(ppm) 6				
Total BTEX(ppm) 683				
Field Headspace(ppm) 732				
TPH <u>3582</u>				
Ground Water Sample: N	o (If yes, attach sample results)			
belief.	formation above is true and complete to the best of my knowledge and			
Date: 3/31/03	Signature 2//test/7			
Title: Environmental Sp	pecialist Printed Name: Ed Hasely			

RISK ANALYSIS FOR EARTHEN PIT CLOSURE

Burlington Resources requests closure of the earthen pit at this location using a limited risk analysis based upon the following conditions:

- 1. The pit is <u>not</u> located inside the NMOCD defined Vulnerable Areas.
- 2. Groundwater is estimated to be at a depth greater than 100 feet.
- 3. The pit is <u>not</u> located within the Wellhead Protection Area within 200 feet of a private domestic water source or within 1000 feet of all other water sources.
- 4. The pit is located greater than 1000 feet to surface water.
- 5. The soils from below the pit bottom were analyzed and the only parameter above NMOCD closure guidelines was total BTEX, which exceeded 50 ppm. The benzene and Total Petroleum Hydrocarbons (TPH) levels were within the NMOCD closure guidelines.

Burlington Resources believes that the earthen pit poses minimal threat to groundwater, human health and the environment.

Client:

Burlington Resources

Project:

Pit Closure

Sample ID:

San Juan 32-9 #103 Pit 1 1582701-1

Lab ID:

0302W00947

Matrix:

Soil

Condition:

Cool/Intact

Date Reported: 03/22/02

Date Sampled: 03/12/02

Date Received: 03/13/02

Date Extracted: N/A

Parameter	Analytical Result		Units
		PQL	
BTEX - METHOD 8021B			·
Benzene	6	5	mg/Kg
Toluene	127	5	mg/Kg
Ethylbenzene	44	5	mg/Kg
Xylenes (total)	506	15	mg/Kg
Total BTEX	683	30	mg/Kg
GRO/DRO - METHOD 8015M			0 0
Gasoline Range Organics(C6-C10)	2,847	50	mg/Kg
Diesel Range Organics (C10 - C22)	735	50	mg/Kg
Total Petroleum Hydrocarbons (C6-C22)	3,582	100	mg/Kg

Reference: Method 8021b, Volatile Organic Compounds, Test Methods for Evaluating

Solid Waste, Physical/Chemical Methods, United States Environmental

Protection Agency, SW-846, Volume IB.

Reviewed By:

William Lipps A

Analyst: