District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM

87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 copy to
appropriate
District Office
and 1 copy to
the Santa Fe Office

(Revised 3/9/94)

PIT REMEDIATION AND CLOSURE REPORT 30 645-08683

Operator: Burlington Resources Telephone: 505-326-9841 Address: 3401 East 30th St., Farmington, NM 87402 Facility Or: COOPER Well No: 3 Pit No: 1 Well Name Location: Unit or Qtr/Qtr Sec L Sec 06 T 029N R 011W County San Juan Pit Type: vent (Separator, Dehydrator, Tank, Vent, Other) Land Type: BLM (BLM, State, Fee, Other) Pit Location: Pit Dimension length 15 width 13 depth 3 Reference: wellhead Other Footage from reference: 57 Direction from reference (azimuth): 330 degrees Depth To Ground Water: (Vertical distance from contaminants to seasonal Less than 50 feet (20 points) high water elevation of 50 feet to 99 feet (10 points) Greater than 100 feet ground water.) (0 points) 0 Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than FED 2 8 2003 Yes (20 points) 1000 feet from all other water (0 points) 0sources.) Distance to Surface Water: (Horizontal distance to perennial Less than 200 feet (20 points) lakes, ponds, rivers, streams, creeks, 200 feet to 1000 feet (10 points) Greater than 1000 feet irrigation canals and ditches.) (0 points) 0RANKING SCORE (TOTAL POINTS): 0

Date Remediation Started: 3/8/2002 Date completed: Excavation _____ Approx. cubic yards: ____ Remediation Method: (Check all appropriate Landfarmed Insitu Bioremediation sections.) Onsite _____ Offsite _____ Remediation Location: (i.e. landfarmed onsite. name and location of offsite facility) General Description of Remedial Action: The lab data from the initial assessment of the pit is detailed below. The pit is NOT located inside the OCD defined Vulnerable Area. Based upon the attached RISK ANALYSIS, it is proposed to close the pit by backfilling with clean soils. Ground Water Encountered: No (yes or no) Depth: Final Pit: Sample location center of pit Closure Sampling: Sample depth (if multiple samples, 3 attach sample results Sample Date <u>3/8/2002</u> and diagram of sample Sample time <u>2:15:00 PM</u> locations and depths) Sample Results: Benzene(ppm) 6 Total BTEX(ppm) 96 Field Headspace(ppm) 396 TPH 3813 Ground Water Sample: No (If yes, attach sample results) I hereby certify that the information above is true and complete to the best of my knowledge and belief. 2/24/03 Date:___ Signature Title: Environmental Specialist Printed Name: Ed Hasely

RISK ANALYSIS FOR EARTHEN PIT CLOSURE

Burlington Resources requests closure of the earthen pit at this location using a limited risk analysis based upon the following conditions:

- 1. The pit is <u>not</u> located inside the NMOCD defined Vulnerable Areas.
- 2. Groundwater is estimated to be at a depth greater than 100 feet.
- 3. The pit is <u>not</u> located within the Wellhead Protection Area within 200 feet of a private domestic water source or within 1000 feet of all other water sources.
- 4. The pit is located greater than 1000 feet to surface water.
- 5. The soils from below the pit bottom were analyzed and the only parameter above NMOCD closure guidelines was total BTEX, which exceeded 50 ppm. The benzene and Total Petroleum Hydrocarbons (TPH) levels were within the NMOCD closure guidelines.

Burlington Resources believes that the earthen pit poses minimal threat to groundwater, human health and the environment.

Client:

Burlington Resources

Project:

Pit Closure

Sample ID:

Cooper 3 978201-1

Lab ID:

0302W00926

Matrix:

Soil

Condition:

Cool/Intact

Date Reported: 03/22/02

Date Sampled: 03/08/02

Date Received: 03/11/02

Date Extracted: N/A

Parameter	Analytical Result	PQL	Units
BTEX - METHOD 8021B	Nesuit	FQL	- Units
Benzene	6	5	mg/Kg
Toluene	<5	5	mg/Kg
Ethylbenzene	8	5	mg/Kg
(ylenes (total)	78	15	mg/Kg
Total BTEX	96	30	mg/Kg
GRO/DRO - METHOD 8015M			J. 1.3
Sasoline Range Organics(C6-C10)	3,106	50	mg/Kg
Diesel Range Organics (C10 - C22)	707	50	mg/Kg
otal Petroleum Hydrocarbons (C6-C22)	3,813	100	mg/Kg

Reference: Met

Method 8021b, Volatile Organic Compounds, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, United States Environmental

Protection Agency, SW-846, Volume IB.

Reviewed By:

Analyst: