

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires January 31, 2004

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

5. Lease Serial No.
NMNM28709

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
Divide #3

9. APL Well No.
30-039-24048

10. Field and Pool, or Exploratory Area
Blanco Mesaverde

11. County or Parish, State
Rio Arriba County, NM

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
McElvain Oil & Gas Properties, Inc.

3a. Address
1050 17th Street #1800 Denver, CO 80265

3b. Phone No. (include area code)
303-839-0933

4. Location of Well (Postage, Sec., T., R., M., or Survey Description)

1780' FSL & 2120' FWL Sec. 35 T26N R2W NMPM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☒ Subsequent Report	☐ Alter Casing	☐ Fracture Treat	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☐ Other
	☐ Change Plans	☒ Plug and Abandon	☐ Temporarily Abandon	
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Set CIBP at 5661'. Pressure test bridge plug and tubing to 500 psi and held 30 min.

Spot 20 sx cement plug (Class H, 14.6#, 1.37 yield) from 5661'-5456'.

Spot 32 sx cement plug (Class H, 14.6#, 1.37 yield) from 4012' to 3638'.

Spot 20 sx cement plug (Class H, 14.6#, 1.37 yield) from 3620' to 3420'.

Spot 20 sx cement plug (Class H, 14.6#, 1.37 yield) from 2143' to 1943'.

Pump remaining cement (20.5 sx Class H, 14.6#, 1.37 yield) from 301' to top.

Installed dry hole marker. Reclaimed per landowner.

Witnessed by Alfonso Atencio (BLM), 9/3/03.

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

John D. Steuble

Title Engineering Manager

Signature

John D. Steuble

Date 6/23/04

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Wm R. Schuler

Division of Multi-Resources

Title

Date

AUG 17 2004

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office


Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

DIVIDE #3

NE/SW Section 35 T26N-R2W
1780' FSL & 2120' FWL
Rio Arriba County NM
Final PSA Config

SURFACE CASING in 12 1/4" hole
9 5/8" 36# J-55 @ 226'
147.5 cf Class B +2% CaCl
Circulated to Surface
0'-301' 20.5 sx Plug



DIVIDE #3

NE/SW Section 35 T26N-R2W
1780' FSL & 2120' FWL
Rio Arriba County NM
Final PSA Config

