District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \text{No} \) \(\text{X} \)

i e	or below-grade tank Closure of a pit or below-g	grade talk A
Operator: Dugan Production Corp Tel-	ephone: (505)325-1821 e-mail address:	
Address: P.O. Box 420, Farmington, New Mexico 87401		
	30-045-05682 U/L or Qtr/Qtr G Sec 2'	7 T 26N R 13W
	108.20443 NAD: 1927 1983 Surface O	wner Federal X State Private Indian
<u>Pit</u>	Below-grade tank	A CONTRACTOR OF THE PARTY OF TH
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover	Construction material: OCT 2004 Double-walled, with leak detection? Yes If not, explain why not.	
Lined 🔲 Unlined 🔀		
Liner type: Synthetic Thicknessmil Clay		OF OF COMMEN
Pit Volume 400 bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) 0 / 9
men water elevation of ground water.)	100 feet or more	(0 points)
Wallhard protection area. (Less than 200 feet feet a single de	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points) 0
water source, or less than 1000 feet from all other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points) 0
	1000 feet or more	(0 points)
	Ranking Score (Total Points)	0
f this is a pit closure: (1) attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks (2) Indi	icate disposal location: (check the onsite box if
our are burying in place) onsite 🔀 offsite 🖂 If offsite, name of facility_		
emediation start date and end date. (4) Groundwater encountered: No		n. and attach sample results. (5)
ttach soil sample results and a diagram of sample locations and excavation	15.	
Additional Comments:		
36' x 18' x 3.5' deep earthen pit., center located 54 feet North 1° East of	wellhead.	
	wellhead.	
36' x 18' x 3.5' deep earthen pit., center located 54 feet North 1° East of		
	st of my knowledge and belief. I further certify th	rnative OCD-approved plan .
36' x 18' x 3.5' deep earthen pit., center located 54 feet North 1° East of I hereby certify that the information above is true and complete to the be has been/will be constructed or closed according to NMOCD guideling	st of my knowledge and belief. I further certify th	rnative OCD-approved plan .
I hereby certify that the information above is true and complete to the be has been/will be constructed or closed according to NMOCD guideling Date:	st of my knowledge and belief. I further certify the nes , a general permit , or an (attached) altered. Signature	rnative OCD-approved plan Lef 5 ents of the pit or tank contaminate ground water or

ONSITE: 10-1-04

TRAVEL NOTES:

CALLOUT:

0915



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Tank Pit	Date Reported:	10-03-04
Laboratory Number:	30772	Date Sampled:	10-01-04
Chain of Custody No:	13062	Date Received:	10-01-04
Sample Matrix:	Soil	Date Extracted:	10-01-04
Preservative:	Cool	Date Analyzed:	10-02-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

West Bisti Unit #125 6-Point Composite @ 2½'-3'.

Misture m Walters
Analyst

Review C. Oyl