

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

5. Lease Serial No.
NMSF078994

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

7. If Unit or CA/Agreement, Name and/or No.
NMNM78419A

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

8. Well Name and No.
SJ 30-5 19

2. Name of Operator
CONOCOPHILLIPS COMPANY

Contact: CHRIS GUSTARTIS
E-Mail: CHRISTINA.GUSTARTIS@CONOCOPHILLIPS.COM

9. API Well No.
3003907848-00-S1

3a. Address
P O BOX 2197 WL 6106
HOUSTON, TX 77252

3b. Phone No. (include area code)
Ph: 832.486.2463

10. Field and Pool, or Exploratory
BLANCO MESAVERDE

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 18 T30N R5W SWNE 1850FNL 1850FEL
36.81470 N Lat, 107.39536 W Lon

11. County or Parish, and State
RIO ARriba COUNTY, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Workover Operations
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Tubing was replaced on this well due to holes in the tubing and heavy corrosion. 2.375 tubing set @ 3,078'. Daily summary is attached.



14. I hereby certify that the foregoing is true and correct.

Electronic Submission #50714 verified by the BLM Well Information System

For CONOCOPHILLIPS COMPANY, sent to the Farmington

Committed to AFMSS for processing by MATTHEW HALBERT on 12/03/2004 (05MXH0191SE)

Name (Printed/Typed) CHRIS GUSTARTIS

Title AUTHORIZED REPRESENTATIVE

Signature (Electronic Submission)

Date 11/05/2004

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTED

MATTHEW HALBERT
Title PETROLEUM ENGINEER

Date 12/06/2004

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Farmington

NMOCD

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Daily Summary

API/UWI 300390784800	County RIO ARriba	State/Province NEW MEXICO	Surface Legal Location NMPM-30N-05W-18-G	N/S Dist. (ft) 1850.1	N/S Ref. N	E/W Dist. (ft) 1850.1	E/W Ref. E
Ground Elevation (ft) 6410.00	Spud Date 04/18/1957	Rig Release Date 02/05/1957	Latitude (DMS)	Longitude (DMS)			

Start Date	Ops This Rot
08/26/2004 07:30	JSA, SICP AN SITP 20#, BLOW WELL DOWN, FIX LOCK DOWN ON WELLHEAD, PU AN REMOVE HANGER, TBG STRING ONLY WEIGHTING 2000#, POOH WITH 1.6" TBG LAY DOWN AN TALLY OUT 29 JOINTS OF TBG. TOTAL TALLY 918', CHANGE OVER TO 2 3/8" TOOLS, PU AN RIH WITH OVERSHOT, DRESS TO CATCH BOX OF 1.66" TBG. (2.2") AN 2 3/8" TBG, PU TALLY, TAG UP WITH 96 JOINTS, 3036'. WORK TBG TRY TO LATCH ON, PU AN LAY DOWN 1 JOINT OF TBG. SECURE WELL SDFN.
08/26/2004 07:30	JSA, ROAD RIG TO NEXT LOCATION, CHECK LEL, FOUND MASTER VALVE LEAKING, STOP LEAK, 0% LEL, LO/TO, SPOT IN EQUIPMENT, RIG UP. SICP AN SITP 180#, PUMP 20BBLS KCL, KILL WELL, NDWH, NUBOP, RU FLOOR, TBG HANGER LEAKING, AN NOT THE RIGHT ONE FOR WH. FOUND ONE LOCK DOWN WOULD NOT RELEASE. SHUT DOWN, CALL OUT WELL HEAD SERVICE, WELL FIX IN AM. SDFN
08/27/2004 07:30	
08/28/2004 07:30	
08/29/2004 07:30	SHUT DOWN FOR 2ND QUARTER REVIEWS
08/30/2004 07:30	JSA, SICP 100#, BLOW WELL DOWN, POOH WITH OVERSHOT AN TBG, NO FISH. RU IMPRESSION BLOCK ON SAND LINE RIH, TAG FISH @3036', POOH, BLOCK SHOWS ABOUT A 1/2" POINT LOOKING UP, RIH WITH OVERSHOT, DRESS UP FOR BODY OF TBG, (1.66"), WITH 48 STAND OF TBG TAG FISH AT 3036', WORK ON OVERSHOT, PU NO EXTRA WEIGHT, POOH WITH TBG, OVERSHOT AN ABOUT A 8' PIECE OF TBG, RIH WITH IMPRSSION BLOCK, TAG FISH, POOH BLOCK, IT SHOWS END OF TBG BENT OVER ABOUT THREE INCHES. SECURE WELL SDFN
08/31/2004 07:30	JSA, SICP 160#, BLOW WELL DOWN, RIH WITH CONCAVE MILL, WITH TBG, TAG FISH AT 3036'. RU POWER SWIVEL RU AIR, EST CIRCULATION, @250#, MILL OUT THREE FEET. CIRCULATE CLEAN, SHUT DOWN AIR, RD POWER SWIVEL, POOH WITH TBG AN MILL, MILL SHOWS TBG IN CENTER OF MILL. RIH WITH IMPRESSION BLOCK. TAG FISH AT 3039', BLOCK SHOWS GOOD TBG TOP. POOH WITH BLOCK. SECURE WELL SDFN.
09/01/2004 07:30	JSA, SICP 160#, BLOW WELL DOWN, RIH WITH OVERSHOT, AN TBG, OVERSHOT DRESS FOR BODY OF TBG, (1.66") TAG AN LATCH ON TO FISH @ 3060', PU TBG., NO EXTRA WEIGHT, RIH TAG, TAG HIGH, POOH WITH TBG, OVERSHOT AN ONE MORE JOINT OF TBG, TBG NOT PARTED, TBG ALL CORRODED, LOTS OF HOLES. RIH WITH IMPRESSION BLOCK TAG FISH 3060', POOH IMPRESSION BLOCK. BLOCK SHOWS TOP OF FISH FLARED OUT, RIH WITH CONCAVE MILL, TAG FISH @3060', RU POWER SWIVEL, RU AIR EST RATE @240#, MILL OUT THREE FEET OF TBG. CIRCULATE CLEAN, SHUT DOWN AIR, RD POWER SWIVEL, POOH WITH ONE STAND. SECURE WELL SDFN.
09/02/2004 07:30	JSA, SICP 160#, BLOW WELL DOWN, POOH WITH 47 STANDS OF 2 3/8" TBG, AN MILL, LAY DOWN MILL, RIH WITH IMPRESSION BLOCK, TAG UP AT 3039', POOH WITH MILL, BLOCK SHOWS TOP OF FISH, GOOD MILL JOB. GOOD TOP. RIH WITH OVERSHOT, DRESS UP WITH 1.66" GRAPPLE, AN TBG. TAG UP AT 3039', WORK TBG, LATCH FISH, WORK TBG BETWEEN 19,000# AN 30,000#, TBG PULLED FREE, POOH WITH TBG, OVERSHOT, AN FISH- ONE JOINT OF 1.66" TBG, TBG SHOWED TO BE PULL FROM BETWEEN OTHER JOINTS OF TBG, LOTS OF HOLE AN PINS CORRODED OFF. REDRESS OVERSHOT, RIH WITH 49 STNADS OF TBG, TAG UP 3036', WORK TBG LATCH ON TO FISH, POOH WITH TBG, OVERSHOT AN FISH, ONE MORE JOINT OF TBG, CORRODED PINS, LOTS OF HOLES. LAY DOWN. SECURE WELL SDFN.
09/03/2004 07:30	
09/04/2004 07:30	
09/05/2004 07:30	
09/06/2004 07:30	JSA, SICP 360#, BLOW WELL DOWN, RIH WITH IMPRESSION BLOCK TAG FISH AT 3070', POOH WITH IMPRESSION BLOCK, BLOACK SHOWS TBG CATCHABLE, RIH WITH IMPRESSION BLOCH WORK TBG, LATCH TBG, POOH WITH TBG AN OVERSHOT /FISH- TBG ABOUT 8' IN LENGHT. REDRESS OVERSHOT, RIH WITH TBG TAG FISH AT 3070', WORK TBG, LATCH FISH, POOH WITH TBG, OVERSHOT AN FISH, 4' PIECE OF 1.66" TBG., RIH WITH IMPRESSION BLOCK, TAG UP 3070', POOH WITH BLOCK, BLOCK SHOWS COLLAR TOP, REDRESS OVERSHOT WITH 2 1/16" GRAPPLE. SECURE WELL SDFN
09/07/2004 07:30	JSA, SICP 160#, BLOW WELL DOWN, RIH WITH OVERSHOT, DRESS WITH 2 1/16" GRAPPLE, AN 49 JOINTS OF TBG., TAG FISH AT 3074', WORK TBG LATCH ON, PU ON TBG., TO 24,000#, TBG PARTED, COULD NOT LATCH BACK ON, POOH WITH TBG /OVERSHOT AN FISH - 2' PIECE OF TBG, BROKE AT BOX. REDRESS OVERSHOT WITH 1 7/8" GRAPPLE, RIH WITH OVERSHOT, TBG TAG FISH AT 3065', WORK TBG, LATCH ON, POOH WITH TBG, OVERSHT AN FISH TWO JOINTS OF 1.66" TBG. CORKSCREWED. LAY DOWN. RIH WITH IMPRESSION BLOCK, TAG FISH AT 3075', POOH, BLOCK SHOWS TBG CATCHABLE, RIH WITH OVERSHOT WITH 1.78" GRAPPLE, TAG FISH AT 3100', WORK TBG LATCH ON, POOH WITH TBG/AN OVERSHOT AN FISH- ONE JOINT OF 1.66" TBG. CORKSCREWED, LOTS OF HOLES. LAY DOWN. REDRESS OVERSHOT WITH 1.78" GRAPPLE, AN TBG, TAG FISH 3085', WORK TBG., LATCH FISH, POOH WITH TGB., OVERSHOT AN FISH - 2' PIECE OF TBG, BROKE AT PIN. SECURE WELL SDFN.
09/08/2004 07:30	JSA, SICP 100#, BLOW WELL DOWN, RIH WITH OVERSHOT, DRESSED UP FOR BOX OF 1.66" TBG. WITH 49 STANDS OF TBG, 2 3/8" TAG UP ON FISH AT 3090'. WORK TBG AN OVERSHOT, LATCH FISH. POOH WITH TBG, OVERSHOT AN FISH, ONE MORE JOINT OF 1.66" TBG. REDRESS OVERSHOT, RIH WITH TBG, 49 STANDS TAG FISH, WORK TBG AN OVERSHOT LATCH ON, PU, TBG. PARTED, POOH WITH TBG, OVERSHOT AN FISH, 2' OF 1.66" OF TBG, BOTTOM OF TBG, FLARED OUT. RIH WITH 5.5" CONCAVE MILL. AN TBG, 49 STANDS, TAG FISH 3095', RU POWER SWIVEL, RU AIR EST CIR. @250#, MILL OUT THREE FOOT OF FISH. SHUT DOWN SWIVEL, CIR. CLEAN. SHUT DOWN AIR, RD POWER SWIVEL, POOH WITH TBG AN MILL. RIH WITH OVER SHOT, DRESS UP FOR BODY CATCH, 1.66", AN 49 STANDS OF TBG, TAG FISH 3098', WORK TBG AN OVERSHOT, LATCH FISH, PU AN TBG PARTED. POOH WITH TBG, OVERSHOT AN FISH, ONE MORE JOINT OF 1.66" TBG., PARTED AT BOX. SECURE WELL SDFN.

Daily Summary

Tubing Change In Process

API/UWI 300390784800	County RIO ARRIBA	State/Province NEW MEXICO	Surface Legal Location NMPM-30N-05W-18-G	N/S Dist. (ft) 1850.1	N/S Ref. N	E/W Dist. (ft) 1850.1	E/W Ref. E
Ground Elevation (ft) 6410.00	Spud Date 04/18/1957	Rig Release Date 02/05/1957	Latitude (DMS)	Longitude (DMS)			

Start Date	Ops This Rot
09/09/2004 07:30	JSA, SICP 100#, BLOW WELL DOWN, RIH WITH IMPRESSION BLOCK, TAG FISH 3098'. POOH WITH IMPRESSION BLOCK, BLOCK SHOWS BOX OF TBG. RIH WITH OVERSHOT, DRESS WITH 1.78" GRAPPLE, AN 49 STANDS OF TBG, TAG UP, WORK TBG AN OVERSHOT, COULD NOT LATCH ON. POOH WITH TBG, OVERSHOT. RIH WITH F-NIPPLE, 1.81 ID, AN 97 JOINTS OF 2 3/8" TBG, DRIFT IN, PU TBG HANGER AN TRY TO LAND, TBG HANGER (NEW ONE) WOULD NOT FIT IN WELL HEAD, HAD TO WAIT FOR ANOTHER TBG HANGER TO BE DELIVERED, FINALLY LAND AT 3078' KB. RDBOP, RUWH. TOTAL 1.66" TBG RECOVERED 1150'. LEFT IN HOLE 4625' POSSIBLE 1000' OF TBG ON TOP OF LINER IN ABOUT A 350' IN ERVAL.
09/10/2004 07:30	
09/11/2004 07:30	
09/12/2004 07:30	JSA, RIG DOWN PULLING UNIT, ROAD RIG TO TOWN.