


**TABULATION OF DEVIATION TEST  
BP AMERICA PRODUCTION COMPANY**

<u>DEPTH</u>	<u>DEVIATION</u>	<u>DEPTH</u>	<u>DEVIATION</u>
<u>150</u>	<u>0.25</u>	<u>          </u>	<u>          </u>
<u>640</u>	<u>1.00</u>	<u>          </u>	<u>          </u>
<u>1010'</u>	<u>0.50</u>	<u>          </u>	<u>          </u>
<u>1215'</u>	<u>1.50</u>	<u>          </u>	<u>          </u>
<u>2100'</u>	<u>1.50</u>	<u>          </u>	<u>          </u>
<u>2624'</u>	<u>1.00</u>	<u>          </u>	<u>          </u>
<u>          </u>	<u>          </u>	<u>          </u>	<u>          </u>
<u>          </u>	<u>          </u>	<u>          </u>	<u>          </u>



**AFFIDAVIT**

**THIS IS TO CERTIFY** that to the best of my knowledge, the above tabulation details the deviation test taken on **BP AMERICA PRODUCTION COMPANY'S**:

Barnes B 21 S

1530'FSL & 1840 FEL Sec. 13 T32N R11W

SAN JUAN COUNTY, NEW MEXICO

30-045-32473

Signed:

Title:

Cherry Hlava  
Regulatory Analyst

THE STATE OF TEXAS    )  
                                      ), ss.  
COUNTY OF HARRIS    )

**BEFORE ME**, the undersigned authority, on this day personally Cherry Hlava known to me to be a Regulatory Analyst for BP America Production company and to be the person whose name is subscribed to the above statement, who being by me dully sworn on oath, states that she has knowledge of the facts stated herein and that said statement is true and correct.

**SUBSCRIBED AND SWORN** to before me, a Notary Public in and for said County and State this 20th day of December, 2004.

Linda J. Berry  
Notary Public

My Commission Expires:

