District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico

Energy Minerals and Natural Resources

Oil Conservation Division Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office.

Pit or Below-Grade Tank Registration or Closure

Type of action: Registration of a pit of	or below-grade tank [2] Closure of a pit or below-gr	rade tank 🔀		
Operator: Yates Drilling Company Telephone: (505)748-8440 email@ddress:				
Address: 105 South 4th Street, Artesia, New Mexico 88210				
Facility or well name: Gillespie Federal 1 API #: 30-045-26611 U/L or Qtr/Qtr J Sec 29 T 23N R 8W				
County: San Juan Latitude 36.19690 Longitude 107.70199 NAD: 1927 1983 Surface Owner Federal X State Private Indian				
<u>Pit</u>	Below-grade tank Volume: 45 bbl Type of fluid: Produced Water			
Type: Drilling Production Disposal				
Workover	Construction material: Steel			
Lined Unlined	Double-walled, with leak detection? Yes If n	ot, explain why not.		
Liner type: Synthetic Thicknessmil Clay	Being closed out to meet guidelines			
Pit Volumebbl	7	1 (20		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet 50 feet or more, but less than 100 feet	(20 points) 0		
high water elevation of ground water.)	100 feet or more	(10 points) 0 (0 points)		
	Too feet of more			
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)		
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0		
Distance A sufficient of the control	Less than 200 feet	(20 points)		
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points) 0		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)		
	Ranking Score (Total Points)	0		
I this is a pit closure: (1) attach a diagram of the facility showing the pit's	and the state of the service of the state of			
our are burying in place) onsite 🔀 offsite 📋 If offsite, name of facility_				
emediation start date and end date. (4) Groundwater encountered: No 🙀		tt. and attach sample results. (5)		
attach soil sample results and a diagram of sample locations and excavation	S.			
Additional Comments:				
45 barrel steel tank. Tank removed and soils sampled with backhoe. Enl	arged pit to 18' x 18' and set tank in pit with base an	d sidewalls exposed.		
Pit located 87 feet North 64° East of wellhead.				
·				
<u> </u>				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .				
Date: 12/20/04				
Printed Name/Title Jeffrey C. Blagg, Agent, NMPE 11607 Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the content the operator of its responsibility for compliance with	its of the pit or tank contaminate ground water or		
Approval: Printed Name/Fittle Printed Name/Fittle	Signature Denny Fa	JAN 20 2005 Date:		

W



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / Yates	Project #:	94034-010
Sample ID:	Gillespie Fed #1	Date Reported:	12-01-04
Laboratory Number:	31315	Date Sampled:	11-29-04
Chain of Custody No:	13314	Date Received:	11-29-04
Sample Matrix:	Soil	Date Extracted:	11-30-04
Preservative:	Cool	Date Analyzed:	12-01-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Separator Pits

1 @ 7'.

Analyst P. Oples

Mistine n Walters