

TEFTELLER, INC.

reservoir engineering data

FARMINGTON, NEW MEXICO/
GRAND JUNCTION, COLORADO


P. O. Box 1198
Farmington, New Mexico 87499
(505) 325-1731
Fax (505) 325-1148

2332 Interstate Ave., Ste. A
Grand Junction, CO 81505
(970) 241-0403
Fax (970) 241-7634

November 30, 2004

CONOCO PHILLIPS
5525 Highway 64
Farmington, NM 87401

Attention: Mr. Jim Foder



Subject: Temperature Survey Measurement
San Juan 29-6 No. 89-M
Rio Arriba County, NM
File No. 2-52826-TS

30-039-27581

Dear Sir:

Attached hereto are the results of the Temperature Survey Measurement conducted on the above captioned well on November 30, 2004.

The data presented is in graphical and tabular form.

It has been our pleasure to perform this service for you. If we may be of further assistance, please call us at any time.

Respectfully submitted,

Neil Tefteller

TEFTELLER, INC.

NT/mdt

Serving the Rocky Mountain Area

Company: CONOCO PHILLIPS
 Well: SJ 29-6 # 89M
 Field: BASIN FRUITLAND
 Engineer: RICK SPICER
 Gauge Type: TEMPERATURE STYLUS
 Gauge Range:
 Gauge Depth: 3874 ft
 Serial No.:

County: RIO ARRIBA
 State: NEW MEXICO
 Date: 11/30/2004
 Well Type:
 Test Type: TEMPERATURE SURVEY
 Status:
 File Name: 52826

[Tefteller Incorporated]

#	MD	TVD	TEMP	F/100 ft	
1	0	0	0.00		
2	50	50	44.60	0.892	
3	109	109	47.30	0.046	
4	182	182	48.60	0.018	
5	274	274	49.60	0.011	
6	346	346	50.40	0.011	
7	417	417	51.30	0.013	
8	496	496	52.50	0.015	
9	577	577	53.80	0.016	
10	663	633	54.90	0.020	
11	760	760	56.20	0.010	
12	852	852	57.60	0.015	
13	934	934	58.30	0.009	
14	1019	1019	59.50	0.014	
15	1092	1092	60.50	0.014	
16	1140	1140	60.90	0.008	
17	1187	1187	61.70	0.017	
18	1244	1244	62.70	0.018	
19	1308	1308	63.80	0.017	
20	1383	1383	64.90	0.015	
21	1460	1460	65.80	0.012	
22	1546	1546	67.30	0.017	
23	1640	1640	68.40	0.012	
24	1736	1736	69.80	0.015	
25	1825	1825	71.40	0.018	
26	1907	1907	72.60	0.015	
27	1990	1990	73.90	0.016	
28	2072	2072	75.00	0.013	
29	2158	2158	76.50	0.017	
30	2247	2247	78.00	0.017	
31	2339	2339	79.40	0.015	
32	2430	2430	80.80	0.015	
33	2527	2527	82.10	0.013	
34	2630	2630	83.80	0.017	
35	2721	2721	84.90	0.012	
36	2811	2811	86.60	0.019	
37	2905	2905	88.70	0.022	
38	3002	3002	90.10	0.014	
39	3100	3100	91.40	0.013	
40	3200	3200	92.50	0.011	
41	3300	3300	93.90	0.014	
42	3403	3403	96.00	0.020	
43	3487	3487	97.50	0.018	
44	3529	3529	98.50	0.024	TOP OF CEMENT
45	3575	3575	103.10	0.100	

46	3669	3669	111.60	0.090
47	3720	3720	112.30	0.014
48	3822	3822	114.20	0.019
49	3874	3874	115.20	0.019

