

New Mexico  
Energy Minerals and Natural Resources Department


Form C-140  
Revised 06/99

District I - (505) 393-6161  
1625 N. French Dr, Hobbs, NM 88240  
District II - (505) 748-1283  
1301 W. Grand Avenue, Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV - (505) 476-3440  
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, New Mexico 87505  
(505) 476-3440

SUBMIT ORIGINAL  
PLUS 2 COPIES  
TO APPROPRIATE  
DISTRICT OFFICE

APPLICATION FOR  
WELL WORKOVER PROJECT



I. Operator and Well

|                                                                                                    |               |                  |                   |                          |                           |                    |
|----------------------------------------------------------------------------------------------------|---------------|------------------|-------------------|--------------------------|---------------------------|--------------------|
| Operator name address<br>Burlington Resources Oil and Gas Co. LP<br>Box 4289, Farmington, NM 87499 |               |                  |                   | OGRID Number<br>014538   |                           |                    |
| Contact Party<br>Peggy Cole                                                                        |               |                  |                   | Phone<br>505/326-9700    |                           |                    |
| Property Name<br>TURNER B COM G                                                                    |               |                  | Well Number<br>12 |                          | API Number<br>3004506771  |                    |
| UL<br>O                                                                                            | Section<br>02 | Township<br>27 N | Range<br>9 W      | Feet From The<br>990 FSL | Feet From The<br>1825 FEL | County<br>SAN JUAN |

II. Workover

|                                      |                                                                                    |
|--------------------------------------|------------------------------------------------------------------------------------|
| Date Workover Commenced<br>7/29/2002 | Previous Producing Pool(s) (Prior to Workover):<br>BLANCO P. C. SOUTH (PRORATED GA |
| Date Workover Completed:<br>8/5/2002 |                                                                                    |

- III. Attach a description of the Workover Procedures performed to increase production.  
IV. Attach a production decline curve or table showing at least twelve months of production prior to the workover and at least three months of production following the workover reflecting a positive production increase.  
V. AFFIDAVIT:

State of New Mexico )  
County of San Juan ) ss.  
Peggy Cole, being first duly sworn, upon oath states:  
1. I am the Operator, or authorized representative of the Operator, of the above-referenced Well.  
2. I have made, or caused to be made, a diligent search of the production records reasonably available for this Well.  
3. To the best of my knowledge, this application and the data used to prepare the production curve and/or table for this Well are complete and accurate.  
Signature Peggy Cole Title Regulatory Administrator Date 4-24-03  
SUBSCRIBED AND SWORN TO before me this 24 day of April, 2003.  
My Commission expires: September 15, 2004  
Notary Public Tamatha Winsor

FOR OIL CONSERVATION DIVISION USE ONLY:

IV. CERTIFICATION OF APPROVAL:

This Application is hereby approved and the above-referenced well is designated a Well Workover Project and the Division hereby verifies the data shows a positive production increase. By copy hereof, the Division notifies the Secretary of the Taxation and Revenue Department of this Approval and certifies that this Well Workover Project was completed 8-5-2002.

|                                                      |                                      |                          |
|------------------------------------------------------|--------------------------------------|--------------------------|
| Signature District Supervisor<br><u>Charlie Herr</u> | OCD District<br><u>AZT &amp; III</u> | Date<br><u>4-29-2003</u> |
|------------------------------------------------------|--------------------------------------|--------------------------|

VII. DATE OF NOTIFICATION TO THE SECRETARY OF THE TAXATION AND REVENUE DEPARTMENT:

REG\_DTL\_D                      BLANCO P. C. SOUTH  
                                         (PRORATED G

---

|           |      |
|-----------|------|
| 8/1/2001  | 563  |
| 9/1/2001  | 811  |
| 10/1/2001 | 1120 |
| 11/1/2001 | 870  |
| 12/1/2001 | 960  |
| 1/1/2002  | 953  |
| 2/1/2002  | 479  |
| 3/1/2002  | 970  |
| 4/1/2002  | 580  |
| 5/1/2002  | 756  |
| 6/1/2002  | 467  |
| 7/1/2002  | 291  |
| 8/1/2002  | 2929 |
| 9/1/2002  | 2835 |
| 10/1/2002 | 2326 |
| 11/1/2002 | 2068 |

## Operations Summary Report

Legal Well Name: TURNER B COM G #12  
 Common Well Name: TURNER B COM G #12  
 Event Name: CAP WORKOVER  
 Contractor Name: AZTEC WELL SERVICE  
 Rig Name: AZTEC

Spud Date: 10/27/1956  
 Start: 7/29/2002 End: 8/5/2002  
 Rig Release: 8/5/2002 Group:  
 Rig Number: 449

| Date                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | From - To     | Hours | Code | Sub Code | Phase  | Description of Operations                                                              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------|------|----------|--------|----------------------------------------------------------------------------------------|
| 7/30/2002                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 08:00 - 10:00 | 2.00  | MIMO | a        | MIRU   | ROAD RIG FROM ZACHRY # 10 TO TURNER B COM G # 12 .                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 10:00 - 11:00 | 1.00  | RURD | a        | MIRU   | SPOT IN RIG RAMP , PUT RIG ON RAMP . LOC HAD NO ANCHORS ,                              |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 11:00 - 15:00 | 4.00  | RURD | a        | MIRU   | COULD NOT STAND RIG UP .<br>SPOT IN & RU REST OF EQUIP , LAY FLOWLINES , LOC EXTREMELY |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 15:00 - 15:30 | 0.50  | NUND | a        | MIRU   | TIGHT , CSG HAD 135 PSI , TBG HAD 50 PSI . STAND UP RIG . HAD                          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 15:30 - 17:00 | 1.50  | TRIP | a        | OBJECT | TO WAIT TO STRING FRONT GUIDE LINE UNTIL AIR PKG & PUMP                                |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 17:00 - 18:00 | 1.00  | SHDN | a        | OBJECT | & PIT WERE SPOTTED , DUE TO SMALL LOC .<br>ND TREE , NU BOP .                          |
| 7/31/2002                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 06:00 - 07:00 | 1.00  | SAFE | a        | OBJECT | PULL DONUT , POOH W/ 1" TBG , LAID DOWN A TOTAL OF 104 JTS                             |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 07:00 - 08:30 | 1.50  | TRIP | a        | OBJECT | SHUT & LOCK BLINDS , CHANGE SLIPS , ELEV , RAMS TO 2 3/8" ,                            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 08:30 - 09:00 | 0.50  | PRES | a        | OBJECT | PU TOOLS & LOC FUEL UP RIG , SDFD .                                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 09:00 - 10:00 | 1.00  | WELH | a        | OBJECT | TRAV TO LOC , START RIG , HOLD SAFETY MEETING ON PRESS                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 10:00 - 10:30 | 0.50  | TRIP | a        | OBJECT | TESTING , RIG CREW , PKR HAND , CONSULTANT WERE                                        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 10:30 - 11:00 | 0.50  | NUND | a        | OBJECT | PRESENT .                                                                              |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 11:00 - 15:30 | 4.50  | WAIT | a        | OBJECT | MAKE UP 5 1/2" RBP , RIH W/ 2 3/8" TBG TO 2210' , & SET RBP .                          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 15:30 - 16:30 | 1.00  | RURD | a        | OBJECT | LOAD HOLE W/ 2% KCL , STAND BACK 2 STANDS , PU 5 1/2"                                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 16:30 - 17:00 | 0.50  | SAFE | a        | OBJECT | FULLBORE PKR & SET @ 60' , PRESS TEST CSG TO 3000 PSI                                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 17:00 - 17:30 | 0.50  | FRAC | a        | OBJECT | DOWN TBG , TESTED GOOD .                                                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 17:30 - 18:00 | 0.50  | RURD | a        | OBJECT | CHANGE OUT CSG VALVES .                                                                |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 18:00 - 20:00 | 2.00  | FLOW | a        | CLEAN  | UNSET PKR , LAY PKR DOWN , TIH , LATCH RBP & UNSET RBP ,                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 20:00 - 22:00 | 2.00  | FLOW | a        | CLEAN  | TOOH W/ RBP .                                                                          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 22:00 - 00:00 | 2.00  | FLOW | a        | CLEAN  | MU 5 1/2" FULLBORE PKR ON 2 JTS OF 2 7/8" TBG & MU FRAC                                |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 00:00 - 02:00 | 2.00  | FLOW | a        | CLEAN  | ISOLATION TOOL , SET PKR @ 65' , PULL 25K ON PKR , NU                                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 02:00 - 04:00 | 2.00  | FLOW | a        | CLEAN  | ISOLATION TOOL , MU FRAC VALVE , PUT 500 PSI ON ANNULUS .                              |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 04:00 - 06:00 | 2.00  | FLOW | a        | CLEAN  | SPOT & FILL SAND CHIEF .                                                               |
| 8/1/2002                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 06:00 - 07:00 | 1.00  | SAFE | a        | OBJECT | SPOT IN FRAC EQUIP , LAY PUMPLINE .                                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 07:00 - 08:00 | 1.00  | NUND | a        | OBJECT | HOLD SAFETY MEETING ON FRACING PC , FRAC CREW , PKR                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 08:00 - 08:30 | 0.50  | TRIP | a        | OBJECT | HAND , FRAC CONSULTANT , CONSULTANT WERE PRESENT .                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 08:30 - 13:00 | 4.50  | BLOW | a        | CLEAN  | FOAM FRAC PC W/ 70% N2 CLEAR FRAC , FRAC LOAD OF 264                                   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |               |       |      |          |        | BBLs , FLUSH W/ 17 FLUID BBLs , TOTAL LOAD OF 281 BBLs ,                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |               |       |      |          |        | TOTAL N2 287,100 SCF , MAX PSI 1890 , MIN 1291 , AVG 1640 PSI ,                        |
| MAX RATE 45 BPM , MIN RATE 35 , AVG 42 BPM , 85,000# 20/40<br>BRADY SAND , 15,000# 12/20 BRADY SAND , ISIP 1099 PSI .<br>RD PUMPLINE , RU FLOWLINE & PRESS TEST W/ WELL PRESS ,<br>TESTED GOOD .<br>FLOW FRAC BACK THRU CHOKE MANIFOLD ON 8/64" CHOKE ,<br>MAKING LIGHT MIST , NO SAND @ 450 PSI .<br>10/64" CHOKE , MAKING LIGHT MIST , LIGHT SAND @ 300 PSI<br>12/64" CHOKE , MAKING LIGHT MIST , LIGHT SAND @ 200 PSI<br>14/64" CHOKE , MAKING LIGHT MIST , LIGHT SAND @ 150 PSI .<br>18/64" CHOKE , MAKING LIGHT MIST , LIGHT SAND @ 100 PSI .<br>32/64" CHOKE , MAKING LIGHT MIST , NO SAND @ 50 PSI .<br>TRAV TO LOC , START RIG , HOLD SAFETY MEETING ON CO TO<br>PBTD , RIG CREW , AIR HANDS , CONSULTANT WERE PRESENT .<br>KILL WELL W/ 5 BBLs OF 2% KCL , ND FRAC ISOLATION TOOL ,<br>UNSET PKR , LAY 2 JTS OF 2 7/8" TBG & PKR DOWN , NU<br>STRIPPING HEAD .<br>TIH W/ EXC , 1 JT OF 2 3/8" TBG , 1.78" ID SEAT NIPPLE , REST OF<br>TBG TO TOP OF PERFS @2261' .<br>UNLOAD & BLOW W/ AIR MIST , MAKING 8 BPH OF H2O , LIGHT<br>FOAM , W/ 2 CUPS OF SAND , CLEANED UP TO 5 BPH OF H2O & 1/2<br>CUP OF SAND . |               |       |      |          |        |                                                                                        |

## Operations Summary Report

Legal Well Name: TURNER B COM G #12  
 Common Well Name: TURNER B COM G #12  
 Event Name: CAP WORKOVER  
 Contractor Name: AZTEC WELL SERVICE  
 Rig Name: AZTEC

Start: 7/29/2002  
 Rig Release: 8/5/2002  
 Rig Number: 449  
 Spud Date: 10/27/1956  
 End: 8/5/2002  
 Group:

| Date     | From - To     | Hours | Code | Sub Code | Phase  | Description of Operations                                                                                                                                                |
|----------|---------------|-------|------|----------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 8/1/2002 | 13:00 - 13:15 | 0.25  | TRIP | a        | OBJECT | SHORT TIH , TAG UP 2314', PBTD @ 2350', HAD 37' OF FILL .                                                                                                                |
|          | 13:15 - 18:00 | 4.75  | BLOW | a        | CLEAN  | CO TO PBTD W/ AIR MIST , MAKING 8 BPH OF H2O & 3 CUPS OF SAND , CLEANED UP TO 5 BPH OF H2O & 3/4 CUP OF SAND .                                                           |
|          | 18:00 - 18:30 | 0.50  | SRIG | a        | OBJECT | PULL UP TO 2310', BOTTOM PERF , PU TOOLS & LOC , FUEL UP RIG , TURN WELL OVER TO FLOWBACK HANDS .                                                                        |
|          | 18:30 - 06:00 | 11.50 | BLOW | a        | CLEAN  | BLOW W/ 1 TO 1 AIR & MIST , MAKING 5 BPH OF H2O & 3/4 CUP OF SAND , CLEANED UP TO 2 BPH OF H2O & 1/8 CUP OF SAND .                                                       |
| 8/2/2002 | 06:00 - 07:00 | 1.00  | SAFE | a        | OBJECT | TRAV TO LOC , START RIG , HOLD SAFETY MEETING ON WEARING PPE , RIG CREW , AIR HAND , CONSULTANT WERE PRESENT .                                                           |
|          | 07:00 - 07:15 | 0.25  | TRIP | a        | OBJECT | SHORT TIH , TAG UP @ 2310', PBTD @ 2350', BOTTOM PERF @ 2310', HAD 40' OF FILL .                                                                                         |
|          | 07:15 - 09:00 | 1.75  | BLOW | a        | CLEAN  | CO TO PBTD W/ 1 TO 1 AIR & MIST , MAKING 3 BPH OF H2O & 1 CUP OF SAND , CLEANED UP TO 2 BPH OF H2O & 1/8 CUP OF SAND .                                                   |
|          | 09:00 - 12:00 | 3.00  | FLOW | a        | CLEAN  | PULL UP TO BOTTOM PERF , FLOW WELL NATURAL ON 2" LINE , HAVE SLIGHT BLOW OF GAS & N2 .                                                                                   |
|          | 12:00 - 13:00 | 1.00  | BLOW | a        | CLEAN  | SHORT TIH , TAG UP @ 2330', HAVE 20' OF FILL , CO TO PBTD W/ 1 TO 1 AIR & MIST , MAKING 2 BPH OF H2O & 1/2 CUP OF SAND CLEANED UP TO 2 BPH OF H2O & 1/8 CUP OF SAND .    |
|          | 13:00 - 16:00 | 3.00  | FLOW | a        | CLEAN  | PULL UP TO BOTTOM PERF , FLOW WELL NATURAL ON 2" LINE , HAVE SLIGHT BLOW OF GAS & N2 .                                                                                   |
|          | 16:00 - 17:00 | 1.00  | BLOW | a        | CLEAN  | SHORT TIH , TAG UP @ 2330', HAD 20' OF FILL , CO TO PBTD W/ 1 TO 1 AIR & MIST , MAKING 2 BPH OF H2O & 1/2 CUP OF SAND CLEANED UP TO 2 BPH OF H2O & 1/8 CUP OF SAND .     |
|          | 17:00 - 20:00 | 3.00  | FLOW | a        | CLEAN  | PULL UP TO BOTTOM PERF , FLOW WELL NATURAL , HAVE A SLIGHT BLOW OF GAS & N2 .                                                                                            |
|          | 20:00 - 21:00 | 1.00  | BLOW | a        | CLEAN  | BLOW W/ 1 TO 1 AIR & MIST , MAKING 2 BPH OF H2O & 1/4 CUP OF SAND , CLEANED UP TO 2 BPH OF H2O & 2 TABLE SPOONS OF SAND .                                                |
|          | 21:00 - 00:00 | 3.00  | FLOW | a        | CLEAN  | FLOW WELL NATURAL , HAD SLIGHT BLOW OF GAS & N2 .                                                                                                                        |
|          | 00:00 - 01:00 | 1.00  | BLOW | a        | CLEAN  | BLOW W/ 1 TO 1 AIR & MIST , MAKING 2 BPH OF H2O & 1/8 CUP OF SAND , CLEANED UP TO 2 BPH OF H2O & 2 TABLE SPOONS OF SAND .                                                |
|          | 01:00 - 04:00 | 3.00  | FLOW | a        | CLEAN  | FLOW WELL NATURAL , HAD SLIGHT BLOW OF GAS & N2 .                                                                                                                        |
|          | 04:00 - 05:00 | 1.00  | BLOW | a        | CLEAN  | BLOW W/ 1 TO 1 AIR & MIST , MAKING 2 BPH OF H2O & 1/8 CUP OF SAND , CLEANED UP TO 2 BPH OF H2O & TABLE SPOON OF SAND .                                                   |
|          | 05:00 - 06:00 | 1.00  | FLOW | a        | CLEAN  | FLOW WELL NATURAL , HAVE SLIGHT BLOW OF GAS & N2 .                                                                                                                       |
| 8/3/2002 | 06:00 - 07:00 | 1.00  | SAFE | a        | OBJECT | TRAV TO LOC , START RIG , HOLD SAFETY MEETING ON SLIPS , TRIPS & FALLS , RIG CREW , AIR HAND , CONSULTANT WERE PRESENT .                                                 |
|          | 07:00 - 07:15 | 0.25  | TRIP | a        | OBJECT | SHORT TIH , TAG UP @ 2330', PBTD @ 2350', HAD 20' OF FILL .                                                                                                              |
|          | 07:15 - 09:00 | 1.75  | BLOW | a        | CLEAN  | CO TO PBTD W/ 1 TO 1 AIR & MIST , MAKING 2 BPH OF H2O & 1/2 CUP OF SAND CLEANED UP TO 2 BPH OF H2O & TABLE SPOON OF SAND .                                               |
|          | 09:00 - 12:00 | 3.00  | FLOW | a        | CLEAN  | PULL UP TO BOTTOM PERF , FLOW WELL NATURAL ON 2" LINE , BLOWING GAS & N2 .                                                                                               |
|          | 12:00 - 13:00 | 1.00  | BLOW | a        | CLEAN  | SHORT TIH , TAG UP @ 2340', HAD 10' OF FILL , CO TO PBTD W/ 1 TO 1 AIR & MIST , MAKING 2 BPH OF H2O & 1/2 CUP OF SAND CLEANED UP TO 2 BPH OF H2O & TABLE SPOON OF SAND . |
|          | 13:00 - 16:00 | 3.00  | FLOW | a        | CLEAN  | PULL UP TO BOTTOM PERF , FLOW WELL NATURAL ON 2" LINE , BLOWING GAS & N2 .                                                                                               |

## Operations Summary Report

Legal Well Name: TURNER B COM G #12  
 Common Well Name: TURNER B COM G #12  
 Event Name: CAP WORKOVER  
 Contractor Name: AZTEC WELL SERVICE  
 Rig Name: AZTEC

Start: 7/29/2002 Spud Date: 10/27/1956  
 Rig Release: 8/5/2002 End: 8/5/2002  
 Rig Number: 449 Group:

| Date     | From - To     | Hours | Code | Sub Code | Phase  | Description of Operations                                                                                                                                                                                                                                                                                                                                                                                                    |
|----------|---------------|-------|------|----------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 8/3/2002 | 16:00 - 17:00 | 1.00  | BLOW | a        | CLEAN  | SHORT TIH , TAG UP @ 2340' , HAD 10' OF FILL , CO TO PBTD W/ 1 TO 1 AIR & MIST , MAKING 2 BPH OF H2O & 1/2 CUP OF SAND CLEANED UP TO 2 BPH OF H2O & TABLE SPOON OF SAND .                                                                                                                                                                                                                                                    |
|          | 17:00 - 20:00 | 3.00  | FLOW | a        | CLEAN  | PULL UP TO BOTTOM PERF , FLOW WELL NATURAL , BLOWING GAS & N2 .                                                                                                                                                                                                                                                                                                                                                              |
|          | 20:00 - 21:00 | 1.00  | BLOW | a        | CLEAN  | BLOW W/ 1 TO 1 AIR & MIST , MAKING 2 BPH OF H2O & 1/8 CUP OF SAND , CLEANED UP TO 2 BPH OF H2O & TRACE OF SAND .                                                                                                                                                                                                                                                                                                             |
|          | 21:00 - 00:00 | 3.00  | FLOW | a        | CLEAN  | FLOW WELL NATURAL , BLOWING GAS & N2 .                                                                                                                                                                                                                                                                                                                                                                                       |
|          | 00:00 - 01:00 | 1.00  | BLOW | a        | CLEAN  | BLOW W/ 1 TO 1 AIR & MIST , MAKING 2 BPH OF H2O & 1/8 CUP OF SAND , CLEANED UP TO 2 BPH OF H2O & TRACE OF SAND .                                                                                                                                                                                                                                                                                                             |
|          | 01:00 - 04:00 | 3.00  | FLOW | a        | CLEAN  | FLOW WELL NATURAL , BLOWING GAS & N2 .                                                                                                                                                                                                                                                                                                                                                                                       |
|          | 04:00 - 05:00 | 1.00  | BLOW | a        | CLEAN  | BLOW W/ 1 TO 1 AIR & MIST , MAKING 2 BPH OF H2O & 1/8 CUP OF SAND , CLEANED UP TO 2 BPH OF H2O & TRACE OF SAND .                                                                                                                                                                                                                                                                                                             |
|          | 05:00 - 06:00 | 1.00  | FLOW | a        | CLEAN  | FLOW WELL NATURAL , BLOWING GAS & N2 .                                                                                                                                                                                                                                                                                                                                                                                       |
| 8/4/2002 | 06:00 - 06:00 | 24.00 | FLOW | a        | CLEAN  | ALT BLOW & FLOW WELL . BLOW W/ 1 TO 1 AIR & MIST , MAKING 2 BPH OF H2O & TRACE OF SAND .                                                                                                                                                                                                                                                                                                                                     |
|          |               |       |      |          |        | FLOW WELL NATURAL , BLOWING GAS & LIGHT MIST .                                                                                                                                                                                                                                                                                                                                                                               |
| 8/5/2002 | 06:00 - 06:00 | 24.00 | FLOW | a        | CLEAN  | BLOW W/ AIR FOR 1 HR , FLOW FOR 4 HR .                                                                                                                                                                                                                                                                                                                                                                                       |
|          |               |       |      |          |        | BLOW W/ 1 TO 1 AIR & MIST , MAKING 1 BPH OF H2O & TRACE OF SAND .                                                                                                                                                                                                                                                                                                                                                            |
| 8/6/2002 | 06:00 - 07:00 | 1.00  | MIMO | a        | OBJECT | FLOW WELL NATURAL , BLOWING GAS & LIGHT MIST .                                                                                                                                                                                                                                                                                                                                                                               |
|          | 07:00 - 08:30 | 1.50  | COUT | a        | OBJECT | BLOW W/ AIR FOR 1 HR , FLOW NATURAL FOR 4 HR .                                                                                                                                                                                                                                                                                                                                                                               |
|          | 08:30 - 08:45 | 0.25  | PULD | a        | OBJECT | CREW TRAVEL. START RIG. HELD SAFETY MEETING ON RIGGING DOWN. RIG CREW & AIR HANDS WERE PRESENT.                                                                                                                                                                                                                                                                                                                              |
|          |               |       |      |          |        | CHECK FILL. 3' CIRC & CLEAN WELL @ PBTD. BLOW WELL DRY.                                                                                                                                                                                                                                                                                                                                                                      |
|          |               |       |      |          |        | LAND TUBING W/ DONUT @ 2265.35' KB.                                                                                                                                                                                                                                                                                                                                                                                          |
|          |               |       |      |          |        | TUBING DETAIL:                                                                                                                                                                                                                                                                                                                                                                                                               |
|          |               |       |      |          |        | 2 3/8 EXPENDABLE CHECK                                                                                                                                                                                                                                                                                                                                                                                                       |
|          |               |       |      |          |        | 1JT 2 3/8 J55 4.7# 8RD EUE TBG                                                                                                                                                                                                                                                                                                                                                                                               |
|          | 08:45 - 09:30 | 0.75  | NUND | a        | OBJECT | 2 3/8 SEAT NIPPLE (1.78 ID)                                                                                                                                                                                                                                                                                                                                                                                                  |
|          | 09:30 - 11:00 | 1.50  | RURD | a        | RDMO   | 71 JTS 2 3/8 TUBING AS ABOVE                                                                                                                                                                                                                                                                                                                                                                                                 |
|          |               |       |      |          |        | ND BOP & NU WH.                                                                                                                                                                                                                                                                                                                                                                                                              |
|          |               |       |      |          |        | RIG DOWN SERVICE UNIT & EQUIPMENT. RIG RELEASED 7/5/2002 @ 11:00 HRS.                                                                                                                                                                                                                                                                                                                                                        |
|          |               |       |      |          |        | WELL SUMMARY: MIRU. STRAP OUT OF HOLE. TIH W/ 5 1/2 RBP& SET @ 2210'. TEST CSG TO 3000 PSI. TOOH & LD RBP. PU 5 1/2 FULLBORE PKR & 2JTS 2 7/8 TBG & ISOLATION TOOL. SET PKR @ 65'. FOAM FRAC PC W/ 70Q N2 CLEAR FRAC W/ 85,000# 20/40 BRADY SAND & 15,000# 12/20 BRADY SAND. FLOW BACK FRAC. LD ISOLATION TOOL & PKR. TIH W/ 2 3/8 TBG & CLEAN WELL @ PBTD TO TRACE OF SAND & 1 BWPH. LAND TBG. RDMO. FINAL TBG PITOT= TSTM. |
|          |               |       |      |          |        |                                                                                                                                                                                                                                                                                                                                                                                                                              |
|          |               |       |      |          |        |                                                                                                                                                                                                                                                                                                                                                                                                                              |
|          |               |       |      |          |        |                                                                                                                                                                                                                                                                                                                                                                                                                              |
|          |               |       |      |          |        |                                                                                                                                                                                                                                                                                                                                                                                                                              |