District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

e (7) T

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 June 1, 2004


For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Ta	nk Registration or Closure
Is pit or below-grade tank covere	ed by a "general plan"? Yes 🔲 No 🛛

Type of action: Registration of a pit or below-grade:tank \(\subseteq \) Closure of a pit or below-grade tank \(\subseteq \)			
Operator: Dugan Production Corp. Telephone: (505)325-1821			
Address: P. O. Box 420, Farmington, NM 87499-0420			
Facility or well name: Cisco Com #90S API #: 30-045-31345 U/L or Qtr/Qtr F Sec 3 T 25N R 13W County: San Juan Latitude 36.43194 Longitude 108.20805 NAD: 1927 \(\bigcirc \) 1983 \(\bigcirc \) Surface Owner Federal \(\bigcirc \) State \(\bigcirc \) Private \(\bigcirc \) Indian \(\bigcirc \)			
County: San Juan Latitude 36.43194 Longitude 108.20805 F	NAD: 1927 🔯 1983 🔲 Surface Owner Federal 🔯 S	tate Private Indian	
<u>Pit</u>	Below-grade tank		
Type: Drilling ☑ Production ☐ Disposal ☐	Volume:bbl Type of fluid:		
Workover Emergency	Construction material:		
Lined 🛭 Unlined 🗌	Double-walled, with leak detection? Yes If not, explain why not.		
Liner type: Synthetic ⊠ Thickness 6 mil Clay □		,,	
Pit Volume <u>±975</u> bbl			
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)	
water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)	
water elevation of ground water.)	100 feet or more	(0 points) 0	
Wellhead protection area: (Less than 200 feet from a private domestic	Vos		
water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points)	
	NO	(0 points) 0	
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)	
	1000 feet or more	(0 points) 0	
	Ranking Score (Total Points)	0	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if			
your are burying in place) onsite offsite If offsite, name of facility			
remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results. (5)			
Attach soil sample results and a diagram of sample locations and excavations.			
Attach son sample results and a diagram of sample locations and excavations.			
Facility diagram, description of remedial action and alternative to NMOCD guidelines are presented on attached page.			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date: February 21, 2005			
Printed Name/Title Marty Foutz, Production Foreman Signature W. Journal			
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.			
Approval: DEPUTY OIL & GAS INSPECTOR, DIST. (S) Printed Name/Title Signature Signature Signature			

SUPPLEMENTAL INFORMATION NMOCD FORM C-144 DATED 2-21-05 DUGAN PRODUCTION CORP.'S CISCO COM #90S

1. Facility Diagram (not drawn to scale)



- 2. Remedial Action The reserve pit liner was intact and no salt zones were encountered while drilling. Completion fluids were produced into the reserve pit during testing, however all fluid was removed for disposal prior to covering pit. On 1-10-05, the reserve pit was fairly dry. The pit liner was cut at the mud line and the recovered liner disposed of at Waste Management's Crouch Mesa landfill. The pit area was covered with stockpiled top soil to a depth of at least 3'. The surface was contoured and will be seeded in early spring as directed by the BLM.
- 3. <u>Alternative to NMOCD Guidelines</u> The Cisco Com #90S is located upon Federal Lease SF-078156A and until a general permit is prepared and approved, Dugan Production Corp. intends to follow NMOCD guidelines modified only as necessary to comply with stipulations imposed by the Bureau of Land Management.