1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

ETFUTY ON & GAS INSPECTOR, DIST. (S

Approval:

Printed Name/Title

State of New Mexico Energy Minerals and Natural Resources

June 1, 2004

Form C-144

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM/87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstreamfacilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No X Type of action: Registration of a pit or below-gradetank Closure of a pit or below-gradetank X Telephone: (505)599-3419 e-mail address: juanita.r.farrell@conocophillips.com Operator: ConocoPhillips Company Address: 5525 Highway 64 Farmington, NM 87401 U/lor Qtr/Qtr C Sec 5 T 31N R 6W Facility or well name: SAN JUAN 31-6 UNIT 213AAPI#: 30-039-27807 NAD: 1927 | 1983 | Surface Owner Federal X State | Private | Indian | County: RIO ARRIBA Latitude Longitude Pit Below-gradetank Type: Drilling X Production Disposal _bbl Type of fluid: _____ Volume: Workover Emergency Constructionmaterial: Lined X Unlined Double-walled, with leak detection? Yes If not, explain why not. Liner type: Synthetic \(\overline{\mathbb{N}} \) Thickness 12 mil Clav \(\overline{\mathbb{N}} \) Pit Volume Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal high 50 feet or more, but less than 100 feet (10 points) water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) Wellheadprotectionarea: (Less than 200 feet from a private domestic No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) Ranking Score (Total Points) If this is a pit closure: (1) attacha diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite \(\bar{\mathbb{N}} \) offsite \(\bar{\mathbb{D}} \) If offsite, name of facility (3) Attach a general description of remedial action taken including remediationstart date and end date. (4) Groundwaterencountered: No 🛛 Yes 🗌 If yes, show depth below ground surface_ ft.and attach sample results. (5) Attachsoil sample results and a diagram of sample locations and excavations. AdditionalComments: This drill pit was closed on 01/13/2005 in accordance with Rule 50 and as per the November 1, 2004 Guidelines SW: 200 - 1000' GW: 50-100' WHP: > 1000'I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-gradetank has been/will be constructed or closed according to NMOCD guidelines , a general permit X, or an (attached) alternative OCD-approved plan . Regulatory Analyst Printed Name/Title Juanita Farrell Signature Your certification and NMOCD approval of this application/closuredoes not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Emy fern

CONOCOPHILLIPS COMPANY SAN JUAN 31-6 UNIT #213A 447' FNL & 1880' FWL, SECTION 5, T30N, R6W, NMPM RIO ARRIBA COUNTY, NEW MEXICO, ELEVATION: 6320 50' CONSTRUCTION ZONE DRAIN TO RESERVE *SURFACE OWNER* BLM F7.2 ğ ķ 0, A-A' 6340' 6320' 6310' B-B' 6340 6320 6310' C-C' 6340' 6320' 6310' FILENAME: 31-6 213A.dwg SHEET 2 OF 6 CHENAULT CONSULTING INC. DRAWN BY:J.FUNK CHECKED BY: J. MILLER