Form C-144 July 21, 2008

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or			
Proposed Alternative Method Permit or Closure Plan Application			
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,			
below-grade tank, or proposed alternative method			
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request			
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.			
Operator: Dugan Production Corp. OGRID#: 006515			
Address: 709 East Murray Drive, Farmington, New Mexico 87401			
Turkis Torst #1 (Production Tork)			
API Number: 30 - 045 - 25430 OCD Permit Number: U/L or Qtr/Qtr D Section 18 Township 30N Range 14W County: San Juan			
Center of Proposed Design: Latitude 36.80926 N Longitude 108.35617 W NAD: X1927 1983			
Surface Owner: X Federal State Tribal Trust or Indian Allotment			
Surface Owner. Exprederal State Frivate 1110at 11ast of mulan Anothicht			
2. ☑ Pit: Subsection F or G of 19.15.17.11 NMAC			
Temporary: Drilling Workover			
□ Permanent □ Emergency □ Cavitation □ P&A			
Lined Mullined Liner type: Thicknessmil LLDPE HDPE PVC Other			
☐ String-Reinforced			
Liner Seams: Welded Factory Other Volume: 20 bbl Dimensions: L 10' x W 10' x D 4'			
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC			
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of			
intent)			
□ Drying Pad □ Above Ground Steel Tanks □ Haul-off Bins □ Other □			
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other			
Liner Seams: Welded Factory Other			
Below-grade tank: Subsection I of 19.15.17.11.NMAC			
Volume:bbl Type of fluid:			
Tank Construction material:			
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off			
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other			
Liner type: Thicknessmil			
5			
Alternative Method:			
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.			

Lorm C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet		
Alternate. Please specify 4'=3' Hog Wire + One strand barbed wire.		
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No	
within 500 feet from a permanent residence, sendor, nespital, mistration, or entiren in existence at the time of initial application.	☐ Yes ☐ No ☐ NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No	
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society: Topographic map	☐ Yes ☐ No	
Within a 100-year floodplain FEMA map	☐ Yes ☐ No	

Lorm C-144

Oil Conservation Division

Page 2 of 5

torm C-144 Oil Conservation Division

☑ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
 ☑ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Page 3 of 5

16. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)			
Instructions: Please indentify the facility or facilities for the disposal of liquids, facilities are required.	drilling fluids and drill cuttings. Use attachment if r	nore than two	
Disposal Facility Name:	Disnosal Facility Permit Number		
Disposal Facility Name:		***************************************	
Will any of the proposed closed-loop system operations and associated activities o ☐ Yes (If yes, please provide the information below) ☐ No			
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.			
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Da	ta obtained from nearby wells	☐ Yes ☐ No ☐ NA	
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Da	ta obtained from nearby wells	☐ Yes ☐ No ☐ NA	
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Da	ta obtained from nearby wells	☐ Yes ☐ No ☐ NA	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signake (measured from the ordinary high-water mark). - Topographic map: Visual inspection (certification) of the proposed site	gnificant watercourse or lakebed, sinkhole, or playa	Yes No	
Within 300 feet from a permanent residence, school, hospital, institution, or churcing visual inspection (certification) of the proposed site; Aerial photo; Satellia		☐ Yes ☐ No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that les watering purposes, or within 1000 horizontal feet of any other fresh water well or - NM Office of the State Engineer - iWATERS database; Visual inspection	spring, in existence at the time of initial application.	☐ Yes ☐ No	
Within incorporated municipal boundaries or within a defined municipal fresh was adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written appro	•	Yes No	
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visu	nal inspection (certification) of the proposed site	☐ Yes ☐ No	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Minin	g and Mineral Division	☐ Yes ☐ No	
Within an unstable area. - Engineering measures incorporated into the design: NM Bureau of Geolog Society; Topographic map	y & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No	
Within a 100-year floodplain FEMA map		☐ Yes ☐ No	
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC			

Form C-144

Oil Conservation Division

Page 4 of 5

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate an	d complete to the best of my knowledge and belief.		
Name (Print): Kurt Fagrelius	Title: Vice President, Exploration		
Signature: Kurt Faguelin	Date: March 9, 2011		
e-mail address: kfagrelius@duganproduction.com	Telephone: <u>505-325-1821 (O)</u> , <u>505-320-8248 (</u> C)		
OCD Approval: Permit Application (including closure plan) Closure Plan (o			
OCD Representative Signature:	Approval Date: 3/15/11		
Title: Environmental Engineer oc	D Permit Number:		
21. Closure Report (required within 60 days of closure completion): Subsection K of Instructions: Operators are required to obtain an approved closure plan prior to imp The closure report is required to be submitted to the division within 60 days of the co section of the form until an approved closure plan has been obtained and the closure	lementing any closure activities and submitting the closure report, impletion of the closure activities. Please do not complete this		
22.			
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative (If different from approved plan, please explain.	Closure Method		
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Instructions: Please indentify the facility or facilities for where the liquids, drilling f	Utilize Above Ground Steel Tanks or Haul-off Bins Only: luids and drill cuttings were disposed. Use attachment if more than		
two facilities were utilized. Disposal Facility Name:	posal Facility Permit Number:		
	posal Facility Permit Number:		
Were the closed-loop system operations and associated activities performed on or in and Yes (If yes, please demonstrate compliance to the items below) No			
Required for impacted areas which will not be used for future service and operations:			
Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation			
Re-vegetation Application Rates and Seeding Technique	•		
24.			
Closure Report Attachment Checklist: Instructions: Each of the following items n mark in the box, that the documents are attached.	ust be attached to the closure report. Please indicate, by a check		
Proof of Closure Notice (surface owner and division)	•		
Proof of Deed Notice (required for on-site closure)			
☐ Plot Plan (for on-site closures and temporary pits) ☐ Confirmation Sampling Analytical Results (if applicable)			
Waste Material Sampling Analytical Results (required for on-site closure)			
Disposal Facility Name and Permit Number			
☐ Soil Backfilling and Cover Installation ☐ Re-vegetation Application Rates and Seeding Technique	•		
Site Reclamation (Photo Documentation)			
On-site Closure Location: LatitudeLongitude	NAD: □1927 □ 1983		
25. Onerator Closure Certification:			
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.			
Name (Print): Kurt Fagrelius	Title: Vice President, Exploration		
Signature:	Date:		
e-mail address: kfagrelius@duganproduction.com	Telephone: 505-325-1821 (0), 505-320-8248 (C)		

Form C-144

Oil Conservation Division

Page 5 of 5

<u>Turks Toast #1 (Prod. Tank) Permanent Pit Closure Plan-Methods, Procedures and</u> Protocols

 Comply with deadlines for closure of a permanent pit established by the State of New Mexico, Energy Minerals and Natural Resources Department 19.15.17.13 NMAC, or an earlier date if required by the NMOCD in the case of imminent danger to fresh water, public health or the environment.

Existing	Permit Applc. Submittal or	File Closure Plan	Stop Use By	Close By
On June 16, 2008	Modification Request	Ву		
	· · · · · ·			
Temporary Pit - Unlined	Not Permtd under 19.15.17	7/16/2008	Upon drlg rig release	9/16/2008
Permanent Pit - Unlined or Lined	Not permitted or Registered with NMOCD	7/16/2008	6-16-2008	12/16/2008
Permanent Pit - Unlined	Permitted or Registered with NMOCD	12-16-2008	6-16-2010	6-16-2011
BGT-Aprvd. Design	Not Permtd under 19.15.17	12/16/2008	fail integrity replc	
	Applc. by 9-16-2008		w/apprvd design	
BGT-Not Aprvd Design Nor Retrofit	Not Permtd under 19.15.17	12/16/2008	6/16/2013	6-16-2013
to Comply w/19.15.17	Mod. Rqust by 9-16-2008			
BGT-Not Aprvd Design Nor Retrofit	NA NA	12/16/2008	6/16/2013	6/16/2013
to comply w/19.15.17				
Permanent Pit-Design and Constr	Mod. Rqust by 12-16-2008	12/16/2008	fail integrity replo	60-days after cessation
Does not comply w/19.15.17	Comply w/in 18-mos of aprvl	submit w/mod request	w/apprvd design	
permitted and lined				
Permanent Pit-Design and Constr	Permit Apple by 12-16-2008	12/16/2008	-	60-days after cessation
Does not comply w/19.15.17	Comply w/in 18-mos of aprvl	submit w/permit Applc		_
Registered and Lined				
Permanent Pit	Permitted under 19.15.17	60-Days prior to close		
Temporary Pit	Permitted under 19,15,17	Prior to closure	Upon drlg rig release	6-mos after rig release
BGT	Permitted under 19.15.17	12/16/2013 or prior to closure	failed integrity replc w/apprvd design	60-days after cessation

2. The Turks Toast #1 (Prod. Tank) permanent pit is an approved design registered under rule 50, but was not permitted under rule 19.15.17. The permanent pit is not in use; it was taken out of commission on March 19, 2008 but has not been closed yet. This report serves as the closure plan for the pit.

- 3. Provide the NMOCD district office at least 72-hours notice but no greater than 1 week prior to any closure operations. Notice will include operator name, well name and number, API number, and location (unit letter, section, township and range).

 Notification will be provided as directed at the appropriate time.
- 4. Upon approval of this closure plan, provide the Environmental Bureau in the NMOCD Santa Fe office a proposed schedule for closure at least 60-days prior to closing the permanent pit.
- 5. Closure notice will be provided by certified mail to surface owner prior to closing the permanent pit. Proof of notice will be provided to the Environmental Bureau in the NMOCD Santa Fe office and attached to final closure report.
- Remove all liquid from the permanent pit prior to closure and dispose of at the Dugan Production operated Sanchez O'Brien #1 SWD (permit SWD-694) located 1650 feet from the South line and 990 feet from the West line (Unit L) of Section 6, Township 24 North, Range 9 West.
- 7. All solids from the permanent pit will be excavated, hauled to and disposed of at either the Envirotech facility (permit #NM-01-0011) located in Section 6, Township 26 North, Range 10 West or the IEI facility (permit NM-01-0010B) located in Section 2, Township 29 North, Range 12 West.
- 8. Remove pit liner system, if applicable and dispose of in a NMOCD approved facility (Waste Management's Crouch Mesa facility).
- 9. On site equipment associated with the permanent pit will be removed unless it is needed for some other purpose.
- 10. Collect at a minimum, a five point, composite sample; also, collect individual grab samples from any area that is wet, discolored or showing other evidence of a release; and analyze for Benzene, BTEX, TPH, GRO/DRO and chlorides to demonstrate that Benzene, BTEX, TPH, GRO/DRO and chlorides do not exceed the standards as specified in 19.15.17.13.E or the background chloride concentration, whichever is greater.

Components	Test Method	Limit (mg/kg)
Benzene	EPA SW-846 8021B or 8260B	< 0.2
BTEX	EPA SW-846 8021B or 8260B	50
TPH	EPA SW-846 418.1	100
GRO/DRO	EPA SW-846 8015M	NS
Chlorides	EPA 300.1	250 or Background

11. The NMOCD will be notified of the testing results on form C—141.

- 12. If it is determined that a release has occurred, rules 19.15.3.116 NMAC and 19.15.1.19 NMAC will be complied with as required.
- 13. If the sampling results demonstrate that a release has not occurred, or that any release does not exceed the concentrations specified above or background concentrations, the pit will be backfilled with compacted, non-waste containing, earthen material.
- 14. Stockpiled sub-surface soil will be used to backfill pit and re-contour (to a final or intermediate cover that blends with the surrounding topography). A minimum of four feet of compacted, non-waste containing, earthen material will be used as backfill.
- 15. Stockpiled surface soil will be used as a cover over the backfilled pit and disturbed area no longer needed for production operations. The soil cover will include either the background thickness of top soil or one foot of suitable material to establish vegetation at the site whichever is greater.
- 16. The area will be re-seeded as per BLM guidelines. Re-seeding will be repeated until 70% of the native natural cover is achieved and maintained for two successive growing seasons. The first growing season after the pit is closed the disturbed area will be reseeded. The seeding method will be to drill on contour whenever possible.

 Disturbed areas will be seeded the first growing season after the pit is closed.

 Seeding will be accomplished by drilling on contour whenever possible or by other division approved methods. BLM stipulated seed mixes will be used on all Federal lands and OCD approved seed mixes (administratively approved if required) will be used on all State or private lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two consecutive growing seasons. If alternate seed mix is required by the state, private owner or tribe, it will be implemented with administrative approval if needed. Seeding or planting will be continued until successful vegetative growth occurs.
- 17. The NMOCD will be notified within 60-days of closure of the permanent pit. The closure report will be filed on form C-144 and will include the following:
 - a. Proof of Closure Notice (surface owner and division)
 - b. Confirmation Sampling Analytical Results (if applicable)
 - c. Disposal Facility Name and Permit Number
 - d. Soil Backfilling and Cover Installation
 - e. Re-vegetation Application Rates and Seeding Technique
 - f. Site Reclamation (Photo Documentation
- 18. The NMOCD will be notified once successful re-vegetation has been achieved.

 The Aztec District office of the OCD will be notified after each re-seeding operation and after successful re-vegetation has been achieved.

Turks Toast #1 (Prod. Tank) Request for Administrative Approval

Administrative approval is hereby requested for an alternative to the fencing design for the Turks Toast #1 (Prod. Tank) permanent pit.

The request for administrative approval cited above is needed to help minimize environmental impact and increase safety and protect wildlife and public health. The alternative proposed will protect fresh water, public health, safety and the environment more effectively than the design and construction specifications established by the State of New Mexico, Energy Minerals and Natural Resources Department do in rule 19.15.17.11 NMAC.

1. The proposed alternative fencing design will include T-posts spaced 10-feet apart. Hog wire / field fence 4-feet in height will be strung tightly and anchored to the top and bottom of each T-post. Small holes (3" high X 6" wide) in the hog-wire will be located at ground level with increasing larger holes (up to 7" high X 6" wide) located at the top of the fence. Anchor braces will be put at all four corners to strengthen and tighten the fence. Two strands of barbed wire or a pipe / re-bar top rail will be constructed above the hog wire. This fence design (developed over the last 30-years) has proven to be very effective controlling unauthorized access to permanent pits.

The existing rule (19.15.17.11.D.3) would require the operator to fence the permanent pit with a four foot fence that has at least four strands of barbed wire evenly spaced in the interval between on foot and four feet above the ground level. The proposed fencing alternative would provide better security against unauthorized access to temporary drilling pits. The smaller holes in hog-wire (3" X 6" up to 7" X 6") is more effective at controlling unauthorized access by the public and wildlife than 4-strands of barbed wire spaced 12" apart.

The proposed fence around the permanent pit will be constructed and operated in a manner that prevents unauthorized access and shall maintain the fence in good condition to protect the public and wildlife.

The request for administrative approval cited above is needed to help minimize environmental impact, increase safety and protect wildlife and public health. The alternatives proposed will protect fresh water, public health, safety and the environment more effectively than the design and construction specifications established by the State of New Mexico, Energy Minerals and Natural Resources Department do in rule 19.15.17.11 NMAC.

Jones, Brad A., EMNRD

From:

Kurt Fagrelius [kfagrelius@duganproduction.com] Tuesday, March 15, 2011 11:14 AM Jones, Brad A., EMNRD Turks Toast #1 Prod Tank Closure Plan

Sent:

To:

Subject:

Attachments:

Turks Toast 1 Prod Tank.pdf

Here you go, hope it all makes it, Kurt F.

Jones, Brad A., EMNRD

From: Kurt Fagrelius [kfagrelius@duganproduction.com]

Sent: Tuesday, March 15, 2011 7:58 AM

To: Jones, Brad A., EMNRD

Subject: Turks Toast Permanent Pits (X2)

Hello Brad, recently I sent you two C-144's (Closure Plans) for overlooked permanent pits on the Turks Toast #1 (Separator and Prod. Tank). Dugan has conducted preliminary soil testing on these pits, the analysis exceed thresholds of the "pit rule" and they will have to be closed under the "spill rule". Once you have reviewed and approved the closure plans submitted, could you please provide me with a faxed or e-mail (1st 5-pages including signature page) of the approved C-144. I will then File "Initial" C-141's with the SF and Aztec offices stating that the soil testing exceeds "Pit Rule" thresholds and that they will be cleaned-up and closed according to the "Spill Rule" standards. Also, a C-144 closure report will be filed with your office declaring that the permanent pits will be closed under "spill rule" standards.

Dugan has closed 87-permanent pits and has only four remaining to be closed. We would like to complete this program as soon as possible.

Thank you for your consideration and attention to this matter. If you have any questions, or require additional information, please contact me.

Very Sincerely, Kurt Fagrelius 505-325-1821 (O) 505-320-8248 (C)

Jones, Brad A., EMNRD

From:

Kurt Fagrelius [kfagrelius@duganproduction.com]

Sent:

Wednesday, March 09, 2011 4:23 PM

To:

Jones, Brad A., EMNRD

Subject:

Permanent Pits

Hello Brad.

I am sending you two "Closure Plans" for permanent pits that were an approved design registered under rule 50, but were not permitted under rule 19.15.17. The pits are not in use, they were taken out of commission on March 19, 2008.

I called you on the phone about these two permanent pits the first of last week. They were overlooked when we compiled our original list of permanent pits and schedule of closures submitted to your office back in October of 2008. Sorry about that.

We have already tested soil samples from the pits, they did not test within the thresholds of the "Pit Rule" and will be closed according to the "Spill Rule". As soon as I receive your approval of the C-144 "Closure Plan" for the two permanent pits, I will submit the initial C-141 with the Santa Fe and Aztec OCD offices and the C-144 "Closure Report" with the Santa Fe office.

The C-144 "Closure Plan" will be coming to you by certified mail.

If you have any questions, or require additional information, please contact me at: 505-325-1821 (O) or 505-320-8248.

Thank You, Kurt Fagrelius