District I

1625 N French Dr., Hobbs, NM 88240

District II

1301 W Grand Ave, Artesia, NM 88210

District III 1000 Rio Brazos Rd , Aztec, NM 87410

District IV

1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application
Type of action Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
Modification to an existing permit
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator. Burlington Resources Oil & Gas Company, LP OGRID#. 14538
Address: PO Box 4289, Farmington, NM 87499
Facility or well name. HAGOOD 30
API Number OCD Permit Number
U/L or Qtr/Qtr. A(NE/NE) Section 34 Township. 29N Range. 13W County. San Juan
Center of Proposed Design Latitude: 36.4117052 °N Longitude: 108.1112264 °W NAD 1927 X 1983
Surface Owner. X Federal State Private Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19 15 17 11 NMAC Temporary
Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE HDPE PVC Other
String-Reinforced
Liner Seams Welded Factory Other Volume bbl Dimensions L x W x D
3
X Closed-loop System: Subsection H of 19 15 17 11 NMAC Type of Operation X P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Drying Pad X Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type Thickness mil LLDPE HDPE PVD Other Liner Seams Welded Factory Other
Below-grade tank: Subsection I of 19 15 17.11 NMAC
Volumebbl Type of fluid WAR 2011 1
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off OIL CONS DIV DIST. 3 OIL CONS DIV DIST.
Liner Type Thickness mil HDPE PVC Other
5
Alternative Method:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Page 1 of 5

6 Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)	
	t to a second
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, insi Four foot height, four strands of barbed wire evenly spaced between one and four feet	ttution or church)
Alternate Please specify	
7	
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
8	
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
X Signed in compliance with 19 15 3 103 NMAC	
9 Administrative Approvals and Exceptions:	
Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance	
Please check a box if one or more of the following is requested, if not leave blank:	
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for con (Fencing/BGT Liner)	ideration of approval
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	
Siting Criteria (regarding permitting) 19.15 17.10 NMAC	
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable	
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for	
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - IWATERS database search; USGS, Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes No
(measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	TVes TNo
application.	
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No
(Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	∐NA
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes No
 adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality. Written approval obtained from the municipality 	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site	Yes No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No
Within an unstable area.	Yes No
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	
Within a 100-year floodplain - FEMA map	Yes No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19 15 17 9 NMAC
Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API or Permit
12
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19 15.17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17 9 NMAC and 19 15 17 13 NMAC
Proposed Closure: 19 15 17 13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative
Proposed Closure Method Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Real-fill and Course Design Specifications, based when the approximate of Subsection H of 10.15.17.13. NMAC
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground S	steel Tanks or Haukoff Rins Only (10 IS 17 13 D NMAC)	
Instructions Please identify the facility or facilities for the disposal of liquids, drilling	ng fluids and drill cuttings. Use attachment if more than two	
facilities are required Disposal Facility Name	Disposal Facility Permit #	
Disposal Facility Name		
Will any of the proposed closed-loop system operations and associated acti Yes (If yes, please provide the information No		
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specification - based upon the appro Re-vegetation Plan - based upon the appropriate requirements of Subs Site Reclamation Plan - based upon the appropriate requirements of S	opriate requirements of Subsection H of 19 15 17 13 N section I of 19 15 17 13 NMAC	MAC
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NM. Instructions Each siting criteria requires a demonstration of compliance in the closure plan a certain siting criteria may require administrative approval from the appropriate district office office for consideration of approval Justifications and/or demonstrations of equivalency are re-	Recommendations of acceptable source material are provided below or may be considered an exception which must be submitted to the Sc	
Ground water is less than 50 feet below the bottom of the buried waste		Yes No
- NM Office of the State Engineer - IWATERS database search, USGS Data of	btained from nearby wells	□N/A
Ground water is between 50 and 100 feet below the bottom of the buried w	raste	Yes No
- NM Office of the State Engineer - IWATERS database search, USGS, Data of	btained from nearby wells	N/A
Ground water is more than 100 feet below the bottom of the buried waste		Yes No
- NM Office of the State Engineer - (WATERS database search, USGS, Data of	btained from nearby wells	□N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign (measured from the ordinary high-water mark)	uficant watercourse or lakebed, sınkhole, or playa lake	Yes No
- Topographic map, Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	•••	∐Yes ∐No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less t purposes, or within 1000 horizontal fee of any other fresh water well or spring, in ex - NM Office of the State Engineer - iWATERS database. Visual inspection (cert	distence at the time of the initial application	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water upursuant to NMSA 1978, Section 3-27-3, as amended	·	Yes No
 Written confirmation or verification from the municipality, Written approval of Within 500 feet of a wetland 	obtained from the municipality	Yes No
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual in	nspection (certification) of the proposed site	
Within the area overlying a subsurface mine - Written confirantion or verification or map from the NM EMNRD-Mining and	d Mineral Division	∐Yes ∐No
Within an unstable area.	S. Milotal D. Miston	Yes No
- Engineering measures incorporated into the design, NM Bureau of Geology & Topographic map	Mineral Resources, USGS, NM Geological Society,	
Within a 100-year floodplain - FEMA map		Yes No
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Eaby a check mark in the box, that the documents are attached.	ch of the following items must bee attached to the clo	sure plan. Please indicate,
Siting Criteria Compliance Demonstrations - based upon the approp	oriate requirements of 19 15 17 10 NMAC	
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC		
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC		
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC		
Protocols and Procedures - based upon the appropriate requirements of 19.15 17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the approp		AC
Waste Material Sampling Plan - based upon the appropriate requirer		t 1
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15.17.13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Su		

Form C-144

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
20 Clove Blocket Decret Application (maladay Assessed to 1970) March 1970 Clove Blocket Decret 1
OCD Approval: Permit Application (including dosure plan) Closure Plan (ently) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: 5726/2011
Title: Compliance officer OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC
Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure
report is required to be submitted to the division within 60 days of the completion of the closure activities Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed
X Closure Completion Date: 7/21/2010
Zi Coosie Competiti Dite.
22 Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)
If different from approved plan, please explain
23 Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number MM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
25
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN
Signature
e-mail address crystal tafoya@conocophillips com Telephone (505) 326-9837

Form C-144