District 1

1625 N French Dt , Hobbs, NM 88240

1301 W Grand Ave, Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

State of New Mexico **Energy Minerals and Natural Resources**

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

1220 S St Francis Dr , Santa Fe, NM 87505 Pit, Closed-Loop System, Below-Grade Tank. or Proposed Alternative Method Permit or Closure Plan Application Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances OGRID#: 14538 Operator: Burlington Resources Oil & Gas Company, LP Address: PO Box 4289, Farmington, NM 87499 Facility or well name: SAN JUAN 28-6 UNIT 155 API Number: 30-039-20397 OCD Permit Number U/L or Qtr/Qtr: L(NW/SW) Section: 28 Township: 28N Range: County: Rio Arriba 36.62927 ٥N °W NAD: X 1927 Center of Proposed Design: Latitude: Longitude: Private Tribal Trust or Indian Allotment Surface Owner: X Federal State Pit: Subsection F or G of 19 15 17 11 NMAC Drilling Workover Temporary Permanent Emergency Cavitation P&A Thickness mil LLDPE HDPE PVC Other Lined Unlined Liner type String-Reinforced Volume. Liner Seams Welded Factory Other bbl Dimensions L Subsection H of 19.15 17 11 NMAC X Closed-loop System: Drilling a new well X Workover or Drilling (Applies to activities which require prior approval of a permit or Type of Operation P&A notice of intent) \mathbf{x} Above Ground Steel Tanks Haul-off Bins Other LLDPE HDPE PVD Other mıl Lined Unlined Liner Seams Welded Factory Other Below-grade tank: Subsection I of 19 15 17 11 NMAC Type of fluid Volume bbl Tank Construction material Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Secondary containment with leak detection Visible sidewalls only Other Visible sidewalls and liner □HDPE **TPVC** Other Liner Type Thickness Alternative Method: Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Page 1 of 5

Fencing: Subsection D of 19.15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tunks)		
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, ins	titution or chu	rch)
Four foot height, four strands of barbed wire evenly spaced between one and four feet		,
Alternate Please specify		
7		
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)		
Screen Netting Other		
Monthly inspections (If netting or screening is not physically feasible)		
8		
Signs: Subsection C of 19.15 17 11 NMAC		
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19.15 3 103 NMAC		
9 Administrative Approvale and Expertions		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance		•
Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for const. (Fencing/BGT Liner)	ideration of ap	pproval
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval		
10		
Siting Criteria (regarding permitting): 19 15 17.10 NMAC		
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the		
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for		
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
does not apply to drying paids of above grade tames associated with a closed toop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	Yes	∐No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	□No
(measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	L Yes	∐N0
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA	
- Visual inspection (certification) of the proposed site; Aerial photo, Satellite image		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applied to permanent pits)	□NA	
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	<u></u>	
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site 	Yes	□No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	∐No
Within an unstable area.	Yes	No
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS; NM Geological		-
Society; Topographic map	Yes	□No
Within a 100-year floodplain - FEMA man	🗀 '6	□,,,0

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC			
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17.9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of			
19 15.17 9 NMAC and 19 15 17.13 NMAC			
Previously Approved Design (attach copy of design) API or Permit			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15 17 11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17 9 NMAC and 19.15.17 13 NMAC			
Previously Approved Design (attach copy of design) API			
Previously Approved Operating and Maintenance Plan API			
13			
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC			
Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17 11 NMAC			
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15.17.11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19 15.17.11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17.11 NMAC			
Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan			
Erosion Control Plan			
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19.15.17.13 NMAC			
14			
Proposed Closure: 19 15 17 13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System			
Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
15			
Waste Excavation and Removal Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.			
Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19.15 17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC			
☐ Disposal Facility Name and Permit Number (for liquids, drılling fluids and drıll cuttings) ☐ Soıl Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17.13 NMAC			
1 1 One resignation Figure bases upon the appropriate requirements of buoseenon of 17.15 17.15 17.15 17.15			

Form C-144 Oil Conservation Division Page 3 of 5

West Barried Character Section 1 to Section That IVII Also C	A COLUMN A MEN OLI (10 IS 12 12 DAIMAC)		
<u>Waste Removal Closure For Closed-loop Systems That Utilize Above Gr</u> Instructions Please identify the facility or facilities for the disposal of liquid			
facilities are required			
Disposal Facility Name	Disposal Facility Permit #		
Disposal Facility Name	Disposal Facility Permit #		
Will any of the proposed closed-loop system operations and associated Yes (If yes, please provide the information No	d activities occur on or in areas that will not be used for future	e service and	
Required for impacted areas which will not be used for future service and op		IA C	
Soil Backfill and Cover Design Specification - based upon the Re-vegetation Plan - based upon the appropriate requirements of		IAC	
Site Reclamation Plan - based upon the appropriate requiremen			
		-	
17 Siting Criteria (Regarding on-site closure methods only: 19 15.17.	10 NMAC		
Instructions, Each siting criteria requires a demonstration of compliance in the clo	sure plan Recommendations of acceptable source material are provided		
certain siting criteria may require administrative approval from the appropriate di- office for consideration of approval—Justifications and/or demonstrations of equiv		to the Santa Fe Environmental Bureau	
Ground water is less than 50 feet below the bottom of the buried waste	9	Yes No	
- NM Office of the State Engineer - iWATERS database search, USGS		N/A □	
Ground water is between 50 and 100 feet below the bottom of the buri	ied waste	Yes No	
- NM Office of the State Engineer - 1WATERS database search, USGS,			
Ground water is more than 100 feet below the bottom of the buried water. NM Office of the State Engineer - iWATERS database search, USGS,		Yes No	
- NWI Office of the State Engineer - TWATERS database search, USUS,	Data obtained from fical by wells		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any oth (measured from the ordinary high-water mark).	er significant watercourse or lakebed, sinkhole, or playa lake	Yes No	
- Topographic map, Visual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or c		Yes No	
- Visual inspection (certification) of the proposed site, Aerial photo, satel	пте ппаде	Yes No	
Within 500 horizontal feet of a private, domestic fresh water well or spring th	at less than five households use for domestic or stock watering		
purposes, or within 1000 horizontal fee of any other fresh water well or spring - NM Office of the State Engineer - iWATERS database. Visual inspection	g, in existence at the time of the initial application		
Within incorporated municipal boundaries or within a defined municipal fresh pursuant to NMSA 1978, Section 3-27-3, as amended	water well field covered under a municipal ordinance adopted	Yes No	
- Written confirmation or verification from the municipality, Written appr	roval obtained from the municipality		
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, V	isual inspection (certification) of the proposed site	Yes No	
Within the area overlying a subsurface mine	is the proposed site	☐Yes ☐No	
- Written confirantion or verification or map from the NM EMNRD-Min	ing and Mineral Division		
Within an unstable area		Yes No	
- Engineering measures incorporated into the design, NM Bureau of Geol	ogy & Mineral Resources; USGS, NM Geological Society,		
Topographic map Within a 100-year floodplain		☐Yes ☐No	
- FEMA map			
18			
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instruction by a check mark in the box, that the documents are attached.	s: Each of the following items must bee attached to the clo	sure plan. Please indicate,	
Siting Criteria Compliance Demonstrations - based upon the ap	ppropriate requirements of 19 15 17 10 NMAC		
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
Construction/Design Plan of Burial Trench (if applicable) base	ed upon the appropriate requirements of 19 15 17 11 NMAC		
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15.17 11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of 19.15 17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)			
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15.17.13 NMAC			
	Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC		

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:			
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief			
Name (Print) Title			
Signature Date.			
c-mail address Telephone			
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 48/201 Title: OCD Permit Number:			
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed [X] Closure Completion Date: 5/31/2011			
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain			
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name			
Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location Latitude Longitude NAD 1927 1983			
25 Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.			
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN			
Signature Jala Taloga Date 10/7/2011			
e-mail address crystal.tafoya@conocophflips.com Telephone: (505) 326-9837			