District I

1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

1220 S St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-Grade Tank, or

	<u>Prop</u>	osed Alternative	Method Permit or Closure Plan Application
3515	Type of action:	Closure of a pit, c Modification to a	osed-loop system, below-grade tank, or proposed alternative method closed-loop system, below-grade tank, or proposed alternative method in existing permit visual submitted for an existing permitted or non-permitted pit, closed-loop system, or proposed alternative method
Please be	e advised that approval of	of this request does not relieve	(14) per individual pit, closed-loop system, below-grade tank or alternative request the operator of liability should operations result in pollution of surface water, ground water or the sibility to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator: Conoco Address: PO Box			OGRID#: 21781 7
Facility or well nan			
API Number:	3	0-039-23755	OCD Permit Number

Facility or well na	me: LINDRITH B UNI	1 35							
API Number:	30-039-	23755			OCD Permit Nu	mber _			
U/L or Qtr/Qtr:	G(SW/NE) Section:	9 [Township:	24N	Range:	3W	_ County:	Rio A	Arriba
Center of Propose	d Design: Latitude:	36	326839	°N	Longitude:	107	.15953	°W	NAD: X 1927 1983
Surface Owner:	Federal	State	X Private	е 🔲 Т	ribal Trust or In	dian Allo	tment		
Pit: Subsect	tion F or G of 19 15 17 11 N	мас							
Temporary	Drilling Workover								
Permanent	Emergency Cavitati	on 🔲 I	P&A						
Lined	Unlined Liner typ	e Th	ickness	mıl	LLDPE	HDPE	PVC	Oth	er
String-Reinfor	rced								
Liner Seams	Welded Factory	O1	ther		Volume	bbl bbl	Dimensions	s L	x Wx D
X Closed-loo Type of Operation		of 19 15 1 ing a new	v well 🔀 W	orkover of in		es to activit	ies which requ	uire prio	or approval of a permit or
Drying Pad	X Above Ground Stee	el Tanks	Haul-of	f Bins	Other			-	971181920212223

Lined Unlined Liner type Thickness mil LLDPE HDPE PVD Oth	RECEIVED
Below-grade tank: Subsection I of 19 15 17 11 NMAC	OIL CONS. DIV. DIST. 3
Secondary containment with leak detection	

	Alternative	Method:
--	-------------	---------

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, inst Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify	itution or chui	ch)
7		
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)		
8		
Signs: Subsection C of 19 15 17 11 NMAC		;
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19 15 3 103 NMAC		
9		
Administrative Approvals and Exceptions:		
Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance		
Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consi (Fencing/BGT Liner)	deration of ap	proval
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval		
Siting Criteria (regarding permitting): 19 15.17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA	
- Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	LJ	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applied to permanent pits)	NA	
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No
 Witten confirmation of verification from the municipality. Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site 	Yes	No
Within the area overlying a subsurface mine.	Yes	No
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area.	Yes	No
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society, Topographic map		_
Within a 100-year floodplain - FEMA map	Yes	No

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19.15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19 15 17 9 NMAC and 19.15 17 13 NMAC
Previously Approved Design (attach copy of design) API or Permit
12
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17.10 NMAC
Name
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17 9
NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19 15.17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17 11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17 9 NMAC and 19.15 17.13 NMAC
Proposed Closure: 19 15 17 13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System
Proposed Closure Method Waste Excavation and Removal
X Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19 15 17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
1 Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17 13 NMAC
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17.13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Groun Instructions Please identify the facility or facilities for the disposal of liquids, d	d Steel Tanks or Haul-off Bins On rilling fluids and drill cuttings Use	llv: (19 15 17 13 D NMAC) attachment if more than two		
facilities are required.	D 15 15 D 14	NR 4 01 0011 (NR 4 01 01	2100	
Disposal Facility Name Envirotech / JFJ Landfarm % IEI		NM-01-0011 / NM-01-00	<u> </u>	
Disposal Facility Name Basin Disposal Facility Will any of the proposed closed-loop system operations and associated ac	Disposal Facility Permit #	NM-01-005 will not be used for future	service and	
Yes (If yes, please provide the information No Required for impacted areas which will not be used for future service and opera Soil Backfill and Cover Design Specification - based upon the appropriate requirements of S Re-vegetation Plan - based upon the appropriate requirements of S site Reclamation Plan - based upon the appropriate requirements of S	propriate requirements of Subsect Subsection I of 19 15 17 13 NMA	С	AC	
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17 10.1 Instructions Each string criteria requires a demonstration of compliance in the closure certain siting criteria may require administrative approval from the appropriate district office for consideration of approval Justifications and/or demonstrations of equivalent	e plan Recommendations of acceptable et office or may be considered an excep	tion which must be submitted to		
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Da	ta obtained from nearby wells		Yes No	
Ground water is between 50 and 100 feet below the bottom of the buried	waste		☐Yes ☐No	
- NM Office of the State Engineer - IWATERS database search, USGS, Dat			□ N/A	
Ground water is more than 100 feet below the bottom of the buried waste			Yes No	
- NM Office of the State Engineer - iWATERS database search, USGS, Dat	a obtained from nearby wells		N/A	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other s (measured from the ordinary high-water mark)	ignificant watercourse or lakebed, si	nkhole, or playa lake	Yes No	
- Topographic map, Visual inspection (certification) of the proposed site			□Vos □No	
 Within 300 feet from a permanent residence, school, hospital, institution, or church Visual inspection (certification) of the proposed site, Aerial photo, satellite 		pplication	∐Yes ∐No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that lepurposes, or within 1000 horizontal fee of any other fresh water well or spring, in		_	Yes No	
 NM Office of the State Engineer - IWATERS database, Visual inspection (in Within incorporated municipal boundaries or within a defined municipal fresh was pursuant to NMSA 1978, Section 3-27-3, as amended 		ipal ordinance adopted	Yes No	
- Written confirmation or verification from the municipality, Written approve	al obtained from the municipality			
 Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map, Topographic map, Visua 	al inspection (certification) of the pro	posed site	YesNo	
Within the area overlying a subsurface mine			Yes No	
- Written confirmation or verification or map from the NM EMNRD-Mining	and Mineral Division			
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology	& Mineral Resources, USGS, NM	Geological Society.	∐Yes ∐No	
Topographic map Within a 100-year floodplain	, ,	3,	Yes No	
- FEMA map				
18 On-Site Closure Plan Checklist: (19.15 17 13 NMAC) Instructions:	Each of the following items mus	st bee attached to the closi	ure plan. Please indicate,	
by a check mark in the box, that the documents are attached.		10.004.6		
Siting Criteria Compliance Demonstrations - based upon the appropriate requi	•			
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19.15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of S				

Form C-144 Oil Conservation Division Page 4 of 5

19	
Operator Applicati	ion Certification: e information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print)	CRYSTAL TAFOYA / Title STAFF REGULATORY TECHNICIAN
Signature	Catal Tapaya Date 6/20/11
e-mail address	crystal tafoya@conocophflips dom Telephone (505) 326-9837
	(650) 530 750
20 OCD Approval: OCD Representativ	Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) Approval Date:
Title:	OCD Permit Number:
Instructions Operator report is required to b	equired within 60 days of closure completion): Subsection K of 1915 1713 NMAC re are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure we submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an in has been obtained and the closure activities have been completed Closure Completion Date:
22	
	tion and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) on approved plan, please explain
	arding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: dentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
Disposal Facility N	fame Disposal Facility Permit Number
Disposal Facility N	
l 	op system operations and associated activities performed on or in areas that will not be used for future service and opeartions? ease demonstrate compliane to the items below) No
-	cted areas which will not be used for future service and operations
. —	ion (Photo Documentation)
=	g and Cover Installation
Re-vegetation	Application Rates and Seeding Technique
the box, that the delay Proof of Clos Proof of Deelay Plot Plan (for Confirmation Waste Mater Disposal Fac Soil Backfilling Re-vegetation	Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in focuments are attached. Sure Notice (surface owner and division) In Notice (required for on-site closure) In Sampling Analytical Results (if applicable) In Sampling Analytica
	Certification: ne information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print)	Title
Signature	Date
e-mail address	Telephone

ConocoPhillips Company Closed-loop Plans

Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.