District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

1220 S. St. Francis Dr., Santa Fe, NM 87505		аррюрнае чисев в	suici Office.
	Pit, Closed-Loop System, B	•	
Propo	sed Alternative Method Peri	mit or Closure Plan Applic	cation
Type of action:	Permit of a pit, closed-loop system,	below-grade tank, or proposed alter	native method
4.50	X Closure of a pit, closed-loop system	n, below-grade tank, or proposed alte	ernative method
U	Modification to an existing permit		
		existing permitted or non-permitted	pit, closed-loop system,
Instructions, Please submit one an	below-grade tank, or proposed alter plication (Form C-144) per individual		la tank ou altarnativo vaquast
-	this request does not relieve the operator of liability s		-
environment. Nor does approval relie	ve the operator of its responsibility to comply with an	y other applicable governmental authority's rules	s, regulations or ordinances.
1 Operator: Burlington Resources Oil	& Gas Company, LP	OGRID#: 14538	
Address: PO Box 4289, Farmington	n, NM 87499		
Facility or well name: SAN JUAN 2	8-6 UNIT 199		
API Number: 30	-039-20988 OC	D Permit Number.	
U/L or Qtr/Qtr: J(NW/SE) Section	n: 24 Township: 27N	Range: <u>6W</u> County: <u>R</u>	io Arriba
Center of Proposed Design: Latitude:	36.5576	ongitude: 107.41547 °	W NAD: X 1927 1983
Surface Owner: X Federal	State Private Tribal	Trust or Indian Allotment	
Lined Unlined Linestring-Reinforced, Liner Seams: Welded Fa Welded Fa Wel	er type: Thickness mil	olume:bbl Dimensions L illing (Applies to activities which require OtherLLDPEHDPEPVDO	ther 22232425262
Below-grade tank: Subsection I Volume: bt Tank Construction material: Secondary containment with leak det Visible sidewalls and liner Liner Type: Thickness		inch lift and automatic overflow shut-of	OIL CONS. DIV. DIST.
5 Alternative Method: Submittal of an exception request is requ	nired. Exceptions must be submitted to the		

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, instituted from foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	ttion or church) :
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	,	
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	leration of appr	roval.
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes	No
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No
Within a 100-year floodplain - FEMA map	Yes	No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment ChecklistSubsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
12				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
☐ Climatological Factors Assessment ☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
<u> </u>				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
14				
Proposed Closure: 19.15.17.13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative				
Proposed Closure Method: Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

16				
	Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two			
Disposal Facility Name:	Disposal Facility Permit #:			
Disposal Facility Name:	Disposal Facility Permit #			
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will nbe used for future service and Yes (If yes, please provide the information No				
Soil Backfill and Cov Re-vegetation Plan - b	pich will not be used for future service and operations over Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 N coased upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC over based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC	MAC		
Instructions: Each siting criteria receptain siting criteria may require a	on-site closure methods only: 19 15 17.10 NMAC quires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below idministrative approval from the appropriate district office or may be considered an exception which must be submitted to the Sc Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17.10 NMAC for guidance			
Ground water is less than 50	feet below the bottom of the buried waste.	Yes No		
- NM Office of the State E	ngineer - ıWATERS database search; USGS. Data obtained from nearby wells	□N/A		
Ground water is between 50	and 100 feet below the bottom of the buried waste	Yes No		
- NM Office of the State E	ngineer - iWATERS database search, USGS, Data obtained from nearby wells	∏ _{N/A}		
Ground water is more than 1	00 feet below the bottom of the buried waste.	☐Yes· ☐No		
I	ngineer - iWATERS database search; USGS, Data obtained from nearby wells			
(measured from the ordinary his	ly flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake ch-water mark).	∐Yes ∐No		
· i	inspection (certification) of the proposed site			
- I	ent residence, school, hospital, institution, or church in existence at the time of initial application. ation) of the proposed site, Aerial photo; satellite image	Yes No		
•		Yes No		
purposes, or within 1000 horizo	private, domestic fresh water well or spring that less than five households use for domestic or stock watering intal fee of any other fresh water well or spring, in existence at the time of the initial application. Ignieer - iWATERS database; Visual inspection (certification) of the proposed site			
Within incorporated municipal bursuant to NMSA 1978, Section	oundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted in 3-27-3, as amended.	Yes No		
	erification from the municipality, Written approval obtained from the municipality			
Within 500 feet of a wetland	tland Identification map, Topographic map; Visual inspection (certification) of the proposed site	∐Yes ∐No		
Within the area overlying a		□Yes □No		
	erification or map from the NM EMNRD-Mining and Mineral Division			
Within an unstable area.		Yes No		
	orporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society;			
Topographic map Within a 100-year floodplai - FEMA map	n.	Yes No		
18				
On-Site Closure Plan Che	<u>klist:</u> (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the clo. that the documents are attached.	sure plan. Please indicate,		
i	liance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Construction/Design	ion/Design/Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15.17.11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
	Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan -	based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC			
Site Reclamation Dia	n - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC	į		

Operator Application Contification
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15.17 13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. [X] Closure Completion Date: 4/27/2011
22 .
Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
23 . Change Board Board in West Board Change For Chand has Sentent That Heller About Council Start Tools and Mark Of Branch Change For Chand has Sentent That Heller About Council Start Tools and Mark Of Branch Change For Chand has Sentent That Heller About Council Start Tools and Mark Of Branch Change For Chand has Sentent That Heller About Council Start Tools and Mark Of Branch Change For Chand has Sentent That Heller About Council Start Tools and Mark Of Branch Change For Chand has Sentent That Heller About Council Start Tools and Mark Of Branch Change For Chand has Sentent That Heller About Council Start Tools and Mark Of Branch Change For Chand has Sentent That Heller About Council Start Tools and Mark Of Branch Change For Chand has Sentent That Heller About Change For C
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0010 / NM-01-0010B
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number. NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below)
1
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24 <u>Closure Report Attachment Checklist:</u> Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box. that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location. Latitude: Longitude: NAD 1927 1983
25 Onestee Classes Cartification
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): CRYSTAL TAFOYA Title: STAFF REGULATORY TECHNICIAN
Signature: Signature: 5/20/11
e-mail address: crystal tafoya@conocophillips com Telephone: (505) 326-9837