District 1 1625 N French Dr , Hobbs, NM 88240

Form C-144 July 21, 2008

District II

1301 W Grand Ave, Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S St Francis Dr , Santa Fe, NM 87505

## State of New Mexico **Energy Minerals and Natural Resources** Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

	Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application
354b 1	Type of action  X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  Modification to an existing permit  Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Please be	ease submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request advised that approval of this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
·	ton Resources Oil & Gas Company, LP OGRID#. 14538 4289, Farmington, NM 87499
Facility or well name	e. Huerfanito Unit 31
API Number	30-045-06132 OCD Permit Number
U/L or Qtr/Qtr <u>L</u> Center of Proposed I Surface Owner.	C(NW/SW)Section.33Township27NRange.9WCountySan JuanDesignLatitude:36.52905°NLongitude:107.79874°WNAD.X 19271983XFederalStatePrivateTribal Trust or Indian Allotment
Temporary	m F or G of 19 15 17 11 NMAC  Drilling
X Closed-loop S Type of Operation	X P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Drying Pad Lined	X Above Ground Steel Tanks Haul-off Bins Other Unlined Liner type Thickness mil LLDPE HDPE PVD Other

/ <del>y</del>	RECE
Below-grade tank: Subsection I of 19 15 17 11 NMAC  Volume bbl Type of fluid	CONS. DIV DIST. 3

**Alternative Method:** 

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Page 1 of 5

6						
Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)						
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)						
Four foot height, four strands of barbed wire evenly spaced between one and four feet	munon or chu	renj				
Alternate Please specify						
Thermale Trease speedy						
Natural Subsection F of 10.15.17.11 NIMAC (Applies to promise of the application of the first of						
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other						
Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)						
Monthly hispections (if meaning is not physically feasible)						
8 Signs: Subsection C of 19 15 17 11 NMAC						
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers						
X Signed in compliance with 19 15 3 103 NMAC						
9 Administrative Approvals and Exceptions:						
Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance						
Please check a box if one or more of the following is requested, if not leave blank:						
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for con- (Fencing/BGT Liner)	Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval					
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval						
Siting Criteria (regarding permitting) 19 15 17 10 NMAC						
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable						
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the						
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval Applicant must attach justification for request. Please refer to 19 15.17.10 NMAC for guidance. Siting criteria						
does not apply to drying pads or above grade-tanks associated with a closed-loop system.						
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells	Yes	No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake		□No				
(measured from the ordinary high-water mark).						
- Topographic map, Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No				
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)						
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image						
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No				
(Applied to permanent pits)	NA	_				
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image						
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No				
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site	1					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	□No				
- Written confirmation or verification from the municipality, Written approval obtained from the municipality	ĺ _					
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Yes	□No				
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No				
Within an unstable area.	Yes	No				
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map		J				
Within a 100-year floodplain - FEMA map	Yes	□No				

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC			
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of			
19 15 17 9 NMAC and 19 15 17 13 NMAC			
Previously Approved Design (attach copy of design) API or Permit			
12			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached			
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9			
String Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC			
X Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC			
X Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC			
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9			
NMAC and 19 15 17 13 NMAC			
Previously Approved Design (attach copy of design)  API			
Previously Approved Operating and Maintenance Plan API			
13			
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC			
Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC  Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC			
Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan			
Erosion Control Plan  Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC			
Closure Fiant - based upon the appropriate requirements of subsection C of 19 13 17 9 NiviAC and 19 13 17 13 NiviAC			
Proposed Closure: 19 15 17 13 NMAC			
Instructions. Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System			
Alternative			
Proposed Closure Method Waste Excavation and Removal			
X   Waste Removal (Closed-loop systems only)   On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
15			
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.			
Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
<ul> <li>Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)</li> <li>Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC</li> </ul>			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC			
Since Accordance to the time of the control of the state of the			

Form C-144 Oil Conservation Division Page 3 of 5

16						
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Ste Instructions Please identify the facility or facilities for the disposal of liquids, drilling	el Tanks or Haul-off Bins On g fluids and drill cuttings Use	<u>lv:</u> (19 15 17 13 D NMAC) attachment if more than two				
facilities are required						
Disposal Facility Name Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #		010B			
Disposal Facility Name Basin Disposal Facility	Disposal Facility Permit #					
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and Yes (If yes, please provide the information No						
Reguned for impacted areas which will not be used for future service and operations		** ***				
Soil Backfill and Cover Design Specification - based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subse			AC			
Site Reclamation Plan - based upon the appropriate requirements of Su						
	• • • • • • • • • • • • • • • • • • • •					
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMA	С					
Instructions Each siting criteria requires a demonstration of compliance in the closure plan	Recommendations of acceptable	e source material are provided	below Requests r	egarding changes to		
certain siting criteria may require administrative approval from the appropriate district offic office for consideration of approval - Justifications and/or demonstrations of equivalency are			the Santa I e Lnv	ronmental Bureau		
Ground water is less than 50 feet below the bottom of the buried waste			Yes	□No		
- NM Office of the State Engineer - 1WATERS database search, USGS Data obt	ained from nearby wells		∏ <sub>N/A</sub>			
Ground water is between 50 and 100 feet below the bottom of the buried waster	_		□Voa	□N <sub>0</sub>		
- NM Office of the State Engineer - iWATERS database search, USGS, Data obta	-		∐Yes □N/A	∐No		
	anca non nearby wens					
Ground water is more than 100 feet below the bottom of the buried waste			Yes	∐No		
- NM Office of the State Engineer - iWATERS database search, USGS, Data obta	ained from nearby wells		∐N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signific (measured from the ordinary high-water mark)	cant watercourse or lakebed, su	nkhole, or playa lake	Yes	No		
- Topographic map, Visual inspection (certification) of the proposed site			_			
Within 300 feet from a permanent residence, school, hospital, institution, or church in o	•	oplication	Yes	No		
- Visual inspection (certification) of the proposed site, Aerial photo, satellite image	<b>:</b>		□v₀	□No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less the	an five households use for dome	estic or stock watering	Yes			
purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exist - NM Office of the State Engineer - iWATERS database, Visual inspection (certifi	ence at the time of the initial ap					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended		Yes	No			
- Written confirmation or verification from the municipality, Written approval obtained and the second seco	nined from the municipality					
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual insp	action (cartification) of the pro-	agged arts	Yes	∐No		
Within the area overlying a subsurface mine	ection (certification) of the proj	posed site	□Yes			
- Written confirantion or verification or map from the NM EMNRD-Mining and N	Ineral Division		□103			
Within an unstable area			Yes	□No		
- Engineering measures incorporated into the design, NM Bureau of Geology & M	ineral Resources, USGS, NM (	Geological Society,				
Topographic map Within a 100-year floodplain			∏Yes	□No		
- FEMA map			L_ res			
18			-			
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	of the following items mus	t bee attached to the closi	ıre plan. Pleas	e indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropriat	te requirements of 19 15 17	10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requireme	nts of Subsection F of 19 15	17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC						
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC						
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC						
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC						
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC						
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)						
Soil Cover Design - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirement of the plan - based upon the appropriate requirement of the plan - based upon the appropriate requirement of the plan - based upon the appropriate requirement of the appropriate requirement of the plan - based upon the appropriate requirement of the appropriate requirement o						
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC						

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:				
l hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief				
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN				
Signature Date (a/27/11				
e-mail address <u>crystal tafoya@conocophillips/com</u> Telephone (505) 326-9837				
20   OCD Approval: Permit Application (including plosure plan)   Closure Plan (only)   OCD Conditions (see attachment)				
$\sim$				
Title: Compliance Voltice OCD Permit Number:				
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC  Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date:				
22				
Closure Method:				
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)				
If different from approved plan, please explain				
23 <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> Instructions. Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities				
were utilized				
Disposal Facility Name Disposal Facility Permit Number				
Disposal Facility Name  Disposal Facility Permit Number  Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?				
Yes (If yes, please demonstrate compliane to the items below)				
Required for impacted areas which will not be used for future service and operations  Site Reclamation (Photo Documentation)				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
24 <u>Closure Report Attachment Checklist:</u> Instructions. Each of the following items must be attached to the closure report Please indicate, by a check mark in the box, that the documents are attached				
Proof of Closure Notice (surface owner and division)				
Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)				
Confirmation Sampling Analytical Results (if applicable)				
Waste Material Sampling Analytical Results (if applicable)				
Disposal Facility Name and Permit Number				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
Site Reclamation (Photo Documentation)				
On-site Closure Location Latitude Longitude NAD 1927 1983				
25				
Operator Closure Certification:				
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print) Title				
Signature Date				
e-mail address Telephone				

Form C-144 Oil Conservation Division

Page 5 of 5

# Burlington Resources Oil & Gas Company, LP Closed-loop Plans

## Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

### **Closed-loop Operating and Maintenance Plan**

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

#### Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.