

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
*Do not use this form for proposals to drill or to re-enter an
abandoned well Use Form 3160-3 (APD) for such proposals.*

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1 Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2 Name of Operator *EnRe Corp.*
% NMOC

3a Address *1000 Rio Brazos Rd.*
Aztec, NM 87410

3b Phone No (include area code)
334-6178

4 Location of Well (Footage, Sec., T, R, M, or Survey Description)

1940' / S 1830' / W - Sec. 22 - 28N - 1W

5 Lease Serial No

701-94-0012

6 If Indian, Allottee or Tribe Name

J. Carrillo

7 If Unit or CA/Agreement, Name and/or No

8 Well Name and No

Cedar Canyon 22K #1

9 API Well No

30039 25543

10 Field and Pool, or Exploratory Area

Boulder Mancos

11 County or Parish, State

Rio Arriba New Mexico

12 CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment Notice

☐ Acidize

☐ Alter Casing

☐ Casing Repair

☐ Change Plans

☐ Convert to Injection

☐ Deepen

☐ Fracture Treat

☐ New Construction

☒ Plug and Abandon

☐ Plug Back

☐ Production (Start/Resume)

☐ Reclamation

☐ Recomplete

☐ Temporarily Abandon

☐ Water Disposal

☐ Water Shut-Off

☐ Well Integrity

☐ Other

13 Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BLA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

See Attached

**SEE ATTACHED FOR
CONDITIONS OF APPROVAL**

*RCVD JUN 8 '10
OIL CONS. DIV.*

DIST. 3

**ENTERED
APR 08**

JUN 02 2010

By sm

14 I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

NMOC CONTRACT Plugging

Title

Signature

NMOC

Date

6/1/10

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

[Signature]

Title

PE

Date

JUN 02 2010

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

FA

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

FARMINGTON

NMOC

Plugging Procedure for well Cedar Canyon 22K #1


1940/S & 1830/W sec 22-28N-1W

Terminated Lease 701-94-0012

Since cement tops behind the 7 5/8" casing was unreported a CBL is recommended. The amount of cement placed in the annulus should have circulated. Note volumes are using class 'B' neat cement.

- 1) Set a cement retainer @ 6560'. Place cement from 6560' – 6036' to cover the Gallup (Boulder Mancos) perms/7 5/8" Casing Shoe/5 1/2" Liner top/Gallup top with 98 sxs
- 2) Set a cement plug from 4762' – 4662' to cover the Mesaverde top with 34 sxs
- 3) Set a cement plug from 2294' – 2014' to cover the Pictured Cliffs/Fruitland/Ojo Alamo with 74 sxs
- 4) Set a cement plug from 914' – 814' to cover the Nacimiento top with 34 sxs
- 5) Set a cement plug from 481' – 318' to cover the 10 3/4" Casing Shoe with 34 sxs
- 6) Set a cement plug from 100' to surface with 23 sxs

WELL NAME 1 Cedar Canyon
 SEC, TWN, RNG. 22-28N-16W





IN REPLY REFER TO
Real Property
Management-4600

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF INDIAN AFFAIRS
JICARILLA AGENCY
P O BOX 167
DULCE, NEW MEXICO 87528

MAY 27 2010



RECEIVED

MAY 28 2010

Bureau of Land Management
Farmington Field Office

Mr. Charlie Perrin
New Mexico Oil Conservation Commission
1000 Rio Brazos Rd
Aztec, NM 87410

Dear Mr. Perrin

Reference is made to the following orphan well No 1 Cedar Canyon 22K, 1940' FSL & 1830' FWL sec 2, T 28 N, R 1 W, Rio Arriba County, New Mexico, terminated Jicarilla Contract 701-94-0012

The above mentioned well was formerly operated by EnRe Corp. The Bureau of Land Management (BLM) has had ongoing discussions with your office concerning this orphan well. In their discussions, agreement was reached that the state's plugging reclamation fund should be used to plug this well properly since the operator has been absent since the May 2000 and there is no bonding in place. If you concur with this proposal, please provide a written concurrence so that the process of plugging the well can begin. Plugging plans will be completed by the BLM Farmington District Office upon receipt of this signed letter and submitted to your office.

We appreciate all the assistance NMOCD has provided in dealing with unplugged wells and look forward to more cooperative efforts in dealing with this issue.

If you have any questions, please contact Mr. Kurt Sandoval, Petroleum Engineer Technician, at (575) 759-3936 or Mr. Stephen Mason, BLM, at (505) 599-6364.

Sincerely,

/s/ Sherryl Vigil

Superintendent

cc BLM, Farmington District ✓
Jicarilla Apache Nation