District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or	RECEIVED
Proposed Alternative Method Permit or Closure Plan Applicat	By kcollins at 3:32 pm, May 23, 2010
Type of action: Below grade tank registration Permit of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method Modification to an existing permit/or registration Closure plan only submitted for an existing permitted or non-permitted pit	t helow-grade tank
or proposed alternative method	i, below-grade talk,
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alter	native request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority	
1. Operator: Burlington Resources Oil & Gas Company, LP_OGRID #:14538 Address:PO BOX 4289, Farmington, NM_87499 Facility or well name: Huerfano Unit 170 API Number:30-045-20029	BGT CLOSED PRIOR TO CLOSURE PLAN APPROVAL
2. □ Pit: Subsection F, G or J of 19.15.17.11 NMAC Temporary: □ Drilling □ Workover □ Permanent □ Emergency □ Cavitation □ P&A □ Multi-Well Fluid Management □ Low Chloride Drillin □ Lined □ Unlined □ Liner type: Thicknessmil □ LLDPE □ HDPE □ PVC □ Other □ String-Reinforced □ String-Reinforced □ Liner Seams: □ Welded □ Factory □ Other □ Volume:bbl Dimensions: Lx W	
3. Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: Max 120 bbl Type of fluid: Produced Water	
4. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office	for consideration of approval.
5. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent rest institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	idence, school, hospital,

6. Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
☐ Screen ☐ Netting ☐ Other	
☐ Monthly inspections (If netting or screening is not physically feasible)	
7.	
Signs: Subsection C of 19.15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
☐ Signed in compliance with 19.15.16.8 NMAC	
8.	
Variances and Exceptions:	
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank:	
Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
Breephon(s). Requests must be submitted to the summare Britishman Bureau since its consideration of approval.	
9. Siting Criteria (regarding permitting): 19.15.17.10 NMAC	
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accematerial are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	ptable source
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.	☐ Yes ☐ No
- □ NM Office of the State Engineer - iWATERS database search; □ USGS; □ Data obtained from nearby wells	⊠ NA _
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	☐ Yes ☐ No
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured	☐ Yes ☒ No
from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	L res M 140
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☑ No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	☐ Yes ☐ No
application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No

Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Temporary Pit Non-low chloride drilling fluid										
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No									
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Within 300 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Permanent Pit or Multi-Well Fluid Management Pit										
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No									
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:										
II.										
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the document attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number: or Permit Number:	.15.17.9 NMAC									
2000 000000000000000000000000000000000										

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the	documents are
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H₂S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
13. <u>Proposed Closure</u> : 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	luid Management Pit
14. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
15. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. I 19.15.17.10 NMAC for guidance.	rce material are Please refer to
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	

- Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17. Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cann Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	.11 NMAC .15.17.11 NMAC
17. Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believed to the best of the b	ief.
Name (Print): Title:	,
Signature: Date:	
e-mail address: Telephone:	
18. OCD Approval: Permit Application (including closure plan) Closure Plan (enly) OCD Conditions (see attachment)	
18. OCD Approval: Permit Application (including closure plan) Closure Plan (enly) OCD Conditions (see attachment) OCD Representative Signature: 7/12/2	
18. OCD Approval: Permit Application (including closure plan) Closure Plan (enly) OCD Conditions (see attachment)	
18. OCD Approval: Permit Application (including closure plan) Closure Plan (enly) OCD Conditions (see attachment) OCD Representative Signature: 7/12/2	016 g the closure report.
18. OCD Approval: Permit Application (including closure plan) Closure Plan (enly) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 7/12/20 Title: Complaince Officer OCD Permit Number: 19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.	016 g the closure report.
18. OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 7/12/20 Title: Complaince Officer OCD Permit Number: 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: 4/26/2016	016 g the closure report.

22.
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Crystal Walker Title: Regulatory Coordinator
Signature: Date: 5/9/2016
e-mail address: <u>crystal.walker@cop.com</u> Telephone: <u>(505) 326-9837</u>

Burlington Resources Oil & Gas Company San Juan Basin: New Mexico Assets

Below Grade Tank Closure Report

Lease Name: HUERFANO UNIT 170

API No.: 30-045-20029

In accordance with Rule 19.15.17.13 NMAC, the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

General Plan Requirements:

1. Prior to initiating any BGT closure, except in the case of an emergency, BR will notify the surface owner of the intent to close the BGT by certified mail no later than 72 hours or one week before closure and a copy of this notification will be included in the closure report. In the case of an emergency, the surface owner will be notified as soon as practical.

The surface owner was notified by email of the closure process and the notification is attached.

- 2. Notice of closure will be given to the District Division office between 72 hours and one week of the scheduled closure via email or phone. The notification of closure will include the following:
 - a. Operators Name
 - b. Well Name and API Number
 - c. Location

Notification is attached.

3. All liquids will be removed from the BGT following cessation of operation. Produced water will be disposed of at one of COP's approved Salt Water Disposal facilities or at a District Division approved facility.

All recovered liquids were disposed of at an approved SWD facility or an approved District Division facility within 60 days of cessation of operation.

4. Solids and sludge's will be shoveled and/or vacuumed out for disposal at one of the District Division approved facilities, depending on the proximity of the BGT site: Envirotech Land Farm (Permit #NM-01-011), JFJ Land Farm % Industrial Ecosystems Inc. (Permit #NM-01-0010B), and Basin Disposal (Permit #NM-01-005).

Any sludge or soil required to be removed to facilitate closure was transported to Envirotech Land Farm (Permit # NM-01-011) and/or JFJ Landfarm % IEI (Permit# NM-01-0010B).

5. BR will obtain prior approval from District Division to dispose, recycle, reuse, or reclaim the BGT and provide documentation of the disposition of the BGT in the closure report. Steel materials will be recycled or reused as approved by the District Division. Fiberglass tanks will be empty, cut up or shredded, and EPA cleaned for disposal as solid waste. Liner materials will be cleaned without soils or contaminated material for disposal as solid waste. Fiberglass tanks and liner materials will meet the conditions of 19.15.35 NMAC. Disposal will be at a licensed disposal facility, presently San Juan County Landfill operated by Waste Management under NMED Permit SWM-052426.

The below-grade tank was disposed of in a division-approved manner. The liner was cleaned per 19.15.35.8.C(1)(m) NMAC and disposed of at the San Juan County Regional Landfill located on CR 3100.

6. Any equipment associated with the BGT that is no longer required for some other purpose, following the closure, will be removed.

All on-site equipment associated with the below-grade tank was removed.

- 7. Following removal of the tank and any liner material, BR will test the soils beneath the BGT as follows:
 - a. At a minimum, a five-point composite sample will be taken to include any obvious stained or wet soils or any other evidence of contamination.
 - b. The laboratory sample shall be analyzed for the constituents listed in Table I of 19.15.17.13.

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Table I of 19.15.17.13 and the results are attached.

8. If the District Division and/or BR determine there is a release, BR will comply with 19.15.17.13.C.3b.

A release was not determined for the above referenced well.

9. Upon completion of the tank removal, pursuant to 19.15.17.13.C.3c, if all contaminant concentrations are less than or equal to the parameters listed in Table I of 19.15.17.13 NMAC, the excavation will be backfilled with non-waste earthen material compacted and covered with a minimum of one foot top soil or background thickness whichever is greater and to existing grade. The surface will be re-contoured to match the native grade and to prevent ponding.

The tank removal area passed all requirements of Table I of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material which included at least one foot of suitable material to establish vegetation at the site.

10. For those portions of the former BGT area no longer required for production activities, BR will seed the disturbed area the first favorable growing season after the BGT is covered. Seeding will be accomplished via drilling on the contour whenever practical, or by other District Division-approved methods. BR will notify the District Division when reclamation and re-vegetation is complete.

Reclamation of the BGT shall be considered complete when:

- Vegetative cover reflects a life form ratio of +/- 50% of pre disturbance levels.
- Total percent plant cover of at least 70% of pre-disturbance levels (Excluding noxious weeds) OR
- Pursuant to 19.15.17.13.H.5d BR will comply with obligations imposed by other applicable federal or tribal agencies in which there re-vegetation and reclamation requirements provide equal or better protection of fresh water, human health and the environment.

Provision 10 will be accomplished pursuant to 19.15.17.H.5d and notification will be submitted upon completion.

11. For those portions of the former BGT area required for production activities, reseeding will be done at well abandonment, and following the procedure noted above.

The former BGT area is not required for production activities and reseeding will be completed per the procedure noted above.

Closure Report:

All closure activities will include proper documentation and will be submitted to OCD within 60 days of the BGT closure on a Closure Report using District Division Form C-144. The Report will include the following:

- Proof of Closure Notice (surface owner and District Division) (Attached)
- Backfilling & cover installation (See Report)
- Confirmation Sampling Analytical Results (Attached)
- Application Rate & Seeding techniques (See Report)
- Photo Documentation of Reclamation (Attached)

Walker, Crystal

From:

Walker, Crystal

Sent:

Thursday, April 21, 2016 9:14 AM

To:

Cory Smith; Fields, Vanessa, EMNRD; Flaniken, Mike (Mike_Flaniken@blm.gov);

Katherina Diemer (kdiemer@blm.gov)

Cc:

'eskyles@animasenvironmental.com'; Farrell, Juanita R; GRP:SJBU Regulatory; Jones, Lisa;

SJBU E-Team

Subject:

BGT 72-Hour Notification for 4/26/2016

Good morning,

The following locations contained below-grade tanks that require re-sampling, which is scheduled for **Tuesday**, **April 26th** to begin at **8:00 AM** at the first location and continue to the next.

WELL NAME	BGT Latitude	BGT Longitude	Surface Owner
San Juan 27-4 Unit 82	36.5468	-107.214590	FEDERAL
San Juan 27-5 Unit 92R	36.525011	-107.306666	STATE
Huerfano Unit 170	36.454335	-107.844595	FEDERAL
Huerfanito Unit 19R	36.521135	-107.771165	FEDERAL

Please feel free to contact me at any time if you have any questions or concerns regarding this information.

Thank you,

Crystal Walker

Regulatory Coordinator ConocoPhillips Lower 48

T: 505-326-9837 | F: 505-599-4086 | M: 505-215-4361 | crystal.walker@cop.com

Visit the new Lower 48 website: www.conocophillipsuslower48.com

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Pictor Process Read Artes NM 87410 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office to accordance with 19.15.29 NMAC.

			Rele	ase Notific	catio	n and Co	rrective A	ction	1					
						OPERA	ГOR	al Report	\boxtimes	Final Report				
				Oil & Gas Co.		Contact Crystal Walker								
		^h St, Farmin ano Unit 17				Telephone No.(505) 326-9837 Facility Type: Gas Well								
			U											
Surface Ow	ner FEDE	RAL		Mineral C	Owner	FEDERAL			API No	0. 30-045-2	20029			
				LOCA	ATIO	N OF RE	LEASE							
Unit Letter O	Section 25	Township 26N	Range 10W	Feet from the	North	/South Line	Feet from the	County San Juan						
Latitude 36.454335 Longitude -107.844595														
				NAT	URE	OF REL	EASE							
Type of Rele						Volume of				Recovered				
Source of Re	lease					Date and F	Iour of Occurrence	ce	Date and	Hour of Dis	covery			
Was Immedia	nte Notice C		У Г	No 🛛 Not Re		If YES, To	Whom?							
D 17/1 0			res _	NO M NOT RE	equired	D-4 1 I	r	_						
By Whom? Was a Water	course Reac	hed?				Date and I	lour olume Impacting t	the Wate	ercourse.					
Was a Water	ourse redu		Yes 🛛 1	No		11 120, 11	mpaemig							
If a Watercou	irse was Imj	pacted, Descr	ibe Fully.*											
Describe Cau No release w	as encount	ered during	the BGT (Closure.										
Describe Are N/A	a Affected a	and Cleanup A	Action Tak	en.*										
regulations a public health should their	I operators or the envir operations hament. In a	are required to conment. The ave failed to a ddition, NMC	o report ar acceptance adequately OCD accep	is true and comp d/or file certain r ee of a C-141 repo investigate and r tance of a C-141	elease nort by the emediat	otifications a e NMOCD m te contaminati	nd perform correct arked as "Final R on that pose a thr	ctive acti Leport" d eat to gr	ons for rel oes not rel ound wate	eases which ieve the ope r, surface wa	may en rator of ater, hu	ndanger f liability man health		
Signature:		tal i		ku			OIL CON			DIVISIO	<u>ON</u>			
Printed Name	: Crystal V	Valker				Approved by	Environmental S							
Title: Regula	tory Coord	inator				Approval Date:			Expiration Date:					
	9/2016	Phone: (505	5) 326-983	7		Conditions of Approval:				Attached				
Attach Addi	tional Shee	ets If Necess	arv											



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

OrderNo.: 1604B52

May 03, 2016

Emilee Skyles Animas Environmental 604 Pinon Street Farmington, NM 87401 TEL: (505) 564-2281

FAX

RE: COPC HUERFANO UNIT 170

Dear Emilee Skyles:

Hall Environmental Analysis Laboratory received 1 sample(s) on 4/27/2016 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order 1604B52

Date Reported: 5/3/2016

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Animas Environmental

Client Sample ID: S-1

Project: COPC HUERFANO UNIT 170

Collection Date: 4/26/2016 2:04:00 PM

Lab ID: 1604B52-001

Matrix: SOIL

Received Date: 4/27/2016 7:15:00 AM

Analyses	Result	PQL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 418.1: TPH					Analyst	: TOM
Petroleum Hydrocarbons, TR	26	19	mg/Kg	1	5/3/2016	25029
EPA METHOD 300.0: ANIONS					Analyst	: LGT
Chloride	ND	30	mg/Kg	20	4/29/2016 2:34:59 PM	25076
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.025	mg/Kg	1	4/28/2016 9:27:37 PM	25034
Toluene	ND	0.049	mg/Kg	1	4/28/2016 9:27:37 PM	25034
Ethylbenzene	ND	0.049	mg/Kg	1	4/28/2016 9:27:37 PM	25034
Xylenes, Total	ND	0.099	mg/Kg	1	4/28/2016 9:27:37 PM	25034
Surr: 4-Bromofluorobenzene	112	80-120	%Rec	1	4/28/2016 9:27:37 PM	25034

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 1 of 4
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#:

1604B52

03-May-16

Client:

Animas Environmental

Project:

COPC HUERFANO UNIT 170

Sample ID MB-25076

SampType: mblk

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Batch ID: 25076

RunNo: 33917

Prep Date: 4/29/2016

Analysis Date: 4/29/2016

SeqNo: 1044748

Units: mg/Kg

Qual

Analyte

Result

SPK value SPK Ref Val %REC LowLimit

HighLimit

%RPD

RPDLimit

Chloride

PQL ND 1.5

Sample ID LCS-25076

LCSS

SampType: Ics

Batch ID: 25076

1.5

RunNo: 33917

Prep Date:

SeqNo: 1044749

Units: mg/Kg

Analysis Date: 4/29/2016 4/29/2016

Analyte

Client ID:

Result **PQL** SPK value SPK Ref Val

%REC 94.0

HighLimit %RPD

15.00

LowLimit

TestCode: EPA Method 300.0: Anions

Chloride

90

110

RPDLimit

Qual

Qualifiers:

R

Value exceeds Maximum Contaminant Level. Sample Diluted Due to Matrix D

Holding times for preparation or analysis exceeded Η Not Detected at the Reporting Limit ND

RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix

Analyte detected in the associated Method Blank В

Value above quantitation range

Analyte detected below quantitation limits J

Page 2 of 4

P Sample pH Not In Range

Reporting Detection Limit Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#:

1604B52

03-May-16

Client:

Animas Environmental

Project:

COPC HUERFANO UNIT 170

Sample ID MB-25029

SampType: MBLK

TestCode: EPA Method 418.1: TPH

TestCode: EPA Method 418.1: TPH

LowLimit

LowLimit

83.4

83.4

Client ID:

PBS

4/27/2016

Batch ID: 25029 Analysis Date: 5/3/2016 RunNo: 33951

SeqNo: 1045945

Units: mg/Kg

Qual

Analyte

Client ID:

Prep Date:

Result

SPK value SPK Ref Val %REC LowLimit

HighLimit

%RPD

%RPD

RPDLimit

Petroleum Hydrocarbons, TR

ND

PQL 20

Sample ID LCS-25029

LCSS

Batch ID: 25029

SampType: LCS

RunNo: 33951

127

Prep Date: 4/27/2016

Analysis Date: 5/3/2016 PQL

20

SegNo: 1045946 %REC

Units: mg/Kg HighLimit

RPDLimit

Qual

Analyte Petroleum Hydrocarbons, TR

Sample ID LCSD-25029

SampType: LCSD

109

TestCode: EPA Method 418.1: TPH

Client ID: LCSS02

4/27/2016

Batch ID: 25029

RunNo: 33951

Units: mg/Kg

127

Analysis Date: 5/3/2016

110

Result

110

SPK value SPK Ref Val

100.0

SeqNo: 1045947

HighLimit

%RPD **RPDLimit**

Qual

Analyte Petroleum Hydrocarbons, TR

Prep Date:

Result

PQL

20

SPK value SPK Ref Val %REC 100.0

110

1.24

20

Qualifiers:

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

Holding times for preparation or analysis exceeded H

Not Detected at the Reporting Limit ND

RPD outside accepted recovery limits R

% Recovery outside of range due to dilution or matrix

Analyte detected in the associated Method Blank В

Value above quantitation range

J Analyte detected below quantitation limits

Page 3 of 4

P Sample pH Not In Range

Reporting Detection Limit RL

Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1604B52

03-May-16

Client:

Animas Environmental

Project:

COPC HUERFANO UNIT 170

Sample ID MB-25034	SampType	e: MBLK	Tes								
Client ID: PBS	Batch ID	25034	R	tunNo: 3							
Prep Date: 4/27/2016	Analysis Date	e: 4/28/2016	S	SeqNo: 1	043171	Units: mg/Kg					
Analyte	Result F	PQL SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	ND 0	0.025									
Toluene	ND 0	0.050									
Ethylbenzene	ND 0	0.050									
Xylenes, Total	ND	0.10									
Surr: 4-Bromofluorobenzene	0.99	1.000		99.1	80	120					
Sample ID LCS-25034	SampType	e: LCS	Tes	tCode: El	de: EPA Method 8021B: Volatiles						
Client ID: LCSS	Batch ID	D: 25034	F	RunNo: 3	3850						
Prep Date: 4/27/2016	Analysis Date	e: 4/28/2016	S	SeqNo: 1	043173	Units: mg/K	g				
Analyte	Result F	POL SPK value	SPK Ref Val	RPDLimit	Qual						

Analyte	Result	PQL	SPK value	SPK Rei vai	%REC	LOWLITTIL	HIGHLIIII	70KPD	KPDLIIIII	Quai
Benzene	1.1	0.025	1.000	0	106	75.3	123			
Toluene	0.98	0.050	1.000	0	98.4	80	124			
Ethylbenzene	0.92	0.050	1.000	0	92.1	82.8	121			
Xylenes, Total	2.8	0.10	3.000	0	91.7	83.9	122			
Surr: 4-Bromofluorobenzene	1.1		1.000		106	80	120			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits

Page 4 of 4

- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107

Sample Log-In Check List

Website: www.hallenvironmental.com RcptNo: 1 Animas Environmental Work Order Number: 1604B52 Client Name: Received by/date: 4/27/2016 7:15:00 AM Logged By: Lindsay Mangin Lindsay Mangin 4/27/2016 8:33:25 AM Completed By: 04/27/16 Reviewed By: Chain of Custody Not Present No 1. Custody seals intact on sample bottles? No 🗌 Not Present 2. Is Chain of Custody complete? 3. How was the sample delivered? Courier Log In No 🗆 NA 🗌 4. Was an attempt made to cool the samples? No 🗌 NA 🗌 5. Were all samples received at a temperature of >0° C to 6.0°C No 🗌 6. Sample(s) in proper container(s)? No 7. Sufficient sample volume for indicated test(s)? No 8. Are samples (except VOA and ONG) properly preserved? NA 🔲 Yes No 9. Was preservative added to bottles? No VOA Vials No 🗌 10.VOA vials have zero headspace? No 🐼 11. Were any sample containers received broken? # of preserved bottles checked for pH: No 🗌 12. Does paperwork match bottle labels? (<2 or >12 unless noted) (Note discrepancies on chain of custody) Adjusted? No _ 13. Are matrices correctly identified on Chain of Custody? No 🗆 14. Is it clear what analyses were requested? Checked by: No 🗌 15. Were all holding times able to be met? (If no, notify customer for authorization.) Special Handling (if applicable) Yes 🗌 NA 🐼 No . 16. Was client notified of all discrepancies with this order? Person Notified: Date: Via: eMail Phone Fax By Whom: Regarding: Client Instructions: 17. Additional remarks: 18. Cooler Information

Seal Date

Signed By

1.3

Cooler No Temp °C Condition Seal Intact Seal No

Yes

Good

	HALL ENVIRONMENTAL	ANALTSIS LABORATORY	www.hallenvironmental.com	- Albuqu	505-545-5975 Fax 505-345-4107	Ailaiysis Kequest				(N	Bubbles (Y or N	TiA							Remarks: Bill to Conoco Phillips WO # 21340555 Supervisor: Birchfield	USERID: KAITLW Area: 6 Ordered by: Bobby Spearman
			1007	100+	16. U	-				· .	PH - EPA 418.1	100	-	-					Remarks: Bill to Conc WO # 21340555 Supervisor: Birchfield	USERID: KAITLW Area: 6 Ordered by: Bobby
	-			T				-			TEX - 8021B	.8 ×	F		-				WO #	Area: 6 Ordered
ı um-Around 1 me:	X Standard	1 .5		Project #:		n Project Manager	E. Skyles		Sampler: CL/DTD	Seminal and A Commercial Seminary	ner hd#	1-4 oz. cool — — — — — — — — — — — — — — — — — —						Beneived hv.	1 1/2 s/a 4	r (E
Chain-or-Custody Record	Animas Environmental Services, LLC		604 W Pinon St.	Farmington, NM 87401		eskyles@animasenvironmental.com Project		☐ Level 4 (Full Validation)	ther		rix Sample Request ID	II. S-1						Relinquished by:	L. Borgi	Muthe Wolfe
OI-C	as En		604	Far	505-564-2281	esky					Matrix	SOIL				_		Relinqu	d	ш
Idir-	Anim		dress:		505-56	ax#:	kage:	اع	ion:	ype)	Time	14:04						Time:	1737	798.
5	Client:		Mailing Address:		Phone #:	Email or Fax#:	QA/QC Package:	X Standard	Accreditation:	☐ EDD (Type)	Date	4/26/16)afe:	1/10	1. 1/1. L

Photo #1 Client: ConocoPhillips Project Name: Huerfano Unit 170 San Juan County, NM Date Photo Taken: April 26, 2016 BGT GPS and Location: 36.45433, -107.84459 SW¼ SE¼, Section 25, T26N, R10W Subject: BGT sampling, April 2016 Taken by: Description: Facing SW, overview of entire location. Delilah Dougi, AES

