

Submit To Appropriate District Office Five Copies District I 1625 N French Dr, Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S St Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	<div style="text-align: right;">Form C-105 June 19, 2008</div> WELL API NO. 30-045-34749 5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> X State Oil & Gas Lease No. _____
---	---	---

WELL COMPLETION OR RECOMPLETION REPORT AND LOG					
1a Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> DRY <input type="checkbox"/> OTHER _____ b Type of Completion: NEW <input checked="" type="checkbox"/> WORK <input type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG <input type="checkbox"/> DIFF. WELL OVER BACK RESVR. <input type="checkbox"/> OTHER			7 Lease Name or Unit Agreement Name Westland Park 		
2. Name of Operator Thompson Engineering and Production Corp. 3 Address of Operator 7415 E. Main St., Farmington, NM 87402			8. Well No. 1 9. Pool name or Wildcat Basin Fruitland Coal / Kutz		
4 Well Location Unit Letter <u>C</u> : <u>1269</u> Feet From The <u>North</u> Line and <u>1183'</u> Feet From The <u>West</u> Line Section <u>18</u> Township <u>29N</u> Range <u>13W</u> NMPM San Juan County					
10 Date Spudded 2/19/11		11. Date T.D. Reached 3/20/11		12 Date Rig Released 3/20/11	
13. Date Completed (Ready to Produce) 7/20/11		14 Elevations 5224' GR 5236' KB			
15 Total Measured Depth of Well 1119'		16. Plug Back Measured Depth 1077'		17. If Multiple Compl. How Many Zones? Two: Basin Fruitland Coal & Kutz Pictured Cliffs	
18 Producing Interval(s), of this completion - Top, Bottom, Name Pictured Cliffs: 920 - 934'				19. Was Directional Survey Made Yes	
20 Type Electric and Other Logs Run Cased hole GR/CCI and Neutron				21 Was Well Cored No	

22. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT LB /FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
7"	20# J-55	127'	12-1/4"	120 sx (142 cu.ft.)	Circulated 8 bbls
4-1/2"	10.5# J-55	1098'	6-1/4"	70 sx & 75 sx	
				234 cu.ft.	Circulated 15 bbls

23. LINER RECORD					24. TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2-3/8"	984' KB	

25. Perforation record (interval, size, and number) 920 - 934'. Perforated with 3 spf (0.36") holes. Total of 42 holes				26. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>920 - 934'</td> <td>500 gal of 15 % HCl, 60,000# 16/30 Brady m</td> </tr> <tr> <td></td> <td>304 bbls of x-linked gel with 119,900 SCF</td> </tr> <tr> <td></td> <td>nitrogen</td> </tr> </table>				DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	920 - 934'	500 gal of 15 % HCl, 60,000# 16/30 Brady m		304 bbls of x-linked gel with 119,900 SCF		nitrogen
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED														
920 - 934'	500 gal of 15 % HCl, 60,000# 16/30 Brady m														
	304 bbls of x-linked gel with 119,900 SCF														
	nitrogen														

27. PRODUCTION							
Date First Production 7/20/11		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Pumping				Well Status (<i>Prod or Shut-in</i>) Shut In	
Date of Test 7/20/11	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
Flow Tubing Press.	Casing Pressure 260 SICP	Calculated 24- Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)	
28 Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) Vented						Test Witnessed By Paul Thompson	
29 List Attachments Directional Survey Report							
30 If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							
31. If an on-site burial was used at the well, report the exact location of the on-site burial.							

Latitude				Longitude			
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief							
Signature <u>Paul C. Thompson</u>			Printed Name Paul C. Thompson, P.E.		Title President		Date 7/20/11
E-mail Address <u>paul@walsheng.net</u>							

A

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T.
T. Blinebry	T. Gr. Wash	T. Morrison	T.
T. Tubb	T. Delaware Sand	T. Todilto	T.
T. Drinkard	T. Bone Springs	T. Entrada	T.
T. Abo	T.	T. Wingate	T.
T. Wolfcamp	T.	T. Chinle	T.
T. Penn	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology
40	566		Kirtland
566	799		Fruitland Sand
799	918		Fruitland Coal
918			Pictured Cliffs

Submit To Appropriate District Office Five Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	<div style="text-align: right;">Form C-105 June 19, 2008</div> WELL API NO. 30-045-34749 5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> X State Oil & Gas Lease No.
--	---	---

A

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T.
T. Blinebry	T. Gr. Wash	T. Morrison	T.
T. Tubb	T. Delaware Sand	T. Todilto	T.
T. Drinkard	T. Bone Springs	T. Entrada	T.
T. Abo	T.	T. Wingate	T.
T. Wolfcamp	T.	T. Chinle	T.
T. Penn	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology
40	566		Kirtland
566	799		Fruitland Sand
799	918		Fruitland Coal
918			Pictured Cliffs