District I

1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District II

À,

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr.

220 South St. Francis Di Santa Fe, NM 87505 Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

	<u> </u>	Pit, Closed-Loop System, Below-Grade Tank, or
. ^	<u>Pro</u> p	posed Alternative Method Permit or Closure Plan Application
7151	Type of action:	X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
760		Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
		Modification to an existing permit
		Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
		below-grade tank, or proposed alternative method
		application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
	• •	al of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
1		, , , , , , , , , , , , , , , , , , ,
		Oil & Gas Company, LP OGRID#: 14538
	ox 4289, Farmingt	
Facility or well n	ame: Hardie E 1	
API Number:		30-045-23720 OCD Permit Number
U/L or Qtr/Qtr:		ction: 16 Township: 28N Range: 8W County: San Juan
_	ed Design: Latitud	
Surface Owner:	Federal	State X Private Tribal Trust or Indian Allotment
Lined String-Reinfo	orced	Liner type Thickness mil LLDPE HDPE PVC Other Factory Other Volume bbl Dimensions L x W x D
3 X Closed-loo Type of Operation		ection H of 19 15 17.11 NMAC Drilling a new well X Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Drying Pac Lined Liner Seams	Unlined Lin	round Steel Tanks
4 Below-grad		on Lof 19 15 17 11 NMAC bbl Type of fluid detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls only Other
Tank Construction	on material.	
Secondary co	ontainment with leak d	detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
-	ewalls and liner	
Liner Type	Thickness	mil HDPE PVC Other
5	Thickness	mil HDPE PVC Other
Submittal of an e	exception request is re	required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval
i l		



Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify								
7								
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)								
8								
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC								
9								
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance								
Please check a box if one or more of the following is requested, if not leave blank:								
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner)								
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval								
Siting Criteria (regarding permitting): 19 15 17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable		,						
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.								
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No						
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes	□No						
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No						
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA							
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image								
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes NA	No						
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image		*						
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No						
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site								
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No						
 Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site 	Yes	□No						
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No						
Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS; NM Geological	Yes	□No						
Society, Topographic map Within a 100-year floodplain - FEMA map	Yes	□No						

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached					
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15.17 9 NMAC					
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of					
19.15.17 9 NMAC and 19.15.17 13 NMAC					
Previously Approved Design (attach copy of design) API or Permit					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17.9					
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17.10 NMAC					
X Design Plan - based upon the appropriate requirements of 19 15 17.11 NMAC					
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC					
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17 9					
NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API					
Previously Approved Operating and Maintenance Plan API					
13					
Permanent Pits Permit Application Checklist: Subsection B of 19 15.17 9 NMAC					
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15.17.9 NMAC					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC					
Climatological Factors Assessment					
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15.17.11 NMAC					
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15.17 11 NMAC					
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC					
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17 11 NMAC					
Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC					
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17.11 NMAC					
Nuisance or Hazardous Odors, including H2S, Prevention Plan					
Emergency Response Plan					
Oil Field Waste Stream Characterization					
Monitoring and Inspection Plan					
Erosion Control Plan					
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19.15.17.13 NMAC					
14					
Proposed Closure: 19 15 17 13 NMAC					
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Type Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System					
Alternative Proposed Closure Method Waste Excavation and Removal					
Waste Removal (Closed-loop systems only)					
On-site Closure Method (only for temporary pits and closed-loop systems)					
In-place Burial On-site Trench					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.					
Please indicate, by a check mark in the box, that the documents are attached.					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)					
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions Please identify the facility or facilities for the disposal of liquids, dri	Steel Tanks or Haul-off Bins On lling fluids and drill cuttings Use	ly: (19 15 17 13 D NMAC) attachment if more than two							
facilities are required	•		100						
Disposal Facility Name Envirotech / JFJ Landfarm / IEI	Disposal Facility Permit # Disposal Facility Permit #		7108						
Disposal Facility Name Basin Disposal Facility Will any of the proposed closed-loop system operations and associated acti	<u> </u>		service and	!					
Yes (If yes, please provide the information No		m nor be used for factile	service and						
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC									
17									
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 N Instructions Each sting criteria requires a demonstration of compliance in the closure certain sting criteria may require administrative approval from the appropriate district office for consideration of approval Justifications and/or demonstrations of equivalence.	plan Recommendations of acceptable office or may be considered an excep-	tion which must be submitted to							
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data	obtained from nearby wells		Yes N/A	No					
Ground water is between 50 and 100 feet below the bottom of the buried w	vaste		Yes	No					
- NM Office of the State Engineer - (WATERS database search, USGS, Data	obtained from nearby wells		☐N/A						
Ground water is more than 100 feet below the bottom of the buried waste			Yes	No					
- NM Office of the State Engineer - 1WATERS database search, USGS, Data	obtained from nearby wells		□N/A						
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sig (measured from the ordinary high-water mark)	gnificant watercourse or lakebed, sii	nkhole, or playa lake	Yes	No					
- Topographic map, Visual inspection (certification) of the proposed site									
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site. Aerial photo, satellite in	•	oplication	∐Yes	∐No					
NVI 5001 15 . 5 1 5 1	d 6 1 1 1 1 6 1		Yes	∐No					
Within 500 horizontal feet of a private, domestic fresh water well or spring that les purposes, or within 1000 horizontal fee of any other fresh water well or spring, in a - NM Office of the State Engineer - iWATERS database, Visual inspection (co	existence at the time of the initial ap								
Within incorporated municipal boundaries or within a defined municipal fresh water pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval	Yes	No							
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual	Yes	No							
Within the area overlying a subsurface mine	Yes	No							
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division				_					
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology &	Yes	No							
Topographic map Within a 100-year floodplain - FEMA map		. 97. 100	Yes	No					
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: E by a check mark in the box, that the documents are attached.	Cach of the following items mus	it bee attached to the closi	ure plan. Plea	se indicate,					
Siting Criteria Compliance Demonstrations - based upon the approp	priate requirements of 19 15 17	10 NMAC							
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC									
Construction/Design Plan of Burial Trench (if applicable) based up									
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC									
	Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC								
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Wasta Material Sampling Plan, based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC									
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)									
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17.13 NMAC									
Re-vegetation Plan - based upon the appropriate requirements of Su									
Site Reclamation Plan - based upon the appropriate requirements of	f Subsection G of 19 15 17 13 N	MAC							

Form C-144 Oil Conservation Division

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Dollie L Busse Title Staff Regulatory Technician
Signature Willier & Busse Date 7-18-11
e-mail address dollie rousse@conocophillips com Telephone 505-324-6104
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date:
Title: Compliance Office OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:
22
Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation) On-site Closure Location Latitude Longitude NAD 1927 1983
On-site Closure Location Latitude Longitude NAD 1927 1983
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Title
Signature Date
e-mail address Telephone

Form C-144 Oil Conservation Division Page 5 of 5

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.