District 1

1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave, Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District 1V

1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

July 21, 2008
For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

3649	Type of action	X Permit of a pit, cle Closure of a pit, c Modification to an Closure plan only below-grade tank,	losed-loop system n existing permit submitted for an	n, below-grad	e tank, or propos	sed alternative	method	,
Please be	advised that approval	ne application (Form C of this request does not relieve t lieve the operator of its responsi	he operator of liability	should operations	result in pollution of	surface water, groun	d water or the	e
		il & Gas Company, Ll	P		OGRID#: 1	14538		
Address: PO Box Facility or well nam					*, ,,,,			
API Number:		30-045-25389	OC	D Permit Num	ber			
U/L or Qtr/Qtr: Center of Proposed Surface Owner:	J(NW/SE) Second	e: <u>36.83856</u>	<u>°N</u> L	Range:ongitude: I Trust or Ind	12W Cour 108.045555 an Allotment	onty: San Juan OW NA		1983
Temporary Permanent Lined String-Reinforce Liner Seams	Emergency Unlined	Cavitation P&A Liner type Thickness Factory Other	mil [LLDPE /	HDPE PV	C Other	. Wx D	-
X Closed-loop Type of Operation: Drying Pad Lined Lined Liner Seams	P&A X Above Grounder Unlined Li		Workover or Dr notice of intent) aul-off Bins	Other			proval of a perm	
Volume Tank Construction Secondary conta Visible sidew	material.	tof 19.15.17 11 NMAC bbl Type of fluid detection Visible Visible sidewalls mil HDPI	·		utomatic overflow	567	JUL 2	01 <u>1</u> ; v. dist. 3 z:292
5 Alternative		iiii []HDN	LIFVC	LJOther				

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consist (Fencing/BGT Liner). Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	ideration of ap	proval		
Siting Criteria (regarding permitting): 19 15.17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA			
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes NA	∐No		
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No		
- NM Office of the State Engineer - tWATERS database search, Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No		
 Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site 	Yes	No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No		
Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map	Yes	No		
Within a 100-year floodplain - FEMA map	Yes	No		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached					
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC					
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC					
Design Plan - based upon the appropriate requirements of 19 15 17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC					
Previously Approved Design (attach copy of design) API or Permit Number					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15.17.9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC					
X Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC					
X Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC					
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC					
Previously Approved Design (attach copy of design) API					
Previously Approved Operating and Maintenance Plan API					
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC					
Climatological Factors Assessment					
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC					
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15 17 11 NMAC					
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC					
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17.11 NMAC					
Quality Control/Quality Assurance Construction and Installation Plar					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC					
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC					
Nuisance or Hazardous Odors, including H2S, Prevention Plan					
Emergency Response Plan					
Oil Field Waste Stream Characterization					
☐ Monitoring and Inspection Plan ☐ Erosion Control Plan					
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC					
14					
Proposed Closure: 19 15 17 13 NMAC					
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Type Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System Alternative					
Proposed Closure Method					
X Waste Removal (Closed-loop systems only)					
On-site Closure Method (only for temporary pits and closed-loop systems)					
In-place Burial On-site Trench Burial					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan					
Please indicate, by a check mark in the box, that the documents are attached.					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					
Site Registration Flan - based upon the appropriate requirements of Subsection G of 19 15 17 15 MMAC					

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions Please identify the facility or facilities for the disposal of liquids, drilling fl	Tanks or Haul-off Bins Only uids and drill cuttings Use at	:(19 15 17 13.D NMAC) tachment if more than two fact	dines		
are required	Decreed Cooking Decreed #	NN4 01 0011 / NN4 01 000	100		
	•	NM-01-0011 / NM-01-001	108		
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit # NM-01-005 Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?					
Yes (If yes, please provide the information No Required for impacted areas which will not be used for future service and operations					
Soil Backfill and Cover Design Specification - based upon the appropriate	requirements of Subsection	H of 19 15 17 13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subse	ection G of 19 15 17 13 NM	AC			
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 10 NMAC for guidance					
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data obtain	ned from nearby wells		Yes No		
	•				
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obtain	ed from nearby wells		Yes No		
			Yes No		
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obtain	ned from nearby wells		□ N/A		
	•	khala ar plava laka			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signification (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site	ini watercourse of takebed, sin	knoie, or piaya take	YesNo		
Within 300 feet from a permanent residence, school, hospital, institution, or church in ex	vistence at the time of initial an	nlication	∏Yes ∏No		
- Visual inspection (certification) of the proposed site, Aerial photo, satellite image	distence at the time of mittal ap	prication			
			Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended					
 Written confirmation or verification from the municipality, Written approval obtain Within 500 feet of a wetland 	ined from the municipality		∏Yes ∏No		
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site					
Within the area overlying a subsurface mine			Yes No		
- Written confirantion or verification or map from the NM EMNRD-Mining and M	meral Division		□vas □Na		
Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society,			L res Lino		
Topographic map					
Within a 100-year floodplain - FEMA map			YesNo		
On-Site Closure Plan Checklist: (19 15.17 13 NMAC) Instructions: Each of check mark in the box, that the documents are attached.	f the following items must b	ee attached to the closure p	olan. Please indicate, by a		
Siting Criteria Compliance Demonstrations - based upon the appropriate	requirements of 19 15 17 10	NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application	Certification				
	formation submitted with this application is true, accura	ate and complete to the	e best of my knowledge and belief		
Name (Print)	CRYSTAL TAFOYA	Title	STAFF REGULATORY TECHNICIAN		
Signature	gotal Talon	Date	7//3/11		
e-mail address	crystal tafoya@conocophilips com	Telephone	/ (503) 326-9837		
_	Permit Application (including closure plan)	Closure Plan (on	ly) OCD Conditions (see attachment)		
OCD Representative S	Signature: Signature:	<u> </u>	Approval Date: 7/19/28(
Title: Comp	liance Office (OCD P	ermit Number:		
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:					
22					
Closure Method: Waste Excavation If different from a	n and Removal On-site Closure Method approved plan, please explain	Alternative Clos	ure Method Waste Removal (Closed-loop systems only)		
		ng fluids and drill cu	Ground Steel Tanks or Haul-off Bins Only; ttings were disposed. Use attachment if more than two facilities were		
Disposal Facility Nam		•	lity Permit Number		
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?					
Yes (If yes, please	Yes (If yes, please demonstrate compliane to the items below)				
. — .	l areas which will not be used for future service and ope	erations			
=	(Photo Documentation) nd Cover Installatior				
	plication Rates and Seeding Technique				
24					
		owing items must be a	ttached to the closure report. Please indicate, by a check mark in		
	e Notice (surface owner and division)				
_	Notice (required for on-site closure)				
Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable)					
Waste Material Sampling Analytical Results (if applicable)					
Disposal Facility Name and Permit Number					
Soil Backfilling and Cover Installation					
I ==	Application Rates and Seeding Technique				
—	n (Photo Documentation)		U 1000 U 1000		
On-site Closure	Location Latitude	Longitude	NAD		
25					
Operator Closure Cei	rtification:				
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure requirements and conditions specified in the approved closure plan.					
ine closure complies with	au applicable closure requirements and conditions spec	cified in the approved	ciosure pian.		
Name (Print)		Tıtle.			
Signature		Date			
e-mail address		Telephone			

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.