<u>District I</u> 1625 N French Dr , Hobbs, NM 88240

1.

<u>District II</u> 1301 W Grand Ave , Artesia, NM 88210 <u>District III</u>

District III
1000 Rio Brazos Rd , Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

District IV 1220 S St Francis Dr , Santa Fe, NM 87505		appropriate NMOC	D District Office		
	Pit, Closed-Loop System	, Below-Grade Tank, or			
Propo	- · · · · · · · · · · · · · · · · · · ·	Permit or Closure Plan Ap	<u>plication</u>		
Type of action:	\sim				
500	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method				
	Modification to an existing per				
		r an existing permitted or non-permit	ted pit, closed-loop system,		
	below-grade tank, or proposed				
Instructions: Please submit one a	oplication (Form C-144) per indivi	dual pit, closed-loop system, below-g	grade tank or alternative request		
•••		ability should operations result in pollution of suri	· · · · · · · · · · · · · · · · · · ·		
1 Operator: Burlington Resources Oi	l & Gas Company, LP	OGRID#: <u>145</u>	38		
Address: PO Box 4289, Farmingto	n, NM 87499				
Facility or well name: Farmington	Com B 1E				
API Number: 30	0-045-26806	OCD Permit Number			
U/L or Qtr/Qtr:J(NW/SE) Section	on: <u>36</u> Township: <u>31N</u>	Range: 13W County:	Rio Arriba		
Center of Proposed Design: Latitude		Longitude: 108.315132	<u>°W</u> NAD: X 1927 ☐ 1983		
Surface Owner: Federal	X State Private T	ribal Trust or Indian Allotment			
Lined Unlined Li	Cavitation P&A ner type Thickness mil	LLDPE HDPE PVC Volume bbl Dimension	Other x W x D		
Type of Operation P&A Drying Pad X Above Grou Lined Unlined Line	non H of 19 15 17 11 NMAC Drilling a new well X Workover on notice of in the steel Tanks Haul-off Bins r type Thickness mileactory Other	Other	Other 123456		
4 Below-grade tank: Subsection by Volume by Tank Construction material	of 19 15 17 11 NMAC bl Type of fluid		F-off OIL CONS. DIV. DISI. 3		
Secondary containment with leak de Visible sidewalls and liner Liner Type Thickness	_ <u> </u>	er, 6-inch lift and automatic overflow shul ther Other	TIBIBIOSOSISS TO THE PROPERTY OF THE PROPERTY		
5 Alternative Method: Submittal of an exception request is req	uired Exceptions must be submitted to	the Santa Fe Environmental Bureau offic			

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				
Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.		No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	. Yes	No		
 Visual inspection (certification) of the proposed site, Aerial photo, Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. 	Yes	No		
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site		_		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No		
 Within an unstable area. Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS, NM Geological Society; Topographic map 	Yes	No		
Within a 100-year floodplain - FEMA map	Yes	No		

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17.9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17.9				
String Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19 15.17 9 NMAC and 19.15 17 13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
12				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17 9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17 9				
NMAC and 19 15.17 13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC				
Climatological Factors Assessment Cartified Fragmanus Dagger Plane, based upon the emprepriete requirements of 10.15.17.11 NIMAC				
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15.17.11 NMAC Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15 17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
☐ Oil Field Waste Stream Characterization ☐ Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17 9 NMAC and 19.15 17 13 NMAC				
14 Proposed Closure: 19 15 17 13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative .				
Proposed Closure Method Waste Excavation and Removal Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
, Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15				
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15 17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC				
one recommunity than - based upon the appropriate requirements of subsection of 01 15 15 17.13 MMAC				

Form C-144 Oil Conservation Division Page 3 of 5

16					
Waste Removal Closure For Closed-loop Systems That Utilize Abové Ground Steel Instructions Please identify the facility or facilities for the disposal of liquids, drilling j					
facilities are required					
Disposal Facility Name I	Disposal Facility Permit #				
Disposal Facility Name I	Disposal Facility Permit #				
Will any of the proposed closed-loop system operations and associated activities Yes (If yes, please provide the information No	occur on or in areas that will not be used for future so	ervice and			
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate	•	C			
Re-vegetation Plan - based upon the appropriate requirements of Subsect					
Site Reclamation Plan - based upon the appropriate requirements of Subs	ection G of 19 13 17 13 NMAC	MH-01-			
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau					
office for consideration of approval Justifications and/or demonstrations of equivalency are i	equirea Please rejer to 19 15 17 10 NNAC for guidance				
Ground water is less than 50 feet below the bottom of the buried waste		Yes No			
- NM Office of the State Engineer - 1WATERS database search, USGS Data obtain	ned from nearby wells	∐N/A			
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No			
- NM Office of the State Engineer - tWATERS database search, USGS, Data obtain	ned from nearby wells	□N/A			
Ground water is more than 100 feet below the bottom of the buried waste		∏Yes ∏No			
- NM Office of the State Engineer - 1WATERS database search, USGS, Data obtain	ned from nearby wells	□N/A			
, ,	·				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significa (measured from the ordinary high-water mark)	nt watercourse or lakebed, sinkhole, or playa lake	YesNo			
- Topographic map, Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in ex	istence at the time of initial application	YesNo			
- Visual inspection (certification) of the proposed site, Aerial photo, satellite image					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended		Yes No			
- Written confirmation or verification from the municipality, Written approval obtain	ned from the municipality				
Within 500 feet of a wetland		Yes No			
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspec	etion (certification) of the proposed site				
Within the area overlying a subsurface mine - Written confirantion or verification or map from the NM EMNRD-Mining and Mi	noral Duveron	∐Yes ∐No			
Within an unstable area	Iciai Division	∏Yes ∏No			
- Engineering measures incorporated into the design, NM Bureau of Geology & Min	eral Resources, USGS, NM Geological Society.	☐ . •°° ☐ . ·°			
Topographic map					
Within a 100-year floodplain - FEMA map		Yes No			
18					
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of by a check mark in the box, that the documents are attached.	of the following items must bee attached to the closus	re plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
	Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
State Reclamation Plan, based upon the appropriate requirements of Subsection G of 1915 1713 NMAC					

Operator Application Certification:	. 1	or of the color and below			
I hereby certify that the information submitted with this application is true, accurat Name (Print)	e and complete to the b	est of my knowledge and belief			
Signature	Date				
e-mail address	Telephone				
C-man address					
OCD Approval: Permit Application (including closure plan) Closure Plan (only). OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 7/8/201 Title: OCD Permit Number:					
Closure Report (required within 60 days of closure completion): Subsection K of 1915 1713 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: 1/8/2009					
22 Closure Method: Waste Excavation and Removal On-site Closure Method [If different from approved plan, please explain	Alternative Closure	Method X Waste Removal (Closed-loop systems only)			
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only; Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B					
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location Latitude	Longitude	NAD			
25 Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that					
the closure complies with all applicable closure requirements and conditions spec					
Name (Print) CRYSTAL TAFOYA	Title	STAFF REGULATORY TECHNICIAN			
Signature stal Tapaya	Date	7/11			
e-mail address crystal tafoya@conocophillies com	Telephone	(505) 326-9837			