District I

1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

1220 S St Francis Dr , Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Proposed Alternative Method Permit or Closure Plan Application
Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
Modification to an existing permit
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator: Burlington Resources Oil & Gas Company, LP OGRID# 14538
Address P.O. Box 4289, Farmington, NM 87499
Facility or well name. San Juan 28-4 Unit 35M
API Number 30-039-25949 OCD Permit Number
U/L or Qtr/Qtr. J(NW/SE) Section 33 Township: 28N Range 4W County Rio Arriba
Center of Proposed Design Latitude 36.61312 °N Longitude. 107.25428 °W NAD. X 1927 1983
Surface Owner. X Federal State Tribal Trust or Indian Allotment
X Ptt: Subsection F or G of 19 15 17 11 NMAC   Temporary X Drilling Workover   Permanent Emergency Cavitation P&A   X Lined Unlined Liner type Thickness 20 mil X LLDPE HDPE PVC Other   X String-Reinforced .   Liner Seams X Welded X Factory Other Volume 7700 bbl Dimensions L 120' x W 55' x D 12'
Closed-loop System: Subsection H of 19 15 17 11 NMAC  Type of Operation P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type Thickness mil LLDPE HDPE PVD Other Liner Seams Welded Factory Other
Below-grade tank: Subsection I of 19 15 17 11 NMAC  Volume
Secondary containment with leak detection  Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  Visible sidewalls and liner  Visible sidewalls only  Other  Liner Type  Thickness  mil  HDPE  PVC  Other
5  Alternative Method:  Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

6 -1			
Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)			
Chair link on fact in books two strands of harbod was at tan (Durana d. fluents d. wikes 1000 f. et af a survey of the			
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent res  Four foot height, four strands of barbed wire evenly spaced between one and four feet	шенсе, <i>schooi, nospuai, insi</i> ii	unon or chu	rcnj
Alternate Please specify			
7  Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)			
Screen Netting Other			
Monthly inspections (If netting or screening is not physically feasible)			
Signs: Subsection C of 19 15 17 11 NMAC			
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers			
X Signed in compliance with 19 15 3 103 NMAC			
9 Administrative Approvals and Exceptions:			
Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance			
Please check a box if one or more of the following is requested, if not leave blank:			
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environm	iental Bureau office for consid	leration of ap	proval
(Fencing/BGT Liner)			
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approva	.1		
10			
Siting Criteria (regarding permitting) 19 15 17 10 NMAC			
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application Recommend source material are provided below. Requests regarding changes to certain siting criteria may require administrative a			
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental I			
consideration of approval Applicant must attach justification for request. Please refer to 19.15.17 10 NMAC for guide	ance. Siting criteria		
does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade	tank.	Yes	No
- NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sin	nkhole, or playa lake	Yes	No
(measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site			
		<b>—</b>	<b>г</b>
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the ti application.	me of initial	Yes	∐No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)		□NA	
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image		□' "'	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initia	d application.	Yes	□No
(Applied to permanent pits)	пррисатом	□ NA	
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for dom	estic or stock watering	Yes	□No
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial app	~	Штсз	
NMACCO - CALCO A COMPANY NATIONAL AND A CALCO AND CALCO	, .		
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the pro	posed site	_	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a mun adopted pursuant to NMSA 1978, Section 3-27-3, as amended	aicipal ordinance	Yes	∐No
- Written confirmation or verification from the municipality, Written approval obtained from the municipal	lity		
Within 500 feet of a wetland.		Yes	No
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of t	he proposed site	_	
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		Yes	∐No
Within an unstable area.		Vac	□N <sub>0</sub>
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS	. NM Geological	Yes	□™0
Society, Topographic map	, , , , , , , , , , , , , , , , , , , ,		
Within a 100-year floodplain		Yes	No
- FEMA map			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC			
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.    Highermologie Perpet (Pology goods Toules)   head your the recognition of the following items and the property of the property			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC			
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of			
19 15 17 9 NMAC and 19 15 17 13 NMAC			
Previously Approved Design (attach copy of design)  API or Permit			
12			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC			
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC			
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9			
NMAC and 19 15 17 13 NMAC			
Previously Approved Design (attach copy of design)  API			
Previously Approved Operating and Maintenance Plan API			
13			
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC			
Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC			
Dike Protection and Structural Integrity Design—based upon the appropriate requirements of 19 15 17 11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC  Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC			
Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan			
Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC			
Proposed Closure: 19 15 17 13 NMAC			
Instructions Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System			
Alternative			
Proposed Closure Method Waste Excavation and Removal			
Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)  In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions. Each of the following items must be attached to the closure plan.			
Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)			
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC			

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-o	ff Bins Only: (19 15 17 13 D NMAC)				
Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cutificalities are required					
	Permit #				
Disposal Facility Name Disposal Facility					
Will any of the proposed closed-loop system operations and associated activities occur on or in a Yes (If yes, please provide the information No	reas that will not be used for future service and				
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					
17					
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC  Instructions: Each string criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 10 NMAC for guidance					
Ground water is less than 50 feet below the bottom of the buried waste	Yes	No			
- NM Office of the State Engineer - IWATERS database search, USGS Data obtained from nearby w	vellsN/A	_			
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes	∐No			
- NM Office of the State Engineer - tWATERS database search, USGS, Data obtained from nearby we	ellsN/A	_			
Ground water is more than 100 feet below the bottom of the buried waste	Yes	∐No			
- NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby we		_			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or I (measured from the ordinary high-water mark)  - Topographic map, Visual inspection (certification) of the proposed site	lakebed, sinkhole, or playa lake Yes	∐No ,			
	of initial application Yes	□No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	of initial application Yes				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households us purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the propose	se for domestic or stock watering the initial application				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality		No			
Within 500 feet of a wetland  - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site		□No			
Within the area overlying a subsurface mine		No			
- Written confiramtion or verification or map from the NM EMNRD-Mining and Mineral Division		_			
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, US	SGS, NM Geological Society,				
Topographic map Within a 100-year floodplain - FEMA map	Yes	No			
18					
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following is by a check mark in the box, that the documents are attached.	tems must bee attached to the closure plan. Pleas	e indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of	19 15 17 10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requ	uirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC  Confirmation Sampling Plan (if applicable), based upon the appropriate requirements of Subsection F of 10 15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC      Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17		,			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 1:	5 17 13 NMAC				

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print)  Title
Signature Date
e-mail address - Telephone
C-main address
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date: 8/25/2011  Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC  Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed  [X] Closure Completion Date: Never Used
22
Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)  If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only.  Instructions Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions. Each of the following items must be attached to the closure report Please indicate, by a check mark in the box, that the documents are attached  Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)  Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude <u>°N</u> Longitude <u>°W</u> NAD 1927 1983
25
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) Crystal Tafoya Title Staff Regulatory Technician
Signature Date 8/23/2011
e-mail address <u>crystal tafoya@conocophillips com</u> Telephone 505-326-9837

## Burlington Resources Oil Gas Company, LP San Juan Basin

Temporary Pit Never Used
Drilling/Completion and Workover

The San Juan 28-4 Unit 35M had a workover pit approved 2/9/2009 which was never opened or used.