District I

1625 N French Dr., Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd , Aztec, NM 87410

1220 S St Francis Dr , Santa Fe NM 87505

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application
Type of action Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
Modification to an existing permit
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the
environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator: Burlington Resources Oil & Gas Company, LP OGRID#: 14538
Address. PO Box 4289, Farmington, NM 87499
Facility or well name HUERFANITO UNIT 93S
API Number: 30-045-34780 OCD Permit Number
U/L or Qtr/Qtr. K(NE/SW) Section 25 Township 27N Range. 9W County: SAN JUAN
Center of Proposed Design Latitude: 36.542921 °N Longitude. 107.743938 °W NAD: 1927 X 1983
Surface Owner Federal State Private X Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19 15 17 11 NMAC Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE HDPE PVC Other String-Reinforced Liner Seams Welded Factory Other Volume bbl Dimensions L x W x D 3 X Closed-loop System: Subsection H of 19 15 17 11 NMAC Type of Operation P&A X Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) X Drying Pad X Above Ground Steel Tanks Haul-off Bins Other X Lined Unlined Liner type Thickness 20 mil X LLDPE HDPE PVD Other Liner Seams X Welded X Factory Other Other
X Drying Pad X Above Ground Steel Tanks Haul-off Bins Other X Lined Unlined Liner type Thickness 20 mil X LLDPE HDPE PVD Other Liner Seams X Welded X Factory Other
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)					
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)					
Four foot height, four strands of barbed wire evenly spaced between one and four feet					
Alternate Please specify					
7 Notice Subsection F. of 10.15.17.11.NIMAC (Applies to propagate out and appropriate and appr					
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other					
Monthly inspections (If netting or screening is not physically feasible)					
8 Signs: Subsection C of 19 15 17 11 NMAC					
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers					
Signed in compliance with 19 15 3 103 NMAC					
9	* :				
Administrative Approvals and Exceptions:					
Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance					
Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval					
(Fencing/BGT Liner)	останон от арр	iovai			
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval					
10					
Siting Criteria (regarding permitting) 19.15 17.10 NMAC					
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the					
source material are prostated below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for					
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria					
does not apply to drying pads or above grade-tanks associated with a closed-loop system.		_			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - IWATERS database search, USGS; Data obtained from nearby wells	Yes	No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	No			
(measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Li Yes	∐ _{N0}			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applied to permanent pits)	∏NA	<u> </u>			
- Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	_				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No			
- NM Office of the State Engineer - 1WATERS database search; Visual inspection (certification) of the proposed site.		_			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No			
- Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland.	Yes	□No			
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	🗆 '6	☐140			
Within the area overlying a subsurface mine.	Yes	No			
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		_			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	Yes	∐No			
Society, Topographic map					
Within a 100-year floodplain	Yes	No			
- FFMA map	1				

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment ChecklistSubsection B of 19 15 17 9 NMAC
Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
В
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
☐ Monitoring and Inspection Plan ☐ Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Closure Frant - based upon the appropriate requirements of Subsection C of 13 13 17 3 WiMAC and 13 13 17 13 WiMAC
Proposed Closure: 19 15 17 13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative
Proposed Closure Method Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17 13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

Form C-144 Oil Conservation Division

16			
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins On Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use a facilities are required	y:(19 15 17 13 D NMAC) ttachment if more than two		
Disposal Facility Name Disposal Facility Permit #			
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that Yes (If yes, please provide the information No			
Required for impacted areas which will not be used for future service and operations			
Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subse	ction H of 19 15 17 13 NMA	.C	
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAG	2		
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NI	MAC		
17			
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC			
Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable sour certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception w			
office for consideration of approval Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 10		r e Environmeniai I	oureau
Ground water is less than 50 feet below the bottom of the buried waste		Yes	No
- NM Office of the State Engineer - IWATERS database search, USGS Data obtained from nearby wells		∏ _{N/A}	
			.,
Ground water is between 50 and 100 feet below the bottom of the buried waste			No
- NM Office of the State Engineer - iWATERS database search USGS, Data obtained from nearby wells		∐N/A	
Ground water is more than 100 feet below the bottom of the buried waste		Yes	No
- NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells		N/A	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, so	nkhole, or playa lake	Yes	No
(measured from the ordinary high-water mark)			
- Topographic map, Visual inspection (certification) of the proposed site	lu lu	—. —	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	ipplication	∐Yes ∐	No
visual inspection (certification) of the proposed site, Actual photo, Satetitic image		□Yes □	No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for dome	stic or stock watering		110
purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial at - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site	2		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal	oal ordinance adopted	Yes	No
pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality			
Within 500 feet of a wetland		∏Yes ☐	No
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the pro-	oposed site	□ □	
Within the area overlying a subsurface mine	İ	Yes	No
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division			
Within an unstable area	İ	Yes	No
 Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Topographic map 	Geological Society.		
Within a 100-year floodplain		∏Yes ☐	No
- FEMA map			
18			
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items mu	st bee attached to the closur	e plan. Please i	indicate,
by a check mark in the box, that the documents are attached.	7.10333446		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
Construction/Design Plan of Burnal Trench (if applicable) based upon the appropriate requirement.		10 15 17 11 33	11.0
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 1		•	
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)			
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NM			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13			

Form C-144 Oil Conservation Division

19
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
C-India activos
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 1915 1713 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed [X] Closure Completion Date: 12/10/2010
22
Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only. Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name Envirotech / JFJ Landfarm % 1EI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below) [X] No (Original Approved Drying Pad was not utilized for this location)
Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location Latitude Longitude NAD 1927 1983
25
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Jamie Goodwin Title. Regulatory Technician
Signature GOODW Date SIIII
e-mail address Jamie I goodwin@conocphillips com Telephone 505-326-9784