District I

State of New Mexico

Form C-144

1625 N French Dr , Hobbs, NM 88240

**Energy Minerals and Natural Resources** 

July 21, 2008

District II

1301 W Grand Ave , Artesia, NM 88210

1000 Rio Brazos Rd , Aztec, NM 87410 District IV

1220 S St Francis Dr., Santa Fe, NM 87505

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

### Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

8621	Type of action	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
		Modification to an existing permit
		Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system.
		below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the

1 Operator F	Burlington Resources Oil & Gas Company, LP	OGRID#. 14538
_	P.O. Box 4289, Farmington, NM 87499	11000
_	vell name HOUCK COM 100	
API Numbe	er. 30-045-35078	OCD Permit Number
	Otr. A(NE/NE) Section. 7 Township 29N	Range. 10W County SAN JUAN
Center of Pr	oposed Design: Latitude 36.74581 °N	Longitude: <b>107.91939</b> °W NAD: 1927 X 1983
Surface Own	ner: X Federal State Private T	Tribal Trust or Indian Allotment
X Pit: S Temporary Perman X Lined X String-H Liner Sean	ent Emergency Cavitation P&A Unlined Linei type Thickness 20 mil	Volume 7700 bbl Dimensions L 120' x W 55' x D 12'
Type of Op	notice of in  ng Pad Above Ground Steel Tanks Haul-off Bins  Unlined Liner type Thickness mil	Other  LLDPE HDPE PVD Other  2345678970
Volume Tank Cons	le sidewalls and liner Visible sidewalls only C	or, 6-inch lift and automatic overflow shut-off
	native Method:  of an exception request is required Exceptions must be submitted to	o the Santa Fe Environmental Bureau office for consideration of approval

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, instituted in Four foot height, four strands of barbed wire evenly spaced between one and four feet alternate Please specify  Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other	tion or church)	
Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19 15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15 3 103 NMAC		
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration (Fencing/BGT Liner)	eration of appro	oval .
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval		
Siting Criteria (regarding permitting) 19.15.17 10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	□No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site	Yes	□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA	
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	<b>_</b>	_
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	∐Yes ∏NA	No
<ul> <li>Visual inspection (certification) of the proposed site, Aerial photo, Satellite image</li> <li>Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.</li> </ul>	Yes	No
- NM Office of the State Engineer - 1WATERS database search; Visual inspection (certification) of the proposed site		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Yes	No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society, Topographic map	Yes	No
Within a 100-year floodplain - FEMA map	Yes	No

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19 15 17 9 NMAC
Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design)  API  or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19 15 17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC
Dike Protection and Structural Integrity Design—based upon the appropriate requirements of 19 15 17 11 NMAC  Leak Detection Design—based upon the appropriate requirements of 19 15 17 11 NMAC
Line: Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
14 Proposed Cleaning 10 IS 17 12 NIMAC
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative
Proposed Closure Method Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16	ı	
Waste Removal Closure For Closed-loop Systems That Utilize Above Gro- Instructions Please identify the facility or facilities for the disposal of liquids,	und Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC) drilling fluids and drill cuttings. Use attachment if more than two	)
facilities are required		
Disposal Facility Name	Disposal Facility Permit #	
Disposal Facility Name	Disposal Facility Permit #	
Will any of the proposed closed-loop system operations and associated Yes (If yes, please provide the information No	d activities occur on or in areas that will nbe used for future	e service and
Required for impacted areas which will not be used for future service and open		
Soil Backfill and Cover Design Specification - based upon the Re-vegetation Plan - based upon the appropriate requirements of		MAC
Site Reclamation Plan - based upon the appropriate requirements		
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 Instructions Each siting criteria requires a demonstration of compliance in the closure is certain siting criteria may require administrative approval from the appropriate district office for consideration of approval Justifications and/or demonstrations of equivalence.	plan Recommendations of acceptable source material are provided below office or may be considered an exception which must be submitted to the S	
Ground water is less than 50 feet below the bottom of the buried waste	e	Yes No
- NM Office of the State Engineer - (WATERS database search, USGS I	Data obtained from nearby wells	N/A
Ground water is between 50 and 100 feet below the bottom of the burn		Yes No
- NM Office of the State Engineer - IWATERS database search, USGS, D	Data obtained from nearby wells	∐N/A
Ground water is more than 100 feet below the bottom of the buried wa	aste	Yes No
- NM Office of the State Engineer - IWATERS database search, USGS, D	Data obtained from nearby wells	N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of any othe (measured from the ordinary high-water mark)	er significant watercourse or lakebed, sinkhole, or playa lake	Yes No
- Topographic map, Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or ch - Visual inspection (certification) of the proposed site, Aerial photo, satelli	••	Yes No
		Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that purposes, or within 1000 horizontal fee of any other fresh water well or spring - NM Office of the State Engineer - iWATERS database, Visual inspection	, in existence at the time of the initial application	
Within incorporated municipal boundaries or within a defined municipal fresh v pursuant to NMSA 1978, Section 3-27-3, as amended		Yes No
- Written confirmation or verification from the municipality, Written appr	oval obtained from the municipality	
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Vi	isual inspection (certification) of the proposed site	Yes No
Within the area overlying a subsurface mine	, , , , , , , , , , , , , , , , , , , ,	ПYes ПNo
- Written confirantion or verification or map from the NM EMNRD-Mini	ng and Mineral Division	
Within an unstable area		Yes No
- Engineering measures incorporated into the design, NM Bureau of Geold Topographic map	ogy & Mineral Resources, USGS, NM Geological Society,	
Within a 100-year floodplain - FEMA map		Yes No
18		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions by a check mark in the box, that the documents are attached.	: Each of the following items must bee attached to the cle	osure plan. Please indicate,
Siting Criteria Compliance Demonstrations - based upon the ag	ppropriate requirements of 19 15 17 10 NMAC	
Proof of Surface Owner Notice - based upon the appropriate re	• • •	
Construction/Design Plan of Burial Trench (if applicable) base	•	g
Construction/Design Plan of Temporary Pit (for in place burial		
Protocols and Procedures - based upon the appropriate requires		
Confirmation Sampling Plan (if applicable) - based upon the a		/AC
Waste Material Sampling Plan - based upon the appropriate rec		
Disposal Facility Name and Permit Number (for liquids, drillin		ds cannot be achieved)
Soil Cover Design - based upon the appropriate requirements of	of Subsection H of 19 15 17 13 NMAC	,
Re-vegetation Plan - based upon the appropriate requirements		
Site Reclamation Plan - based upon the appropriate requiremen	ate of Subsection G of 19 15 17 13 NMAC	

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
· _ · · · · · · · · · · · · · · · · · ·
Signature Date
e-mail address Telephone
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date: 8/08/2011  Title: Compliance Office OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 1945 1713 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed    X   Closure Completion Date:   May 24, 2011
22
Closure Method:  Waste Excavation and Removal  Waste Excavation and Removal  Waste Removal (Closed-loop systems only)  If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized
Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.
X Proof of Closure Notice (surface owner and division)
X Proof of Deed Notice (required for on-site closure)
X Plot Plan (for on-site closures and temporary pits)
X Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
X Disposal Facility Name and Permit Number
X Soil Backfilling and Cover Installation
X Re-vegetation Application Rates and Seeding Technique  Sets Real Process (Photo Decimentation)
X   Site Reclamation (Photo Documentation) On-site Closure Location Latitude 36.74594 °N Longitude 107.91964 °W NAD   1927   X   1983
On-site Closure Education Caritade 30.74374 W Longitude 107.71704 W NAD 1727 A 1763
25 Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) Jamie Goodwin Title Regulatory Tech
Signature Omil Cloudin Date 7/1/1/
e-mail address / jamie I goodwin@conocophillips com Telephone 505-326-9784

## Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: HOUCK COM 100

API No.: 30-045-35078

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

#### **General Plan:**

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
  - i. Operator's name
  - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6 Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19 15 17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	ND ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	7.5 ug/kG
TPH	EPA SW-846 418.1	2500	167mg/kg
GRO/DRO	EPA SW-846 8015M	500	0.3 mg/Kg
Chlorides	EPA 300.1	1000/500	150 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, BLM, HOUCK COM 100, UL-A, Sec. 7, T 29N, R 10W, API # 30-045-35078

### Jaramillo, Marie E

From:

Jaramillo, Marie E

Sent:

To:

Subject:

Sunday, December 20, 2009 6:04 PM 'mark\_keily@nm.blm.gov'
SURFACE OWNER NOTIFICATION 12/20/09

Importance:

High

The subject well will have a temporary pit that will be closed on site. Please let me know if you have any questions. Thanks

SAN JUAN 28-7 UNIT 254N HOUCK COM 100~ **OMLER 2S** 

Marie Jaramillo Staff Regulatory Tech. ConocoPhillips Office # (505) 326-9865 Fax # (505) 599-4062 mailto:marie.e.jaramillo@conocophillips.com DISTRICT I 1625 N. French Dr., Hobbs, N.M. 88240

### State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised October 12, 2005

DISTRICT II 1301 W. Grand Avenue, Artesia, N.M. 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, N.M. 87410

### OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe. NM 87505

Submit to Appropriate District Office State Lease — 4 Copies Fee Lease — 3 Copies

☐ AMENDED REPORT

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

### WELL LOCATION AND ACREAGE DEDICATION PLAT

<sup>1</sup> API Number	*Pool Code	<sup>5</sup> Pool Name		
		BASIN FRUITLAND COAL		
<sup>4</sup> Property Code	perty Code Property Name			
	HOUCK COM	100		
OGRID No.	Operator Name	* Klevation		
	BURLINGTON RESOURCES OIL & GAS COMP.	ANY LP 5796'		


<sup>10</sup> Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	7	29N	10W	5	710'	NORTH	710'	EAST	SAN JUAN

11 Bottom Hole Location If Different From Surface

				7111 11010		. 2111010110 110	7111 Duriuoo		
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
				_					
Dedicated Acres		13 Joint or	infill	<sup>14</sup> Consolidation Code		15 Order No.			
308.28 AC	CRES -	N/2 <sub>.</sub>							

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED



#### **WELL FLAG**

LATITUDE: 36.74581° N LONGITUDE. 107.91939° W

#### CENTER OF PIT

LATITUDE: 36.74594° N LONGITUDE: 107.91964° W ELEVATION: 5782.8'

DATUM: NAD83 & NAVD88

### **BURLINGTON RESOURCES OIL & GAS COMPANY LP**

HOUCK COM #100 710' FNL & 710' FEL


LOCATED IN THE NE/4 NE/4 OF SECTION 7,

T29N, R10W, N.M P M.,


SAN JUAN COUNTY, NEW MEXICO

GROUND ELEVATION: 5796', NAVD 88

FINISHED PAD ELEVATION: 5794.8', NAVD 88



SLOPES TO BE CONSTRUCTED TO MATCH THE ORIGINAL CONTOURS AS CLOSE AS POSSIBLE.



305' x 460' =3.22 ACRES SCALE: 1" = 60' JOB No.: COPC282 REV1

DATE: 03/19/09 DRAWN BY: TWT NOTE:

RESERVE PIT DIKE: TO BE 8' ABOVE DEEP SIDE (OVERFLOW - 3' WIDE AND 1' ABOVE SHALLOW SIDE).

RUSSELL SURVEYING, INC. IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES.

CONTRACTOR SHOULD CALL ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED, BURIED PIPELINES OR

CABLES ON WELL PAD, IN CONSTRUCTION ZONE AND/OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR

TO CONSTRUCTION.

Russell Surveying 1409 W. Aztec Blvd. #2 Aztec, New Mexico 87410 (505) 334-8637



### EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	03-17-11
Laboratory Number:	57588	Date Sampled:	03-15-11
Chain of Custody No:	10583	Date Received:	03-15-11
Sample Matrix:	Soil	Date Extracted:	03-16-11
Preservative:	Cool	Date Analyzed:	03-16-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.4	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	0.4	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Houck Com #100

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc com

5796 US Highway 64, Farmington, NM 87401



### **EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons**

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	03-17-11
Laboratory Number:	57589	Date Sampled:	03-15-11
Chain of Custody No:	10583	Date Received:	03-15-11
Sample Matrix:	Soil	Date Extracted:	03-16-11
Preservative:	Cool	Date Analyzed:	03-16-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.3	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	0.3	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Houck Com #100

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0645 - Fr (800) 362-1879 - Fx (505) 632-1865 | lab@envirotech-inc.com | envirotech-inc.com



### **EPA Method 8015 Modified** Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

### **Quality Assurance Report**

Client:	QA/QC		Project #:		N/A
Sample ID:	03-16-11 QA/0	C	Date Reported:		03-17-11
Laboratory Number:	57570		Date Sampled:		N/A
Sample Matrix:	Methylene Chlori	de	Date Received:		N/A
Preservative:	N/A		Date Analyzed:		03-16-11
Condition:	N/A		Analysis Reques	sted:	TPH
	I-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept Range
Gasoline Range C5 - C10	03-16-11	9.9960E+002	1.0000E+003	0.04%	0 - 15%
Diesel Range C10 - C28	03-16-11	9.9960E+002	1.0000E+003	0.04%	0 - 15%
Blank Conc. (mg/L - mg/Ko	a)	Concentration		Detection Limit	1
Gasoline Range C5 - C10	The street of th	ND		0.2	•
Diesel Range C10 - C28		ND		0.1	
Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range	1
Gasoline Range C5 - C10	0.3	0.3	0.0%	0 - 30%	•
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%	
Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Résult	% Récovery	Accept. Range
Gasoline Range C5 - C10	0.3	250	256	102%	75 - 125%
Diesel Range C10 - C28	ND	250	251	101%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 57566-57570, 57578-57584, 57586-57590

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



### EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Parameter		Concentration (ug/Kg)		Det. Limit (ug/Kg)	
			Dilution:		10
Condition:	Intact		Analysis Requested:		BTEX
Preservative:	Cool		Date Extracted:		03-21-11
Sample Matrix:	Soil		Date Analyzed		03-22-11
Chain of Custody:	10583		Date Received:		03-15-11
Laboratory Number:	57588		Date Sampled:		03-15-11
Sample ID:	Back Ground		Date Reported:		03-22-11
Client:	ConocoPhillips		Project #:		96052-1706

Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
Total BTEX	ND	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	90.3 %
	1,4-difluorobenzene	104 %
	Bromochlorobenzene	110 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Houck Com #100

Analyst

Review



### EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

1.2

0.9

Client:	ConocoPhillips		Project #:		96052-1706
Sample ID:	Reserve Pit		Date Reported:		03-22-11
Laboratory Number:	57589		Date Sampled:		03-15-11
Chain of Custody:	10583		Date Received:		03-15-11
Sample Matrix.	Soil		Date Analyzed:		03-22-11
Preservative:	Cool		Date Extracted:		03-21-11
Condition:	Intact		Analysis Requested:		BTEX
			Dilution:		10
		Concentration		Det. Limit	
Parameter		(ug/Kg)		(ug/Kg)	<u>.</u>
Benzene		ND		0.9	
Toluene		ND	)	1.0	
Ethylbenzene		ND	l	1.0	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
41,000	Fluorobenzene	102 %
	1,4-difluorobenzene	101 %
	Bromochlorobenzene	90.1 %

References:

p,m-Xylene

**Total BTEX** 

o-Xylene

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

3.8

3.7

7.5

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Houck Com #100

Analyst

Review



### **EPA METHOD 8021** AROMATIC VOLATILE ORGANICS

Client:	N/A		Project #:		N/A	
Sample ID:	0322BBLK QA/QC	;	Date Reported:		03-22-11	
Laboratory Number:	57663		Date Sampled:		N/A	
Sample Matrix:	Soli		Date Received:		N/A	
Preservative:	N/A		Date Analyzed:		03-22-11	
Condition:	N/A		Analysis:		BTEX	
			Dilution:		10	
Calibration and	I-Cal RF:	C-Cal RF:	%Diff.	Blank	Detect.	
Detection Limits (ug/L)	and the state of t	Accept. Ra	nge 0 - 15%	Conc	Limit	
Benzene	1.4060E+005	1.4088E+005	0.2%	ND	0.1	
Toluene	1 5888E+005	1.5920E+005	0.2%	ND	0.1	
Ethylbenzene	1.3758E+005	1.3786E+005	0.2%	ND	0.1	
p,m-Xylene	3.1762E+005	3.1826E+005	0.2%	ND	0.1	

Duplicate Conc. (ug/Kg)	Sample Dup	licate %Diff.	Accept Range	Detect. Limit
Benzene	ND	ND 0.0%	0 - 30%	0.9
Toluene	ND	ND 0.0%	0 - 30%	1.0
Ethylbenzene	ND	ND 0.0%	0 - 30%	1.0
p,m-Xylene	ND	ND 0.0%	0 - 30%	1.2
o-Xylene	ND	ND 0.0%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample Amou	ınt Spiked Spik	ed Sample %	Recovery	Accept Range	1
Benzene	ND	500	490	98.0%	39 - 150	
Toluene	ND	500	492	98.3%	46 - 148	
Ethylbenzene	ND	500	485	97.0%	32 - 160	
p,m-Xylene	ND	1000	972	97.2%	46 - 148	
o-Xylene	ND	500	503	101%	46 - 148	

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA.

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 57661-57663, 57665, 57588-57589, 57566-57569

Review

50



## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client: ConocoPhillips Project #: 96052-1706 Sample ID: **Back Ground** Date Reported: 03/17/11 Laboratory Number: 57588 Date Sampled: 03/15/11 Chain of Custody No: 10583 Date Received: 03/15/11 Sample Matrix: Soil Date Extracted: 03/16/11 Preservative: Cool Date Analyzed: 03/16/11 Condition: Intact Analysis Needed: TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

95.9

6.7

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Houck Com #100

Rev

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com

7 ...a., 50 V

5796 US Highway 64, Farmington, NM 87401



### **EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS**

Client: ConocoPhillips Project #: 96052-1706 Sample ID: Reserve Pit Date Reported: 03/17/11 Laboratory Number: 57589 Date Sampled: 03/15/11 Chain of Custody No: 10583 Date Received: 03/15/11 Date Extracted: 03/16/11 Sample Matrix: Soil Preservative: Cool Date Analyzed: 03/16/11 Condition: TPH-418.1 Intact Analysis Needed:

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

167

6.7

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Houck Com #100

Review

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc com



### **EPA METHOD 418.1** TOTAL PETROLEUM HYDROCARBONS **QUALITY ASSURANCE REPORT**

Client:

QA/QC

Project #:

N/A

Sample ID:

**QA/QC** 

Date Reported:

03/17/11

Laboratory Number:

03-16-TPH.QA/QC 57579

Date Sampled:

N/A

Sample Matrix:

Freon-113

Date Analyzed: Date Extracted: 03/16/11 03/16/11

Preservative: Condition:

N/A N/A

Analysis Needed:

**TPH** 

Calibration

I-Cal Date 03/10/11 C-Cal Date 03/16/11

I-Cal RF:

1.660

C-Cal RF: 1.590

% Difference Accept. Range 4.2%

+/- 10%

Blank Conc. (mg/Kg)

Concentration

**Detection Limit** 

TPH

ND

6.7

Duplicate Conc. (mg/Kg) **TPH** 

Sample 273

Duplicațe 213

% Difference Accept. Range 21.9%

+/- 30%

Spike Conc. (mg/Kg)

Sample

Spike Added Spike Result % Recovery Accept Range (

**TPH** 

273

2,000

2.130

93.7%

80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 57579-57584, 57586-57589

Review



### Chloride

Client:

ConocoPhillips

Project #:

96052-1706

Sample ID:

**Back Ground** 

Date Reported:

03/17/11

Lab ID#:

57588

Date Sampled:

03/15/11

Sample Matrix: Preservative:

Soil Cool Date Received:

03/15/11

Date Analyzed:

03/17/11

Condition:

Intact

Chain of Custody:

10583

**Parameter** 

Concentration (mg/Kg)

**Total Chloride** 

30

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Houck Com #100

Analyst

Review

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615

-Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



### **Chloride**

Client:

ConocoPhillips

Project #:

96052-1706

Sample ID:

Reserve Pit

Date Reported:

03/17/11

Lab ID#:

57589

Date Sampled:

03/15/11

Sample Matrix:

Soil

Date Received:

03/15/11

Preservative:

Cool

Date Analyzed:

03/17/11

Condition:

Intact

Chain of Custody:

10583

**Parameter** 

Concentration (mg/Kg)

**Total Chloride** 

150

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Houck Com #100

Analyst

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com

5796 US Highway 64, Farmington, NM 87401

Submit To Appropriate Two Copies	mit To Appropriate District Office State of New Mexico								Form C-105							
District I 1625 N French Dr	Energy, Minerals and Natural Resources						July 17, 2008  1. WELL API NO.									
District II 1301 W Grand Av	Oil Conservation Division						30-045-35078									
District III									2 Type of Lease							
1000 Rio Brazos R District IV	•				20 South St			r.		STA		FEI		⊠ FED/INDI	AN	
1220 S St Francis Dr., Santa Fe, NM 87505 Santa Fe,						e, NM 87505				3 State Oil & Gas Lease No SF-078717						
WELL COMPLETION OR RECOMPLETION REPORT							T AND	LOG								
4 Reason for fil	ing									5 Lease Nam HOUCK (		_	emer	nt Name		
☐ COMPLET	ION REPOI	RT (Fill in box	es #1 thro	ugh #31	for State and Fee	wells	only)			6 Well Num		<u> </u>	<del>,</del>			
C-144 CLO	nd the plat to								/or	100						
7 Type of Com		WORKOVER	□ DEEP	ENING	□PLUGBACK	(□r	DIFFERE	NT RESERV	/OII	R 🗆 OTHER						
8. Name of Oper	ator								-	9 OGRID						
Burlington F		Oil Gas Co	ompany.	, LP					14538							
PO Box 4298, Fa	armington, N										OI W					
12.Location	Unit Ltr	Section	Town	Township Range		Lot	<del>-</del>	Feet from	the	N/S Line	Feet from the		e E	E/W Line	County	
Surface:		ļ									<u> </u>					
BH: 13 Date Spudde	d Tid Data	T D Reached	115	Data Bu	g Released		17	Deta Carra	1.4.	d (Danda da Dan	1		17 5	N(DE	T A DVD	
13 Date Spudde	d 14 Date	I D Reached		Date Rig 26/2010	g Released		16	Date Comp	iete				GR, etc )	vations (DF and RKB, R, etc.)		
18 Total Measur					ck Measured Dep	oth	20 Was Direction			al Survey Made	Survey Made? 21 Type Electric and Other L			ther Logs Run		
22 Producing In	terval(s), of t	his completior	ı - Top, Bo	ttom, Na	ame											
23				CAS	ING REC	ORI	(Rep	ort all st	rin	gs set in w	ell)					
CASING SI	IZE	WEIGHT L	B /FT	ļ	DEPTH SET		HC	LE SIZE		CEMENTIN	IG RE	CORD		AMOUNT	PULLED	
		<del></del>		1												
				1.13	ED DECORD			-	Γ.							
SIZE	TOP	E	воттом	LIN	ER RECORD SACKS CEMI	ENT	SCREEN SI			TUBING REC ZE DEPTH SE				ER SET		
26 20									Ļ							
26 Perforation	n record (inte	rval, size, and	number)					ID, SHOT, INTERVAL		ACTURE, CI				ZE, ETC RIAL USED		
							22		<u>-                                      </u>							
								-1								
Date First Produ	ction	Prod	uction Me	thod (FI	owing, gas lift, pi		DUC'		.)	Well Statu	s /Pr/	od or Sh	(t-in)			
						штріпе					,		<u> </u>			
Date of Test	Hours To	ested	Choke Size	e	Prod'n For Test Period		Oıl - Bb	l	Ga   	as - MCF	"	/ater - B	ol	Gas - C	Oil Ratio	
Flow Tubing Press			Oıl - Bbl		Gas - MCF		 	Water - Bbl		Oil Gravity - API - (Cori		r)				
29 Disposition of Gas (Sold, used for fuel, vented, etc.)								<del> </del>	1		30	Test Wit	nesse	ed By	·	
31 List Attachm	ents										<u> </u>					
32. If a temporar	y pit was use	ed at the well, a	ittach a pla	t with th	ne location of the	tempo	rary pit								<del> </del>	
33 If an on-site	burial was us	ed at the well,	report the	exact lo	cation of the on-s	site bur	rial									
		Latitude 3	5.74594°N	Lon	gitude 107.9196	4°W	NAD 🗀	927 🗵 198	3	4-27-7		. 1	a.J.			
I hereby certi	ijy inai ine 	injormation	1	Pri	<i>h sides of this</i> nted me Jamie Go							; knowl :e: 7/6/2			•	
E-mail Addre	ess jamie.l	l.goodwin@														

•

# المرابع الم

5/24/	11.		
THIS - A HOU	ck com	100	
******** 710 FA	VL, 7/0 FE	<u> </u>	A
***** 7 * 2°	1 = 10 = 0	<u>S.3</u> , #	NM
Control of the About	Ritter		
- 15.000 25.15.25 (1.55.00)	Norman	Faver	5/24/11
· 기통하십시아( 이 1977년 1877년 12 ·	Norman	- fare	e deservations e
- <b>∀</b>			

### Goodwin, Jamie L

From: Payne, Wendy F

Sent: Thursday, May 19, 2011 11:44 AM

Payne, Wendy F; (Brandon.Powell@state.nm.us), Eli (Cimarron) (eliv@gwestoffice net); To:

GRP:SJBU Regulatory, Mark Kelly, Randy McKee, Robert Switzer, Sherrie Landon; Bassing, Kendal R.; Berenz (mxberenz@yahoo.com); Elmer Perry; Faver Norman; Fred Martinez, Jared Chavez; Lowe, Terry; Spearman, Bobby E; Steve McGlasson; Tally, Ethel, Becker, Joey W, Bowker, Terry D; Gordon Chenault; GRP:SJBU Production Leads; Hockett, Christy R; Johnson, Kirk L; Bassing, Kendal R; Kennedy, Jim R; Lopez, Richard A; O'Nan, Mike J; Peace, James T, Pierce, Richard M, Poulson, Mark E; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A; Thacker, LARRY; Work, Jim A; Corey Alfandre; 'isaiah@crossfire-llc.com', Jerid Cabot (ierid@crossfire-lic.com), Blair, Maxwell O; Blakley, Mac; Farrell, Juanita R. Gillette, Steven L (PAC): Hines, Derek J: Maxwell, Mary Alice: McWilliams, Peggy L: Saiz, Kooper (Finney Land Co.): Seabolt, Elmo F; Stallsmith, Mark R; Thayer, Ashley A; Thompson,

Trey E (Finney Land Co.)

'JDRITT@aol.com' Cc:

UPDATE: Reclamation Notice: Houck Com 100 Subject:

Importance: High

The location information should be:

710' FNL, 710' FEL Sec.7, **T29N**, R10W Unit Letter 'A'

I am sorry for the confusion If you have questions please let me know. Thanks.

Wendy Payne ConocoPhillips-SJBU 505-326-9533

Wendy.F.Payne@conocophillips.com

JD Ritter Construction will move a tractor to the **Houck Com 100** to start the reclamation process on Monday, May 23, 2011 Please contact Norm Faver (320-0670) if you have any questions or need further assistance.

<< File Houck Com 100.pdf >>

Burlington Resources Well - Network # 10289939 - Activity Code D250 (reclamation) & D260 (pit closure) - PO. Kaitlw San Juan County, NM

### Houck Com 100 - BLM surface/BLM minerals

Onsited: Craig Willems 4-20-09

Twin: n/a

710' FNL, 710' FEL Sec.7, T28N, R10W Unit Letter 'A'

Lease # SF-078717

Latitude: 36° 44' 45" N (NAD 83) Longitude: 107° 55' 10" W (NAD 83)

Elevation: 5796'
Total Acres Disturbed: 1.70 acres
Access Road. 609' new
API # 30-045-35078
Within City Limits: NO

Pit Lined: **YES**Note: Arch Monitoring is NOT required on this location.


Wendy Payne ConocoPhillips-SJBU 505-326-9533 Wendy.F.Payne@conocophillips.com


## ConocoPhillips

Reclamation Form:
Date: 6/15/2011
Well Name: Houck Com 100
Footages: 710 FNL, 710 FEL Unit Letter: A
Section: 7, T-29-N, R-10-W, County: 57 State: NM
Reclamation Contractor: 1:4+e~
Reclamation Date: 5/31/2011
Road Completion Date: 6/3/2011
Seeding Date: <u>6/3/2011</u>
**PIT MARKER STATUS (When Required): Picture of Marker set needed  MARKER PLACED: (DATE)  LATATUDE: 36 시시. 765
LONGITUDE: 107 55. 176
Pit Manifold removed 5/23/2011 (DATE)
Construction Inspector: Norman Faver Date: 6/15/11
Inspector Signature:
BLM
Office Use Only: Subtask DSM Folder Pictures Revised 11/4/10









#### **WELL NAME: OPEN PIT INSPECTION FORM** ConocoPhillips **HOUCK COM 100** INSPECTOR Fred Mtz Fred Miz JARED CHAVEZ JARED CHAVEZ JARED CHAVEZ JARED CHAVEZ JARED CHAVEZ JARED CHAVEZ DATE 01/04/11 01/12/11 01/07/11 01/26/11 02/02/11 02/08/11 02/11/11 02/25/11 03/04/11 Week 1 Week 2 Week 3 Week 4 Week 5 Week 6 Week 7 Week 8 Week 9 \*Please request for pit extention after 26 weeks ✓ Drilled ✓ Drilled ☑ Drilled ✓ Drilled ☑ Drilled ☐ Drilled ☐ Drilled ☑ Drilled ☑ Drilled Completed Completed Completed Completed Completed ☐ Completed Completed ✓ Completed ✓ Completed PIT STATUS Clean-Up ☐ Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Is the location marked with the proper flagging? ✓ Yes ☐ No ☑ Yes ☐ No ✓ Yes □ No. ☑ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☑ Yes ☐ No (Const. Zone, poles, pipelines, etc.) Is the temporary well sign on location and visible ☑ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ✓ Yes ☐ No ✓ Yes □ No from access road? Is the access road in good driving condition? (deep ☐ Yes ☑ No ☐ Yes 🔽 No ☑ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No Yes No Yes No ✓ Yes 🗌 No ☑ Yes ☐ No ruts, bladed) Are the culverts free from debris or any object ☑ Yes ☐ No ☑ Yes ☐ No ✓ Yes $\square$ No ☑ Yes ☐ No ✓ Yes 🗌 No ☐ Yes ☐ No ☐ Yes ☐ No ✓ Yes No ✓ Yes No preventing flow? Is the top of the location bladed and in good ☐ Yes 🗸 No ☐Yes ☑No ☑ Yes ☐ No ✓ Yes 🗌 No ☑ Yes ☐ No ☐ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No ☐Yes ☐ No operating condition? Is the fence stock-proof? (fences tight, barbed wire ☑ Yes ☐ No ☑ Yes ☐ No ✓ Yes 🗌 No ☐ Yes ☐ No Yes No ☐ Yes ☑ No ☑ Yes ☐ No ✓ Yes 🗌 No ✓ Yes 🗌 No fence clips in place? Is the pit liner in good operating condition? (no ☑ Yes ☐ No ☑ Yes ☐ No ✓ Yes 🗌 No ✓ Yes 🗌 No ☐ Yes ☐ No Yes No ☐ Yes ☑ No ☑ Yes ☐ No ☑ Yes ☐ No tears, up-rooting corners, etc.) Is the the location free from trash, oil stains and ☑ Yes ☐ No ✓ Yes □ No ✓ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No other materials? (cables, pipe threads, etc.) ENVIRONMENTAL Does the pit contain two feet of free board? (check ☑ Yes ☐ No ☑ Yes ☐ No ✓ Yes No ☑ Yes ☐ No ✓ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☑ Yes ☐ No ✓ Yes No the water levels) Is there any standing water on the blow pit? ☐ Yes ☑ No ☐ Yes ☑ No ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☑ No Are the pits free of trash and oil? ☑ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ✓ Yes No ☑ Yes ☐ No ☑ Yes ☐ No Are there diversion ditches around the pits for ☑ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No natural drainage? Is there a Manifold on location? ☑ Yes ☐ No ✓ Yes 🗌 No ☑ Yes ☐ No ✓ Yes 🗌 No ✓ Yes 🗌 No Yes No ☑ Yes ☐ No ✓ Yes 🗌 No Yes No Is the Manifold free of leaks? Are the hoses in good ☑ Yes ☐ No ✓ Yes 🗌 No ✓ Yes No ✓ Yes No ☑ Yes ☐ No ☐ Yes ☐ No Yes No ☑ Yes 🗀 No ✓ Yes 🗌 No condition? $\bigcirc$ $\bigcirc$ Was the OCD contacted? ☐ Yes ☑ No ☐ Yes ☑ No ☐ Yes ☑ No ☐ Yes ☑ No ☐ Yes ✓ No ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☑ No ☐ Yes ☑ No ☐ Yes ☑ No ☐ Yes ☑ No ☐ Yes ☐ No ☐ Yes ☑ No ☐ Yes ☑ No Yes No ☐ Yes ☑ No ☐ Yes 🔽 No PICTURE TAKEN Yes V No HOLES IN LINER

COMMENTS

Road and

location are both

snowy No repairs

Location and

road need

bladed

LOCATIONIS IN

CONDITION

GOOD

LOCATION IS IN

CONDITION

GOOD

OCATION IS IN

GOOD

CONDITION

LOCATION IS IN

CONDITION

GOOD

AND FENCE IS

CONTACTED

CROSSFIRE

LOCATION IS IN

CONDITION

GOOD

DOWN -

LOCATION IS IN

GOOD

CONDITION

### WELL NAME: HOUCK COM 100

	INSPECTOR	JARED CHAVEZ		JARED CHAVEZ	JARED CHAVEZ	JARED CHAVEZ		JARED CHAVEZ	Fred Mtz	Fred Mtz
	DATE			03/25/11	04/01/11	04/08/11		04/27/11	05/18/11	05/25/11
	"Please request for pit extention after 26 weeks	Week 10	Week 11	Week 12	Week 13	Week 14	Week 15	Week 16	Week 17	Week 18
		☑ Drilled	Drilled	✓ Drilled	✓ Drilled	✓ Drilled	Drilled	☑ Drilled	☑ Drilled	Drilled
	PIT STATUS	☑ Completed	Completed	✓ Completed	✓ Completed	✓ Completed	Completed	✓ Completed	✓ Completed	☐ Completed
		☐ Clean-Up	☐ Clean-Up	☐ Clean-Up	☐ Clean-Up	☐ Clean-Up	Clean-Up	Clean-Up	☐ Clean-Up	Clean-Up
LOCATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes 🗌 No	Yes No	✓ Yes	✓ Yes □ No	☑ Yes ☐ No	Yes No	✓ Yes □ No	☑Yes ☐No	☐ Yes ☐ No
√201	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	☐ Yes ☐ No	☑Yes ☐No	☑Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☐ No
	ls the access road in good driving condition? (deep ruts, bladed)	☑Yes □No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑Yes ☐ No	Yes No	☑ Yes ☐ No	✓ Yes □ No	Yes No
	Are the culverts free from debris or any object preventing flow?	☑ Yes ☐ No	☐ Yes ☐ No	☑Yes ☐No	☑ Yes ☐ No	☑ Yes ☐ No	Yes No	☑ Yes ☐ No	✓ Yes	Yes No
	Is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	☐ Yes ☐ No	☑Yes ☐ No	. ☑ Yes ☐ No	☑ Yes ☐ No	Yes No	☑ Yes ☐ No	✓ Yes	Yes No
ENVIRONMENTAL COMPLIANC	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	Yes No	☑Yes ☐ No	☑Yes ☐No	☑Yes ☐ No	Yes No	☑ Yes ☐ No	✓ Yes  No	Yes No
	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	Yes No	☑Yes ☐No	☑Yes ☐No	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No
	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	✓ Yes 🗌 No	☐ Yes ☐ No	☑Yes ☐No	☑ Yes ☐ No	☑Yes ☐No	Yes No	☑ Yes ☐ No	☑ Yes ☐ No	Yes No
	Does the pit contain two feet of free board? (check the water levels)	☑ Yes ☐ No	Yes No	☑Yes ☐ No	☑Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☑Yes ☐ No	✓ Yes 🗌 No	Yes No
	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No	☐Yes ☑No	☐Yes ☑No	☐ Yes ☐ No	☐ Yes ☑ No	☑ Yes ☐ No	☐ Yes ☐ No
	Are the pits free of trash and oil?	☑ Yes ☐ No	☐ Yes ☐ No	☑Yes ☐No	☑ Yes ☐ No	☑Yes ☐No	☐ Yes ☐ No	☑Yes ☐No	☑Yes ☐No	☐ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	☑ Yes ☐ No	☐ Yes ☐ No	☑Yes ☐No	☑Yes □No	☑Yes ☐No	Yes No	☑ Yes ☐ No	☑Yes ☐ No	Yes No
	Is there a Manifold on location?	☑Yes ☐ No	☐ Yes ☐ No	☑Yes ☐No	☑Yes ☐No	☑Yes ☐No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑Yes ☐No	☐ Yes ☐ No	☑ Yes ☐ No	☑Yes ☐No	☐ Yes ☐ No
ပ္ပ ြ	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☐ No	Yes No	☐ Yes ☑ No	☐Yes ☑No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No
	PICTURE TAKEN	☐ Yes ☑ No	Yes No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No
	COMMENTS	LOCATION IS IN GOOD CONDITION		PIT AND LOCATION IS IN GOOD CONDITION	PIT AND LOCATION IS IN GOOD CONDITION	PIT AND LOCAITON IS IN GOOD CONDITION		PIT AND LOCATION IS IN GOOD CONDITION	Sign on fence no repairs	Being Reclaimed