District I 1625 N French Dr , Hobbs, NM 88240 District II

## State of New Mexico Energy Minerals and Natural Resources Department

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade

District III  1000 Rio Brazos Rd , Aztec, NM 87410	Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the
District IV 1220 S St Francis Dr., Santa Fe, NM 87505		appropriate NMOCD District Office
<u>Pi</u>	t, Closed-Loop System, Below-Gra	nde Tank, or
<u>Propose</u>	d Alternative Method Permit or Clo	osure Plan Application
Type of action	Permit of a pit, closed-loop system, below-grade	tank, or proposed alternative method
<b>より0つ</b> 🔻	Closure of a pit, closed-loop system, below-grad	e tank, or proposed alternative method
	Modification to an existing permit	
	Closure plan only submitted for an existing pern below-grade tank, or proposed alternative metho	
Instructions: Please submit one appli	cation (Form C-144) per individual pit, closed-l	oop system, below-grade tank or alternative request
	request does not relieve the operator of hability should operation	
environment. Nor does approval relieve to	ne operator of its responsibility to comply with any other applical	ele governmental authority's rules, regulations or ordinances
Operator Burlington Resources Oil &	Gas Company, LP	OGRID#· <u>14538</u>
Address PO Box 4289, Farmington, N	NM 87499	
Facility or well name. Canyon Largo U	Jnit 16	
API Number. 30-03	9-60052 OCD Permit Num	ber
U/L or Qtr/Qtr A(NE/NE) Section:	30 Township 25N Range	7W County Rio Arriba
Center of Proposed Design Latitude:	36.3763 °N Longitude	<b>107.60968</b> °W NAD: X 1927 1983
Pit: Subsection F or G of 19 15 17 11		nan Allotment
2	NMAC er ation P&A type Thickness mil LLDPE	HDPE PVC Other
Pit: Subsection F or G of 19 15 17 11  Temporary Drilling Workove Permanent Emergency Cavit Lined Unlined Liner String-Reinforced Liner Seams Welded Factor  X Closed-loop System: Subsection	NMAC er atton P&A type Thickness mil LLDPE  y Other Volume  H of 19 15 17 11 NMAC	HDPE PVC Other
Pit: Subsection F or G of 19 15 17 11  Temporary Drilling Workove Permanent Emergency Cavit Lined Unlined Liner String-Reinforced Liner Seams Welded Factor  X Closed-loop System: Subsection	NMAC er atton P&A type Thickness mil LLDPE  y Other Volume	HDPE PVC Other bbl Dimensions L x W x D
Pit: Subsection F or G of 19 15 17 11  Temporary Drilling Workove Permanent Emergency Cavit Lined Unlined Liner String-Reinforced Liner Seams Welded Factor  X Closed-loop System: Subsection of Type of Operation X P&A Driving Pad X Above Ground S	NMAC  er ation P&A type Thickness mil LLDPE  Ty Other Volume  H of 19 15 17 11 NMAC  rilling a new well Workover or Drilling (Applies notice of intent)  teel Tanks Haul-off Bins Other	HDPE PVC Other bbl Dimensions L x W x D  to activities which require prior approval of a permit or
Pit: Subsection F or G of 19 15 17 11  Temporary Drilling Workove Permanent Emergency Cavit Lined Unlined Liner String-Reinforced Liner Seams Welded Factor  X Closed-loop System: Subsection X Type of Operation X P&A D  Drying Pad X Above Ground S Lined Unlined Liner type	NMAC  or ation P&A type Thickness mil LLDPE  Ty Other Volume  H of 19 15 17 11 NMAC  culling a new well Workover or Drilling (Applies notice of intent)  teel Tanks Haul-off Bins Other  or Thickness mil LLDPE	HDPE PVC Other bbl Dimensions L x W x D  to activities which require prior approval of a permit or
Pit: Subsection F or G of 19 15 17 11  Temporary Drilling Workove Permanent Emergency Cavit Lined Unlined Liner String-Reinforced Liner Seams Welded Factor  X Closed-loop System: Subsection of Type of Operation X P&A Do	NMAC  or ation P&A type Thickness mil LLDPE  Ty Other Volume  H of 19 15 17 11 NMAC  calling a new well Workover or Drilling (Applies notice of intent)  teel Tanks Haul-off Bins Other  or Thickness mil LLDPE	HDPE PVC Other bbl Dimensions L x W x D  to activities which require prior approval of a permit or
Pit: Subsection F or G of 19 15 17 11  Temporary Drilling Workove Permanent Emergency Cavit Lined Unlined Liner  String-Reinforced Liner Seams Welded Factor  X Closed-loop System: Subsection of Type of Operation X P&A Di Drying Pad X Above Ground S Liner Seams Welded Factor  Liner Seams Welded Factor	NMAC  or ation P&A type Thickness mil LLDPE  The of 19 15 17 11 NMAC  or alling a new well Workover or Drilling (Applies notice of intent)  or ation P&A  type Thickness mil LLDPE  or ation P&A  type Thickness mil LLDPE	HDPE PVC Other bbl Dimensions L x W x D  to activities which require prior approval of a permit or
Pit: Subsection F or G of 19 15 17 11  Temporary Drilling Workove Permanent Emergency Cavit Lined Unlined Liner String-Reinforced Liner Seams Welded Factor  X Closed-loop System: Subsection of Type of Operation X P&A Drilling Drying Pad X Above Ground S Lined Unlined Liner type Liner Seams Welded Factor	NMAC  or ation P&A type Thickness mil LLDPE  The of 19 15 17 11 NMAC  or alling a new well Workover or Drilling (Applies notice of intent)  or ation P&A  type Thickness mil LLDPE  or ation P&A  type Thickness mil LLDPE	HDPE PVC Other bbl Dimensions L x W x D  to activities which require prior approval of a permit or
Pit: Subsection F or G of 19 15 17 11  Temporary Drilling Workove Permanent Emergency Cavit Lined Unlined Liner String-Reinforced Liner Seams Welded Factor  X Closed-loop System: Subsection of Type of Operation X P&A Di Drying Pad X Above Ground S Liner Seams Welded Factor  Liner Seams Welded Factor	NMAC  or ation P&A type Thickness mil LLDPE  The of 19 15 17 11 NMAC  or alling a new well Workover or Drilling (Applies notice of intent)  or ation P&A  type Thickness mil LLDPE  or ation P&A  type Thickness mil LLDPE	HDPE PVC Other bbl Dimensions L x W x D  to activities which require prior approval of a permit or
Pit: Subsection F or G of 19 15 17 11  Temporary Drilling Workove Permanent Emergency Cavit Lined Unlined Liner String-Reinforced Liner Seams Welded Factor  X Closed-loop System: Subsection I Type of Operation X P&A Di Drying Pad X Above Ground S Lined Unlined Liner typ Liner Seams Welded Factor  4  Below-grade tank: Subsection I of I Volume bbl Tank Construction material	NMAC  ation P&A  type Thickness mil LLDPE  The of 19 15 17 11 NMAC  rilling a new well Workover or Drilling (Applies notice of intent)  ateel Tanks Haul-off Bins Other  ateel Tanks Mil LLDPE  Thickness mil LLDPE  Thickness for mil LLDPE  Thickness for mil LLDPE  Thickness for mil LLDPE  Type of fluid	HDPE PVC Other bbl Dimensions L x W x D  to activities which require prior approval of a permit or
Pit: Subsection F or G of 19 15 17 11  Temporary Drilling Workove Permanent Emergency Cavit Lined Unlined Liner String-Reinforced  Liner Seams Welded Factor  X Closed-loop System: Subsection Type of Operation X P&A Drying Pad X Above Ground S Liner Seams Welded Factor  Drying Pad X Above Ground S Liner Seams Welded Factor  4 Below-grade tank: Subsection I of Volume bbl  Tank Construction material  Secondary containment with leak detections.	NMAC  ation P&A  type Thickness mil LLDPE  Ty Other Volume  H of 19 15 17 11 NMAC  rilling a new well Workover or Drilling (Applies notice of intent)  teel Tanks Haul-off Bins Other  tee Thickness mil LLDPE  Ty Other  19 15 17 11 NMAC  Type of fluid  On Visible sidewalls, liner, 6-inch lift and au	HDPE PVC Other bbl Dimensions L x W x D  to activities which require prior approval of a permit or
Pit: Subsection F or G of 19 15 17 11  Temporary Drilling Workove Permanent Emergency Cavit Lined Unlined Liner String-Reinforced Liner Seams Welded Factor  X Closed-loop System: Subsection I Type of Operation X P&A Di Drying Pad X Above Ground S Lined Unlined Liner typ Liner Seams Welded Factor  4  Below-grade tank: Subsection I of I Volume bbl Tank Construction material	NMAC  ation P&A  type Thickness mil LLDPE  The of 19 15 17 11 NMAC  rilling a new well Workover or Drilling (Applies notice of intent)  ateel Tanks Haul-off Bins Other  ateel Tanks Mil LLDPE  Thickness mil LLDPE  Thickness for mil LLDPE  Thickness for mil LLDPE  Thickness for mil LLDPE  Type of fluid	HDPE PVC Other

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, instance of permanent pits and four feet  Alternate Please specify  Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other	tutution or chun	ch)
Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19 15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15 3 103 NMAC		
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons.  (Fencing/BGT Liner)	ideration of ap	proval
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval		
Siting Criteria (regarding permitting) 19 15 17 10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval Applicant must attach justification for request Please refer to 19 15.17 10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site	Yes	□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	∐NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	Yes NA	□No
<ul> <li>Visual inspection (certification) of the proposed site, Aerial photo, Satellite image</li> <li>Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.</li> </ul>	Yes	No
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site		□br
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	∐Yes	∐No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Yes	□No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No
Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map	Yes	No
Within a 100-year floodplain - FEMA map	Yes	No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design)  API
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9  NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
The readily reproved operating and readile rea
Downward Data Downit Application Charlists Subsection D of 10.15.17.0 NIMAC
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Climatological Factors Assessment  Control Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC
Dike Protection and Structural Integrity Design—based upon the appropriate requirements of 19 15 17 11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
14
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative
Proposed Closure Method Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC
1 <del>-                                   </del>

Form C-144 Oil Conservation Division Page 3 of 5

16				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (1	9 15 17 13 D NMAC)			
Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attacfacilities are required	nment ij more inan two			
Disposal Facility Name Disposal Facility Permit #				
Disposal Facility Name Disposal Facility Permit #				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will n  Yes (If yes, please provide the information No	ot be used for future service and			
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection I- Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				
17				
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC  Instructions Each string criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below. Requests regarding changes to certain string criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Instifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 10 NMAC for guidance.				
Ground water is less than 50 feet below the bottom of the buried waste	Yes	∐No		
- NM Office of the State Engineer - 1WATERS database search, USGS Data obtained from nearby wells	∐N/A			
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes	No		
- NM Office of the State Engineer - tWATERS database search, USGS, Data obtained from nearby wells	□N/A			
Ground water is more than 100 feet below the bottom of the buried waste	Yes	No		
- NM Office of the State Engineer - (WATERS database search, USGS, Data obtained from nearby wells	□ N/A	harmad		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole (measured from the ordinary high-water mark)	e, or playa lake Yes	□No		
- Topographic map, Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial applical Visual inspection (certification) of the proposed site, Aerial photo, satellite image	ntion Yes	No		
	Yes	No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic a purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fiesh water well field covered under a municipal or pursuant to NMSA 1978, Section 3-27-3, as amended	rdinance adopted Yes	□No		
<ul> <li>Written confirmation or verification from the municipality, Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland</li> </ul>	│ □Yes	Пио		
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed				
Within the area overlying a subsurface mine	Yes	No		
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division				
Within an unstable area	Yes	∐No		
<ul> <li>Engineering measures incorporated into the design, NM Bureau of Geology &amp; Mineral Resources, USGS, NM Geolo Topographic map</li> </ul>	gical Society,			
Within a 100-year floodplain - FEMA map	Yes	No		
18				
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee by a check mark in the box, that the documents are attached	e attached to the closure plan. Ple	ase indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 N	MAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 1	3 NMAC			
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 1	9 15 17 11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 1.				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-si	te closure standards cannot be achi	eved)		
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC		j		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC	C.			

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  X Closure Completion Date: 8/15/2011
Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)  If different from approved plan, please explain
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:   Instructions Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized   Disposal Facility Name   Envirotech / JFJ Landfarm % IEI   Disposal Facility Permit Number   NM-01-0011 / NM-01-0010B     Disposal Facility Name   Basin Disposal Facility   Disposal Facility Permit Number   NM-01-005     Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?     Yes (if yes, please demonstrate compliance to the items below)   No     Required for impacted areas which will not be used for future service and operations     Site Reclamation (Photo Documentation)     Soil Backfilling and Cover Installation     Re-vegetation Application Rates and Seeding Technique     Proof of Closure Notice (surface owner and division)     Proof of Deed Notice (surface owner and division)     Proof of Deed Notice (required for on-site closure)     Plot Plan (for on-site closures and temporary pits)     Confirmation Sampling Analytical Results (if applicable)     Disposal Facility Name and Permit Number     Soil Backfilling and Cover Installation     Re-vegetation Application Rates and Seeding Technique     Site Reclamation (Photo Documentation)     On-site Closure Location   Latitude     Longitude   NAD   1927   1983
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN
Signature Date 9/1/11
e-mail address crystal tafoya@conocophilips com Telephone (505) 326-9837