District I

1625 N French Dr., Hobbs, NM 88240

1301 W. Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd , Aztec, NM 87410

District IV

#### State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

1220 S St Francis Dr., Santa Fe, NM 87505	appropriate NMOCD District Office
	, Closed-Loop System, Below-Grade Tank, or
Proposed	Alternative Method Permit or Closure Plan Application
Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
	below-grade tank, or proposed alternative method
	ation (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
	equest does not relieve the operator of hability should operations result in pollution of surface water, ground water or the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Burlington Resources Oil & C	
Address: P.O. Box 4289, Farmington, N	
Facility or well name: SAN JUAN 27-5	
	1. Township 27N Pages 5W County Bis Aprile
U/L or Qtr/Qtr: G(SW/NE) Section: Center of Proposed Design: Latitude:	1 Township: 27N Range: 5W County: Rio Arriba  36.604449 °N Longitude: 107.305871 °W NAD: 1927 X 1983
Surface Owner: X Federal	State Private Tribal Trust or Indian Allotment
2 X Pit: Subsection F or G of 19.15.17.11 N	·IMAC
Temporary: X Drilling Workover	
Permanent Emergency Cavitat	tion P&A
X Lined Unlined Liner ty	rpe: Thickness 20 mil X LLDPE HDPE PVC Other
X String-Reinforced	
Liner Seams: X Welded X Factory	Other Volume: bbl Dimensions L x W 55' x D 12'
3	
<del></del>	of 19.15.17.11 NMAC
Type of Operation: P&A Dri	Iling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Drying Pad Above Ground St	
Lined Unlined Liner type	: Thickness milLLDPEHDPEPVDOther
Liner Seams. Welded Factory	Other
4	/ V 34CO- 1
l <del></del>	9.15 17.11 NMAC
Volume:bbl	Type of fluid:
Tank Construction material:	Type of fluid:  On Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  Visible sidewalls only Other  Mil HDPE PVC Other
Secondary containment with leak detection	on Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
Visible sidewalls and liner  Linear Times Thickness	Visible sidewalls only Other
Liner Type: Thickness	on Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  Visible sidewalls only Other  mil HDPE PVC Other
5 Alternative Method:	
1 ALLES MARTE MARIENTAL	

Form C-144

Oil Conservation Division

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Page 1 of 5

6 Final Colombia Def 10 15 17 11 NIMAC (Ambasta assumption of the colombia						
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)						
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)						
Four foot height, four strands of barbed wire evenly spaced between one and four feet	non or entiren,	ĺ				
Alternate. Please specify						
Michael. Trease specify						
7		,				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)						
Screen Netting Other						
Monthly inspections (If netting or screening is not physically feasible)						
8						
Signs: Subsection C of 19.15.17.11 NMAC						
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers						
X Signed in compliance with 19.15.3.103 NMAC						
9						
Administrative Approvals and Exceptions:						
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.						
Please check a box if one or more of the following is requested, if not leave blank:						
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consid	eration of appr	oval				
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval						
10						
Siting Criteria (regarding permitting) 19.15.17.10 NMAC						
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the						
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for						
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria						
does not apply to drying pads or above grade-tanks associated with a closed-loop system.						
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - 1WATERS database search; USGS; Data obtained from nearby wells	Yes	No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	□Yes	□No				
(measured from the ordinary high-water mark).		Шио				
- Topographic map; Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	□Yes	□No				
application.		Пио				
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	Ппа					
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<u></u> П					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐Yes	□No				
	! 片					
(Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	∐NA					
		<u> </u>				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	∐Yes	∐No				
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.						
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	□No				
adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality						
Within 500 feet of a wetland.	Yes	No				
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site		_				
Within the area overlying a subsurface mine.	Yes	□No				
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		<b></b>				
Within an unstable area.	∐Yes	∐No				
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	1					
Within a 100-year floodplain	Yes	□No				
- FEMA map		<b>□</b>				

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC
Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Penert (Polovi grade Torles), besed years the requirements of Penergaph (A) of Sylvaction Plant 10 15 17 0 NMAC.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
12
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15 17.13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15 17:9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15 17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Claures, 10 15 17 13 NR44 C
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System  Alternative
Proposed Closure Method: Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15 17 13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16 Wasta Pamayal Closura For Closed Joan Systems That Hillian Ab	ove Ground Steel Tanks or Haul-off Bins Only:(19.15 17.13.D NMAC)				
Instructions. Please identify the facility or facilities for the disposal of	f liquids, drilling fluids and drill cuttings. Use attachment if more than two	)			
facilities are required					
	Disposal Facility Permit #:				
Disposal Facility Name:	Disposal Facility Permit #:				
Will any of the proposed closed-loop system operations and as  Yes (If yes, please provide the information N	ssociated activities occur on or in areas that will n <b>be</b> used for future lo	e service and			
Required for impacted areas which will not be used for future service					
Re-vegetation Plan - based upon the appropriate requirem	pon the appropriate requirements of Subsection H of 19.15.17.13 N	NMAC			
Site Reclamation Plan - based upon the appropriate requirem					
	e closure plan Recommendations of acceptable source material are provided belov te district office or may be considered an exception which must be submitted to the S				
Ground water is less than 50 feet below the bottom of the burie	ed waste	Yes No			
- NM Office of the State Engineer - IWATERS database search,	USGS. Data obtained from nearby wells	∐N/A			
Ground water is between 50 and 100 feet below the bottom of	the buried waste	Yes No			
- NM Office of the State Engineer - iWATERS database search, I	USGS; Data obtained from nearby wells	N/A			
Ground water is more than 100 feet below the bottom of the b	uried waste	☐Yes ☐No			
- NM Office of the State Engineer - tWATERS database search;					
	·				
Within 300 feet of a continuously flowing watercourse, or 200 feet of (measured from the ordinary high-water mark).		Yes No			
- Topographic map; Visual inspection (certification) of the propo					
Within 300 feet from a permanent residence, school, hospital, instituti		Yes No			
- Visual inspection (certification) of the proposed site, Aerial photo-	o, satellite image				
Within 500 horizontal feet of a private, domestic fresh water well or sp purposes, or within 1000 horizontal fee of any other fresh water well of NM Office of the State Engineer - iWATERS database; Visual i	or spring, in existence at the time of the initial application	Yes No			
Within incorporated municipal boundaries or within a defined municipal pursuant to NMSA 1978. Section 3-27-3, as amended	·	Yes No			
Written confirmation or verification from the municipality; Wri     Within 500 feet of a wetland	пен арргома общинес иот тие типистранту	Tyes TNo			
- US Fish and Wildlife Wetland Identification map; Topographic	map; Visual inspection (certification) of the proposed site				
Within the area overlying a subsurface mine.		☐Yes ☐No			
- Written confiramtion or verification or map from the NM EMNI	RD-Mining and Mineral Division				
Within an unstable area.		Yes No			
- Engineering measures incorporated into the design; NM Bureau Topographic map	of Geology & Mineral Resources; USGS, NM Geological Society:				
Within a 100-year floodplain FEMA map	·	Yes No			
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instr	ructions: Each of the following items must bee attached to the cl	osure plan. Please indicate.			
by a check mark in the box, that the documents are attached.					
Siting Criteria Compliance Demonstrations - based upo	on the appropriate requirements of 19.15.17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicab	ole) based upon the appropriate requirements of 19 15.17.11 NMA	c			
Construction/Design Plan of Temporary Pit (for in place	ee burial of a drying pad) - based upon the appropriate requirement	ts of 19.15.17.11 NMAC			
Protocols and Procedures - based upon the appropriate	requirements of 19.15 17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upo	on the appropriate requirements of Subsection F of 19.15.17.13 NM	MAC			
Waste Material Sampling Plan - based upon the approp	oriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquid	s, drilling fluids and drill cuttings or in case on-site closure standar	rds cannot be achieved)			
Soil Cover Design - based upon the appropriate require					
Re-vegetation Plan - based upon the appropriate requir					
Site Reclamation Plan - based upon the appropriate red	uirements of Subsection G of 19 15 17.13 NMAC				

Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print):
Name (Print): Title:
Signature: Date.
e-mail address: Telephone:
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date: S/04/2011  Title: OCD Permit Number:
21
Closure Report (required within 60 days of closure completion): Subsection K of 1915 1713 NMAC Instructions of Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
X Closure Completion Date: May 4, 2011
22
Closure Method:  Waste Excavation and Removal  Maternative Closure Method  Waste Removal (Closed-loop systems only)  If different from approved plan, please explain.
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.  Disposal Facility Name:  Disposal Facility Permit Number:
Disposal Facility Name:  Disposal Facility Name:  Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)  No
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.    X   Proof of Closure Notice (surface owner and division)
X   Proof of Deed Notice (surface owner and division)
X   Plot Plan (for on-site closures and temporary pits)
X   Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
X   Disposal Facility Name and Permit Number   X   Soil Backfilling and Cover Installation
X   Re-vegetation Application Rates and Seeding Technique
X   Site Reclamation (Photo Documentation)
On-site Closure Location. Latitude: 36.604468 °N Longitude: 107.305552 °W NAD 1927 X 1983
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print): Jamie Goodwin Title: Regulatory Tech.
Signature: (
e-mail address: // jamie.l.goodwin@conocophillips.com Telephone: 505-326-9784

## Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: SAN JUAN 27-5 UNIT 100N

API No.: 30-039-30798

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

#### **General Plan:**

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
  - i. Operator's name
  - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	17.4 ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	1260 ug/kG
TPH	EPA SW-846 418.1	2500	78.6mg/kg
GRO/DRO	EPA SW-846 8015M	500	8.8 mg/Kg
Chlorides	EPA 300.1	1000/500	320 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, BLM, SAN JUAN 27-5 UNIT 100N, UL-G, Sec. 1, T 27N, R 5W, API # 30-039-30798

#### Jaramillo, Marie E

From:

Jaramillo, Marie E

Sent:

Thursday, July 30, 2009 1:58 PM

To:

Subject:

'mark\_kelly@nm.blm.gov'
SAN JUAN 27-5 UNIT 100N\_SURFACE OWNER NOTIFICATION

Importance:

High

#### Mark,

The subject well will have a temporary pit that will be closed on-site. Please let me know if you have any questions.

#### **NEW DRILL**

SAN JUAN 27-5 UNIT 100N

Marie Jaramillo Staff Regulatory Tech. ConocoPhillips Office # (505) 326-9865 Fax # (505) 599-4062 mailto:marie.e.jaramillo@conocophillips.com District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102 Revised October 12, 2005 Submit to Appropriate District Office State Lease - 7 Copies Fee Lease - 3 Copies

☐ AMMENDED REPORT

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

l API Number		umber 2				3 Pool Name DAKOTA / MESAVERDE			
<sup>4</sup> Property Cod	e		5 Property Name SAN JUAN 27-5 UNIT						<sup>6</sup> Well Number 100N
<sup>7</sup> OGRID No				8 Operator Name TON RESOURCES OIL & GAS COMPANY LP				<sup>9</sup> Elevation 7367	
					10 SURFACE	LOCATION			
JL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
G	1	27-N	5-W		1705	NORTH	1585	EAST	RIO ARRIBA
			11 E	Bottom H	ole Location	If Different Fro	m Surface		
JL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	1	27-N	5-W		2060	SOUTH	2190	EAST	RIO ARRIBA
<sup>2</sup> Dedicated Acres 320.08 E/2-M' 320.00 S/2-Di	v	or Infill	Consolidation	Code 15	Order No				•

### NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

								<b></b>
16			N 88*5	54'25" W		2643.0' (R)	GLO 1916	<sup>17</sup> OPERATOR CERTIFICATION
				1705'		E/2 DEDICATEL ACREAGE USA SF - 07949	03:0° (R)	I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division
								Signature
		WELL FLAG						Signature
		NAD 83 LAT: 36.604449° N			ļ	1585'		Printed Name
	LC	DNG: 107.305871° W		/\_\'		1505	≯	
	_	NAD 27		ر ارمهٔ			42 <u>,</u>	Title and E-mail Address
		AT: 36°36.266431' N G: 107°18.316250' W		.8/8 8.8			0.18 0.12	Date
				2/2			zz	18 SURVEYOR CERTIFICATION
				3)			<u></u>	1 hereby certify that the well location shown on this plat
		BOTTOM HOLE NAD 83		/			GLO 1914	was plotted from feild notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.
		LAT: 36.600728° N	المسر	<u>'</u>	2190'			
	LC	NG: 107.307990° W NAD 27					<b>€∑</b>	Date of Survey: 7/30/08 Signature and Seal of Professional Surveyor
	_	AT:36°36.043137' N					39.8°	Signature and state of visitational states of
	LONG	9: 107°18.443410' W	2060'				2589. 2587.	S BROADHURS
								A SECOND
		S/2 DEDICATED					ш	15 ( 136 ) E
		ACREAGE USA SF - 079491					1.48° E 1.32'22"	4120 /1921
		SECTION 1					1.48	A STATE OF THE STA
	٠	T-27-N, R-5-W					22	PROPESSORAL
BLM 1957	N 87'17' W N 87'36'15" W					5315.6' (R) 5299.7' (M)	BLM 1957	Certificate Number: NM 11393

32,

CO

ဥ

3 FLLHEAD

B'

C2

**SEPARATOR** 

12.0

DISTURBANCE

占

EDGE

50,

200' RP

EDGE OF

**EXISTING** 

WELL PAD

EDGE OF TEXTS EXISTING WELL PAD

CO

4

CO

50' TYP

③

C4

CHENAULT CONSULTING INC.

CCI

10' DEEP

RIG ANCHOR

RIG ANCHOR

TANK

FENCE

140'

(TANK

10.0

BLOOMFIELD.NM, 87413


PHONE. (505) 325-7707

SJ 27-5 UNIT #106 NAD 83 LAT: 36.604609'N LONG: 107.305724' ELEV: 7367

REAR

WELLHEAD TO BACK

EXISTING WFS PIPELINE



LAYDOWN S 48° W

WELLHEAD TO FRONT

RIG ANCHOR

METER HOUSE

2.0

PIT CROSS SECTION

NAD 83 LAT.: 36.604449°N / LONG.: 107.305871°W

CONSTRUCTED

OF FLARE AREA

**EXISTING** 

ROAD

230' x 300'

160'

- 3.0'

FROM PAD GRADE TO THE BOTTOM

200' RP

(1)

**℃**.

F1

330' x 400' = 3.03 ACRES



FOR UNDERGROUND UTILITIES OR PIPELINES. E-CALL FOR LOCATION OF ANY MARKED OR U. PAD AND OR ACCESS ROAD AT LEAST TWO

YS IS NOT LIABLE FC SHOULD CALL ONE— R CABLES ON WELL F

C.C.I. SURVEY'S CONTRACTOR S PIPELINES OR

NOTES:

UNMARKED BURIED (2) WORKING DAYS PRIOR TO CONSTRUCTION.



#### **EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons**

Client:	Burlington	Project #:	92115-1271
Sample ID:	Reserve Pit	Date Reported:	04-06-11
Laboratory Number:	57803	Date Sampled:	04-04-11
Chain of Custody No:	11193	Date Received:	04-04-11
Sample Matrix:	Soil	Date Extracted:	04-04-11
Preservative:	Cool	Date Analyzed:	04-05-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	4.2	0.2	
Diesel Range (C10 - C28)	4.6	0.1	
Total Petroleum Hydrocarbons	8.8		

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments: San Juan 27-5 Unit 100N



#### EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington	Project #:	92115-1271
Sample ID:	Back Ground	Date Reported:	04-06-11
Laboratory Number:	57804	Date Sampled:	04-04-11
Chain of Custody No:	11193	Date Received:	04-04-11
Sample Matrix:	Soil	Date Extracted:	04-04-11
Preservative:	Cool	Date Analyzed:	04-05-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments: San Juan 27-5 Unit 100N

nalyst



#### EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

#### **Quality Assurance Report**

Client:	QA/QC		Project #:		N/A
Sample ID:	04-05-11 QA/QC		Date Reported:		04-06-11
Laboratory Number:	57801		Date Sampled:		N/A
Sample Matrix:	Methylene Chloride	е	Date Received:		N/A
Preservative:	N/A		Date Analyzed:		04-05-11
Condition:	N/A		Analysis Requeste	d:	TPH
	l-Cal Date	I-Cal RF:	C-Cal RF	% Difference	Accept Range
Gasoline Range C5 - C10	04-05-11	1.0067E+003	1.0071E+003	0.04%	0 - 15%
Diesel Range C10 - C28	04-05-11	9.9960E+002	1.0000E+003	0.04%	0 - 15%
Blank Conc. (mg/L - mg/Ko	<b>a)</b>	Concentration		Detection Limit	
Blank Conc. (mg/L - mg/Ko Gasoline Range C5 - C10	9) 12 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Concentration ND	The second secon	Detection Limit 0.2	
	9) 1	مناه الأراب والمحسن والمتناث والمعامد والمساورات	The state of the s		To the second se
Gasoline Range C5 - C10	Sample	ND ND		0.2	
Gasoline Range C5 - C10 Diesel Range C10 - C28		ND ND		0.2 0.1	
Gasoline Range C5 - C10 Diesel Range C10 - C28  Duplicate Conc. (mg/Kg)	Sample	ND ND Duplicate	% Difference	0.2 0.1 Accept: Range	
Gasoline Range C5 - C10 Diesel Range C10 - C28  Duplicate Conc. (mg/Kg)  Gasoline Range C5 - C10	Sample ND	ND ND Duplicate ND	% Difference 0.0% 0.0%	0.2 0.1 Accept: Range 0 - 30%	
Gasoline Range C5 - C10 Diesel Range C10 - C28  Duplicate Conc. (mg/Kg)  Gasoline Range C5 - C10 Diesel Range C10 - C28	Sample ND ND	ND ND Duplicate ND ND	% Difference 0.0% 0.0%	0.2 0.1 Accept Range 0 - 30% 0 - 30%	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 57801-57806

Review

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



### EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington	Project#:	92115-1271
Sample ID:	Reserve Pit	Date Reported:	04-06-11
Laboratory Number:	57803	Date Sampled:	04-04-11
Chain of Custody:	11193	Date Received:	04-04-11
Sample Matrix:	Soil	Date Analyzed:	04-05-11
Preservative:	Cool	Date Extracted:	04-04-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

	Diiddoii.	10
Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Вантана	47.4	0.0
Benzene Toluene	17.4 261	0.9 1.0
Ethylbenzene	42.7	1.0
p,m-Xylene	867	1.2
o-Xylene	<b>71.3</b>	0.9
Total BTEX	1,260	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	86.2 %
	1,4-difluorobenzene	82.3 %
	Bromochlorobenzene	102 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

San Juan 27-5 Unit 100N

Analyst



#### **EPA METHOD 8021 AROMATIC VOLATILE ORGANICS**

Client:	Burlington	Project #:	92115-1271
Sample ID:	Back Ground	Date Reported:	04-06-11
Laboratory Number:	57804	Date Sampled:	04-04-11
Chain of Custody:	11193	Date Received:	04-04-11
Sample Matrix:	Soil	Date Analyzed:	04-05-11
Preservative:	Cool	Date Extracted:	04-04-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

		Det.
	Concentration	Limit
Parameter	(ug/Kg)	(ug/Kg)

Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
Total BTEX	ND	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	108 %
	1,4-difluorobenzene	96.2 %
	Bromochlorobenzene	115 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

San Juan 27-5 Unit 100N



### EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A		Project #:		N/A	
Sample ID:	0405BBLK QA/QC		Date Reported:		04-05-11	
Laboratory Number:	57801		Date Sampled:		N/A	
Sample Matrix:	Soil		Date Received:		N/A	
Preservative:	N/A		Date Analyzed:		04-05-11	
Condition:	N/A		Analysis:		BTEX	
			Dilution:		10	
ومتعدجين فامر فأعفست سندسان معد السامان ويبطروا أكاران ومحاذات و	ليدر ومعيش بدرة وجد وبساء مسدونا فليتناه فليتناه فالمناه فللمناه والمناه والمن	والمرابع والمرابع والمساورة والمرابع والمرابع والمرابع والمرابع				
Calibration and Detection Limits (ug/L)	l-Cal RF:	C-Cal RF: Accept. Rand	%Diff. je 0 - 15%	Blank Conc	Detect. Limit	
	I-Cal RF: 3.1209E+006		The state of the s	与日子 ふちわ 装けに		
Detection Limits (ug/L)		Accept. Ranc	je 0 - 15%	Conc	Limit	
Detection Limits (ug/L) Benzene	3.1209E+006	Accept Rand	0-15% 0.2%	Conc ND	Limit 0.1	
Detection Limits (ug/L)  Benzene Toluene	3.1209E+006 9.5261E+005	Accept. Ranc 3.1272E+006 9.5452E+005	0.2% 0.2% 0.2%	Cônc ND ND	Limit 0.1 0.1	

Duplicate Conc. (ug/Kg)	Sample Du	plicate	%Diff:	Accept Range	Detect. Limit
Benzene	ИD	ND	0.0%	0 - 30%	0.9
Toluene	ND	МD	0.0%	0 - 30%	1.0
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.0
p,m-Xylene	ND	ND	0.0%	0 - 30%	1.2
o-Xylene	ND	ND	0.0%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample Amo	unt Spiked Spil	ked Sample %	Recovery	Accept Range
Benzene .	ND	500	573	115%	39 - 150
Toluene	ND	500	539	108%	46 - 148
Ethylbenzene	ND	500	585	117%	32 - 160
p,m-Xylene	ND	1000	1,190	119%	46 - 148
o-Xylene	ND	500	578	116%	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

**QA/QC for Samples 57801-57806** 



### **EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS**

Client:	Burlington	Project #:	92115-1271
Sample ID:	Reserve Pit	Date Reported:	04/05/11
Laboratory Number:	57803	Date Sampled:	04/04/11
Chain of Custody No:	11193	Date Received:	04/04/11
Sample Matrix:	Soil	Date Extracted:	04/04/11
Preservative:	Cool	Date Analyzed:	04/04/11
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

78.6

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

San Juan 27-5 Unit 100N



### **EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS**

Client:	Burlington	Project #:	92115-1271
Sample ID:	Back Ground	Date Reported:	04/05/11
Laboratory Number:	57804	Date Sampled:	04/04/11
Chain of Custody No:	11193	Date Received:	04/04/11
Sample Matrix:	Soil	Date Extracted:	04/04/11
Preservative:	Cool	Date Analyzed:	04/04/11
Condition:	Intact	Analysis Needed:	TPH-418.1

			Det.
		Concentration	Limit
Parameter	,	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

53.3

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

San Juan 27-5 Unit 100N

Analyst //

**Review** 

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



Condition:

# EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS QUALITY ASSURANCE REPORT

Analysis Needed:

TPH

Client:	QA/QC	Project #:	N/A
Sample ID:	QA/QC	Date Reported:	04/05

Sample ID: QA/QC Date Reported: 04/05/11
Laboratory Number: 04-04-TPH.QA/QC 57797 Date Sampled: N/A
Sample Matrix: Freon-113 Date Analyzed: 04/04/11
Preservative: N/A Date Extracted: 04/04/11

N/A

 Calibration
 I-Cal Date
 C-Cal Date
 I-Cal RF:
 C-Cal RF:
 % Difference
 Accept: Range

 03/01/11
 04/04/11
 1,660
 1,560
 6.0%
 +/- 10%

Blank Conc. (mg/Kg)	Concentration	Detection Limit
TPH	ND	5.0

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
TPH	117	115	2.3%	+/- 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
TPH	117	2.000	2.330	110%	80 - 120%

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 57797, 57801-57806



#### Chloride

92115-1271

04/05/11

04/04/11

04/04/11

04/05/11

11193

Client: Burlington Project #: Sample ID: Reserve Pit Date Reported: Lab ID#: 57803 Date Sampled: Sample Matrix: Soil Date Received: Preservative: Cool Date Analyzed: Condition: Chain of Custody: Intact

> Concentration (mg/Kg) **Parameter**

**Total Chloride** 320

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

San Juan 27-5 Unit 100N

Réview

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



#### Chloride

Client: Burlington Project #: 92115-1271 Sample 1D: **Back Ground** Date Reported: 04/05/11 Lab ID#: 57804 Date Sampled: 04/04/11 Sample Matrix: Date Received: Soil 04/04/11 Preservative: Cool Date Analyzed: 04/05/11 Condition: Intact Chain of Custody: 11193

Parameter Concentration (mg/Kg)			
		Concentration (mg/Kg)	

Total Chloride 100

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: San Juan 27-5 Unit 100N

Two Copies	Submit To Appropriate District Office Two Copies District I  State of New Mexico Energy, Minerals and Natural Resources  July 17, 2008																
1625 N, French Dr. District II	., Hobbs, NM	Ene							1. WELL API NO.								
1301 W. Grand Ave District III	enue, Artesia,	NM 88210			l Conservat						30-039-30798  2. Type of Lease						
1000 Rio Brazos Re District IV	d., Aztec, NM	87410	1220 South St. Francis Dr.					☐ STA	TE	☐ FI		⊠ FED/	INDL	AN			
1220 S. St. Francis	Dr , Santa Fe,	NM 87505			Santa Fe, N	MI 8	3750	)5			3. State Oil & Gas Lease No. SF - 079491						
	RECO	MPL	ETION RE	POR	T A	ND	LOG										
4. Reason for fili	ing:										5 Lease Nam SAN JUAN				nent Name		
☐ COMPLETI	ION REPOI	RT (Fill in bo	ces #1 throu	gh #31	for State and Fee	e wells	only)			f	SAN JUAN 27-5 UNIT  6. Well Number:						
C-144 CLOS #33; attach this at 7. Type of Comp	nd the plat to	ACHMENT ( the C-144 ck	Fill in boxe sure report	s #1 thr	ough #9, #15 Dardance with 19.1	te Rig 5.17.1	Relea 3.K N	sed a	nd #32 and/ ()	or	100N						
⊠ NEW '	WELL 🗆	WORKOVER	☐ DEEPE	NING	□PLUGBACI	K 🔲 I	DIFFE	EREN	T RESERV	OIR							
8. Name of Opera Burlington R		Oil Gas C	ompany,	LP							9. OGRID 14538						
10. Address of O PO Box 4298, Fa	perator										11. Pool name	or V	Vildcat				
						<b>,</b>						<u>,</u>					
12.Location Surface:	Unit Ltr	Section	Towns	hip	Range	Lot		_	Feet from th	he	N/S Line	Fee	t from t	he	E/W Line		County
BH:		<del> </del>		<del></del> -		1				$\dashv$						$\dashv$	
13. Date Spudded	d 14. Date	T.D. Reached			Released	<u> </u>	I	16. 1	Date Comple	eted	(Ready to Proc	luce)			. Elevations	(DF	and RKB,
18. Total Measur	ed Depth of	Well		2010 lug Bac	k Measured Dep	oth		20	Was Directi	iona	l Survey Made	<del>)</del>	21.		GR, etc.)	d Otl	ner Logs Run
														.,,,,			
22. Producing Int	terval(s), or t	inis compietio	n - 10p, Bot	tom, Na	ame												
23.				CAS	ING REC	ORI	) (R			ing							
CASING SI	ZE	WEIGHT L	B./FT		DEPTH SET	+		HOI	LE SIZE		CEMENTIN	G R	ECORD	+	AMO	JNT	PULLED
					· · · · · · · · · · · · · · · · · · ·									+			
						_								$\perp$			
	<del></del>				<del></del>						-			╬			
24.				LIN	ER RECORD				I	25.	T	UB	ING RI	ECC	ORD		
SIZE	TOP		воттом		SACKS CEM	ENT	SCR	REEN		SIZ	ZE DEPTH SET PACKER S			SET			
												+					
26. Perforation	record (inte	rval, size, and	number)								ACTURE, CE						
							DEP	TH I	NTERVAL		AMOUNT A	ND	KIND N	/AI	TERIAL US	ED	····
											<u> </u>						
																	_
PRODUCTION  Date First Production Production Method (Flowing, gas lift, pumping - Size and type pump) Well Status (Prod. or Shut-in)																	
Date First Production Production Method (Flowing, gas lift, pumping - Size and type pump) Well Status (Prod. or Shut-in)																	
Date of Test	Hours T	ested	Choke Size		Prod'n For Test Period		Oil -	- Bbl		Gas	s - MCF	V	Vater - I	3bl.	G	is - O	ıl Ratio
Flow Tubing Press.	Casing I	Pressure	Calculated 2 Hour Rate	24-	Oil - Bbl.			Gas -	MCF	1	Water - Bbl.	,	Oil	Grav	vity - API -	(Corr	:.)
29. Disposition of	of Gas (Sold,	used for fuel,	vented, etc.)	1	<u> </u>					1		30.	Test W	itne	ssed By		
31. List Attachm	ents											<u> </u>					
32. If a temporar	y pit was use	ed at the well,	attach a plat	with th	e location of the	tempo	orary p	oit.									
33. If an on-site l	burial was us		-														
I hereby çe <del>rt</del> i	fy that the	Latitude 3	<u>6.604468°N</u> n shown c	on boti		s form	v NA is tr	ue a	$nd\ compl$	ete	to the best o	of m	y know	lea	ge and b	elief	
Signature	/Dm	14600	du		nted ne Jamie Go	oodwi	in '	Title	e: Regula	ator	y Tech.	Dat	te: 6/10	0/20	011		
E-mail Address jamie.l.goodwin@conocophillips.com																	

## ConocoPhillips

Pit Closure Form:
Date: 5/4/201)
Well Name: <u>S3 27-5 100 N</u>
Footages: 1705 FNL, 1585 FEL Unit Letter: G
Section: 1 , T-27-N, R-5-W, County: R.A State: NM
Contractor Closing Pit: Ritter
Construction Inspector: Norman Faver Date: 5/4/2011 Inspector Signature: Throwan Faver
Revised 11/4/10
Office Use Only: Subtask DSM Folder

#### Goodwin, Jamie L

From: Payne, Wendy F

Sent: Wednesday, April 20, 2011 10:57 AM

To: (Brandon.Powell@state.nm.us); Eli (Cimarron) (eliv@gwestoffice.net); GRP:SJBU

To: (Brandon.Powell@state.nm.us); Eli (Cimarron) (eliv@qwestoffice.net); GRP:SJBU
Regulatory; Mark Kelly; Robert Switzer; Sherrie Landon; Bassing, Kendal R.; Berenz

(mxberenz@yahoo.com); Elmer Perry; Faver Norman; Fred Martinez; Jared Chavez; Lowe, Terry; Payne, Wendy F; Spearman, Bobby E; Steve McGlasson; Tally, Ethel; Becker, Joey W;

Bowker, Terry D; Gordon Chenault; GRP:SJBU Production Leads; Hockett, Christy R;

Johnson, Kirk L; Bassing, Kendal R.; Kennedy, Jim R; Lopez, Richard A; O'Nan, Mike J.; Peace, James T; Pierce, Richard M; Poulson, Mark E; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A; Thacker, LARRY; Work, Jim A; Corey Alfandre; 'isaiah@crossfire-llc.com'; Jerid Cabot (jerid@crossfire-llc.com); Blair, Maxwell O; Blakley, Mac; Farrell, Juanita R; Gillette, Steven L (PAC); Hines, Derek J; Maxwell, Mary Alice; McWilliams, Peggy L; Seabolt,

Elmo F; Stallsmith, Mark R; Thayer, Ashley A

Cc: 'JDRITT@aol.com'

Subject: Reclamation Notice: San Juan 27-5 Unit 100N

Importance: High

Attachments: San Juan 27-5 Unit 100N.pdf

JD Ritter Construction will move a tractor to the San Juan 27-5 Unit 100N to start the reclamation process on Wednesday, April 27, 2011. Please contact Norm Faver (320-0670) if you have questions or need further assistance.



San Juan 27-5 Unit 100N.pdf (4...

Burlington Resources Well - Network # 10244737 - Activity Code D250 (reclamation) & D260 (pit closure)

Rio Arriba County, New Mexico

San Juan 27-5 Unit 100N- (BLM surface/BLM minerals)

Onsited: Mike Flanken 10-30-08 Twinned: San Juan 27-5 Unit 106

1705' FNL, 1585' FEL Sec.01, T27N, R5W

Unit Letter "G" Lease: SF-079491

BH: NWSE Sec.01,T27N,R5W Latitude: 36° 36' 16" N (NAD 83) Longitude: 107° 18' 21" W (NAD 83)

Elevation:7387'

Total Acres Disturbed: 3.03 acres

Access Road: n/a API # 30-039-30798 Within City Limits: No

Pit Lined: YES

Note: Arch Monitoring is required.

Wendy Payne
ConocoPhillips-SJBU
505-326-9533
Wendy F. Payne@conocophillips.com

## ConocoPhillips


Reclamation Form:
Date: 5/25/11
Well Name: San Juan 27-5 100N
Footages: 1705 FNL, 1585 FEL Unit Letter: G
Section: 1, T-27-N, R-5-W, County: R.A State: NM
Reclamation Contractor: 3. D. Ritter
Reclamation Date: 5/9/2011
Road Completion Date: 5/13/2011
Seeding Date: <u>5/18/2011</u>
**PIT MARKER STATUS (When Required): Picture of Marker set needed  MARKER PLACED: 5/10/2011 (DATE)  LATATUDE: 36, 258
MARKER PLACED: 5/10/2011 (DATE)
MARKER PLACED: 5/10/2011 (DATE)  LATATUDE: 36, 36,258  LONGITUDE: /07 /8.333  Pit Manifold removed 5/5/2011 (DATE)
MARKER PLACED: 5/10/2011 (DATE)  LATATUDE: 36, 258  LONGITUDE: 107 18.333



# BURLINGTON

SAN JUAN 27-5 UNIT #100N
LATITUDE 36° 36 MIN 16 SEC N (NAD83)
LONGITUDE 107° 18 MIN 21 SEC W (NAD 83)
UNIT G SEC 01 T27N R05W
BH: NW/SE SEC 01 T27N R05W
1705' FNL 1585' FEL / API#30-039-30798
LEASE# SF-079491 ELEV. 7387'
RIO ARRIBA COUNTY, NEW MEXICO
EMERGENCY CONTACT: 1-505-324-5170





_	WELL NAME: SAN JUAN 27-5 100N	OPEN PIT INSPECTION FORM							ConocoPhillips				
	INSPECTOR Date	08/23/10	Jon Berenz 08/30/10	Jon Berenz 09/07/10	Jon Berenz 09/13/10	Jon Berenz 09/21/10	Jon Berenz 09/27/10	Jon Berenz 10/04/10	Norman Faver 10/18/10	Norman Faver 10/27/10			
	*Please request for pit extention after 26 weeks PIT STATUS	Week 1  Drilled  Completed  Clean-Up	Week 2  Drilled Completed Clean-Up	Week 3  Drilled Completed Clean-Up	Week 4  Drilled Completed Clean-Up	Week 5  Drilled Completed Clean-Up	Week 6  Drilled Completed Clean-Up	Week 7  Drilled Completed Clean-Up	Week 8  Drilled Completed Clean-Up	Week 9  Drilled Completed Clean-Up			
LOCATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No			
10C	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	Yes No			
	is the access road in good driving condition? (deep ruts, bladed)	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☐ Yes ☐ No			
	Are the culverts free from debris or any object preventing flow?	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No			
	Is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes No ✓	✓ Yes ☐ No  ✓ Yes ☐ No  ✓ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No			
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	☑ Yes ☐ No			✓ Yes ☐ No	☐ Yes ☐ No			
OMPLIANCE	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No			✓ Yes 🗌 No	☐ Yes ☐ No			
00  -	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No	✓ Yes 🗌 No		☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No			
MENT	Does the pit contain two feet of free board? (check the water levels)	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	Yes No			
ENVIRONMENT	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No			
EN EN	Are the pits free of trash and oil?	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	Yes No			
	Are there diversion ditches around the pits for natural drainage?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No		☐ Yes ☑ No	✓ Yes 🗌 No	☐ Yes ☐ No			
	Is there a Manifold on location?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No		☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☐ Yes ☐ No	
	Is the Manifold free of leaks? Are the hoses in good condition?	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No			
၁ <sup>ဝ</sup>	Was the OCD contacted?	☐ Yes ☑ No ☐ Yes ☑ No ☐ Yes ☑ No		☐ Yes ☑ No	☐ Yes ☑ No ☐ Yes ☑ No		☐ Yes ☑ No	☐ Yes ☑ No	Yes No				
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🗸 No	☐ Yes ☑ No	Yes 🗹 No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No			
	COMMENTS		No diversion ditch.	No diversion ditch.	Fence loose,no diversion ditch.	No diversion ditch,rig on location.	No diversion ditch,rig on location.	No diversion ditch,location needs bladed.	Ditch in place location has been bladed	frac crew on location completions moveing in			

	WELL NAME:				· · · · · · · · · · · · · · · · · · ·					
	SAN JUAN 27-5 100N						1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	*		
	DATE	Norman Faver 11/02/10	Norman Faver 11/09/10	Norman Faver 11/17/10	Norman Faver 11/22/10	NormFaver 11/30/10	Norman Faver 12/07/10	Norman Faver 12/13/10	Norman Faver 12/22/10	Norman Faver 01/05/11
	*Please request for pit extention after 26 weeks	Week 10	Week 11	Week 12	Week 13	Week 14	Week 15	Week 16	Week 17	Week 18
	PIT STATUS	☑ Drilled ☐ Completed ☐ Clean-Up	☑ Drilled ☐ Completed ☐ Clean-Up	☑ Drilled ☑ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	☑ Drilled ☑ Completed ☐ Clean-Up	☑ Drilled ☑ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	☑ Drilled ☑ Completed ☐ Clean-Up
LOCATION	is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes ☐ No	Yes No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☑ Yes ☐ No
	Is the temporary well sign on location and visible from access road?	✓ Yes 🗌 No	Yes No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No	✓ Yes 🗌 No	☐ Yes ☐ No	☑ Yes 🗌 No
	Is the access road in good driving condition? (deep ruts, bladed)	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes ✓ No
	Are the culverts free from debris or any object preventing flow?	☑ Yes ☐ Nọ	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No
	ls the top of the location bladed and in good operating condition?	✓ Yes 🗌 No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	✓ Yes 🗌 No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No
MPLIA	is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	Yes No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☑ Yes ☐ No
8	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No
ENVIRONMENTAL	Does the pit contain two feet of free board? (check the water levels)	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	Yes No	☑ Yes ☐ No
RON	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No
훒	Are the pits free of trash and oil?	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	Yes No	☑ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	✓ Yes ☐ No	☐ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☑ Yes ☐ No
	Is there a Manifold on location?	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	Yes No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No
ې د	Was the OCD contacted?	☐ Yes ☑ No	Yes No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	☐ Yes ☑ No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes I No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No
	COMMENTS	flow back	completion rig on	Facilitys sarting to set		Facilitys set	looks good		Bad road	RD and location snow covered,location pit in good shape

	WELL NAME: SAN JUAN 27-5 100N									
	INSPECTOR	Norman Faver	Norman Faver	Norman Faver	Norman Faver	Norman Faver	Norman Faver	Norman Faver	Norman Faver	Norman Faver
	DATE		01/17/11	01/24/11	01/31/11	02/10/11	02/21/11	02/28/11	03/07/11	03/16/11
	*Please request for pit extention after 26 weeks	Week 19	Week 20	Week 21	Week 22	Week 23	Week 24	Week 25	*Week 26*	Week 27
	PIT STATUS	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	☑ Drilled ☑ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up					
LOCATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No
	Is the access road in good driving condition? (deep ruts, bladed)	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	· ✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No
	Is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
MPLIA	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No
ខ	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
ENVIRONMENTAL	Does the pit contain two feet of free board? (check the water levels)	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No
NO NO NO	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
EN	Are the pits free of trash and oil?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No
	Is there a Manifold on location?	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No
ی د	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🗸 No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	COMMENTS	Location good condition/snow covered	Good condition snow covered	all good	good codition	all good	Good shape	good shape	all good	good shape

	WELL NAME: SAN JUAN 27-5 100N									
	INSPECTOR		Norman Faver	Norman Faver	Norman Faver	Norman Faver	Norman Faver			
	DATE		03/30/11	04/05/11	04/12/11	04/19/11	04/29/11	Waste 24	M1-25	W1-24
*Please request for pit extention after 26 weeks PIT STATUS		Week 28  ☑ Dnilled ☑ Completed ☐ Clean-Up	Week 29  Drilled Completed Clean-Up	Week 30  ✓ Drilled ✓ Completed  ☐ Clean-Up	Week 31  ☑ Drilled ☑ Completed ☐ Clean-Up	Week 32  ✓ Drilled ✓ Completed  ☐ Clean-Up	Week 33  ✓ Drilled ✓ Completed ☐ Clean-Up	Week 34  Drilled Completed Clean-Up	Week 35  Drilled Completed Clean-Up	Week 36  Drilled Completed Clean-Up
CATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
LOCA	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
	is the access road in good driving condition? (deep ruts, bladed)	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☑ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	✓ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	✓ Yes 🗌 No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
MPLIANCE	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
ဗ	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
ENVIRONMENTAL	Does the pit contain two feet of free board? (check the water levels)	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes 및 No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
ENS	Are the pits free of trash and oil?	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is there a Manifold on location?	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
၁၀	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	Yes No	☐ Yes ☐ No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
	COMMENTS	good condition	location rutted	road and location rutted	RD and location rutted		rd bladed,location rutted,manifold gone			