District I 1625 N. French Dr., Hobbs, NM 88240

1301 W Grand Ave , Artesia, NM 88210

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Proposed Alternative Method Permit or Closure Plan Application
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Burlington Resources Oil & Gas Company, LP Address: P.O. Box 4289, Farmington, NM 87499
Facility or well name: COOPER 100
API Number: 30-045-34881 OCD Permit Number:
U/L or Qtr/Qtr: P(SE/SE) Section: 7 Township: 29N Range: 11W County: SAN JUAN Center of Proposed Design: Latitude: 36.73587 °N Longitude: 108.02664 °W NAD: 1927 1983 Surface Owner: X Federal State Private Tribal Trust or Indian Allotment
X Pit: Subsection F or G of 19.15.17.11 NMAC
Closed-loop System: Subsection H of 19.15 17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Below-grade tank: Subsection I of 19 15.17.11 NMAC Volume: bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner Type Thickness mil HDPE PVC Other

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Form C-144

Oil Conservation Division

6 ' Francisco Coloradoro Dio 6 10 15 17 11 NIMAC (Applica de premiorporo pit deprenario quel haloro que de contra)		
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institu	tion or church,)
Four foot height, four strands of barbed wire evenly spaced between one and four feet		
Alternate Please specify		
7		
Netting: Subsection E of 19 15.17 11 NMAC (Applies to permanent pits and permanent open top tanks)		
Screen Netting Other		
Monthly inspections (If netting or screening is not physically feasible)		
8		
Signs: Subsection C of 19.15.17.11 NMAC		
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19.15.3.103 NMAC		
9		
Administrative Approvals and Exceptions:		
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.		
Please check a box if one or more of the following is requested, if not leave blank:		,
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration (Fencing/BGT Liner)	eration of appi	ovai.
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		
Siting Criteria (regarding permitting) 19.15.17.10 NMAC		
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable		
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the		
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria		
does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	∏Yes	□No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	□No
(measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site		
	_	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes	∐No
application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks)		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	│	□No
•		
(Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	∐NA	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	∏Yes	□No
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.		
NIM Office of the State Engineer, iWATEDS database search, Visual inspection (configuration) of the managed site		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	∐No
- Written confirmation or verification from the municipality; Written approval obtained from the municipality		
Within 500 feet of a wetland.	Yes	□No
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	∐Yes	∐No
Within an unstable area.	Yes	□No
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	⊔.‴	□.,,
Society; Topographic map	_	_
Within a 100-year floodplain	Yes	□No
- FEMA map	1	

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment ChecklistSubsection B of 19.15.17.9 NMAC
Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
12
Closed-loop Systems Permit Application Attachment Checklist:Subsection B of 19 15.17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Situng Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
Treviously Approved Operating and Maintenance rian Art
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative
Proposed Closure Method: Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist (19.15 17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17.13 NMAC

16					
	ove Ground Steel Tanks or Haul-off Bins Only:(19 15 17.13.D NMAC) Inquids, drilling fluids and drill cuttings—Use attachment if more than two				
facilities are required.		•			
Disposal Facility Name:	Disposal Facility Permit #:				
Disposal Facility Name:	Disposal Facility Permit #:	····			
Will any of the proposed closed-loop system operations and as Yes (If yes, please provide the information N N	sociated activities occur on or in areas that will nbe used for future o	e service and			
Required for impacted areas which will not be used for future service	•				
=	on the appropriate requirements of Subsection H of 19.15.17.13 N	NMAC			
Re-vegetation Plan - based upon the appropriate requirem Site Reclamation Plan - based upon the appropriate requi					
3 ste Rectamation Flan - based upon the appropriate requi	enients of Subsection G of 19 13 17 13 NMAC				
	closure plan Recommendations of acceptable source material are provided belov e district office or may be considered an exception which must be submitted to the S				
Ground water is less than 50 feet below the bottom of the burner	ed waste.	Yes No			
- NM Office of the State Engineer - iWATERS database search;	USGS Data obtained from nearby wells	□N/A			
Ground water is between 50 and 100 feet below the bottom of	the buried waste	Yes No			
- NM Office of the State Engineer - iWATERS database search, L	JSGS, Data obtained from nearby wells	□N/A			
Ground water is more than 100 feet below the bottom of the bu	ried waste.	Yes No			
- NM Office of the State Engineer - (WATERS database search; U	JSGS, Data obtained from nearby wells	□N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of (measured from the ordinary high-water mark)	any other significant watercourse or lakebed, sinkhole, or playa lake	Yes No			
- Topographic map; Visual inspection (certification) of the propos	ed site				
Within 300 feet from a permanent residence, school, hospital, institution - Visual inspection (certification) of the proposed site; Aerial photo-	•••	Yes No			
		Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or sp purposes, or within 1000 horizontal fee of any other fresh water well o - NM Office of the State Engineer - iWATERS database, Visual in	or spring, in existence at the time of the initial application				
Within incorporated municipal boundaries or within a defined municipal pursuant to NMSA 1978, Section 3-27-3, as amended	,	Yes No			
- Written confirmation or verification from the municipality; Writ	ten approval obtained from the municipality				
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic	man Visual ingrestion (contribution) of the meneral arts	Yes No			
Within the area overlying a subsurface mine.	map, visual inspection (certification) of the proposed site				
- Written confirantion or verification or map from the NM EMNR	D-Mining and Mineral Division	∐Yes ∐No			
Within an unstable area.		☐Yes ☐No			
- Engineering measures incorporated into the design, NM Bureau Topographic map	of Geology & Mineral Resources; USGS; NM Geological Society;				
Within a 100-year floodplain FEMA map		Yes No			
		<u> </u>			
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instr. by a check mark in the box, that the documents are attached.	uctions: Each of the following items must bee attached to the clo	osure plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upo	n the appropriate requirements of 19.15.17.10 NMAC				
	oriate requirements of Subsection F of 19.15.17.13 NMAC				
	le) based upon the appropriate requirements of 19.15.17.11 NMAG	$^{\circ}$			
	e burial of a drying pad) - based upon the appropriate requirement				
Protocols and Procedures - based upon the appropriate a		3 01 17.13.1/.11 NWIAC			
	•	AAC			
	on the appropriate requirements of Subsection F of 19.15.17.13 NM	MAC			
	riate requirements of Subsection F of 19.15.17.13 NMAC	.d			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate require					
Ste Peolametica Plan based upon the appropriate require					

19
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 8/04/20 (
Title: Complance Office OCD Permit Number:
Closure Report (required within 60 days of closure completion): Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: March 6, 2011
22 Closure Method: Waste Excavation and Removal X On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name. Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliane to the items below) No
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24 <u>Closure Report Attachment Checklist:</u> Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached. X Proof of Closure Notice (surface owner and division)
X Proof of Deed Notice (surrace owner and division)
X Plot Plan (for on-site closures and temporary pits)
X Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
X Disposal Facility Name and Permit Number
X Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
X Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude: 36.73587 °N Longitude: 108.02664 °W NAD 1927 X 1983
25
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print): , Jamie Goodwin Title Regulatory Tech
Signature: (Amic Good Win Date: Le 1311
a mail addrace: // Jamie Looodwin@conoconhillins.com Telenhone: 505-326-9784

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: COOPER 100 API No.: 30-045-34881

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	ND ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	1.5 ug/kG
TPH	EPA SW-846 418.1	2500	-50.6mg/kg
GRO/DRO	EPA SW-846 8015M	500	ND mg/Kg
Chlorides	EPA 300.1	((1000/500	150 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, BLM, COOPER 100, UL-P, Sec. 7, T 29N, R 11W, API # 30-045-34881

Tally, Ethel

From:

Tally, Ethel

Sent:

Friday, January 30, 2009 3:00 PM

To:

Subject:

'mark_kelly@nm.blm.gov' SURFACE OWNER NOTIFICATION

The following locations will have temporary pits that will be closed on-site.

San Juan 29-5 Unit 90N Cooper 100

Please let Tamara Sessions (326-9834) or I know if you have any questions or concerns.

Thank You,

Ethel Tally ConocoPhillips-SJBU 3401 E. 30th Farmington NM 87402 (505)599-4027 phone Ethel.Tally@ConocoPhillips.com DISTRICT I 1625 N. French Dr., Hobbs, N.M. 88240

State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised October 12, 2005

DISTRICT II 1301 W. Grand Avenue, Artesia, N.M. 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, N.M. 87410 OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

☐ AMENDED REPORT


DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

160.00 Acres - (SE/4) PC 320.00 Acres - (E/2) FC

WELL LOCATION AND ACREAGE DEDICATION PLAT

1 API	¹ API Number			² Pool Code		^a Pool Name				
						BASIN FRIUTLAND COAL/BLANCO PICTURED CLIFF				
Property C	ode				Property:	Name		6.7	Vell Number	
					COOP	COOPER				
OGRID No	o				⁶ Operator	Name			⁹ Elevation	
			BUF	RLINGTON	RESOURCES O	OURCES OIL & GAS COMPANY LP			5741'	
					¹⁰ Surface	Location		•		
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
Р	7	29N	11W		1034'	SOUTH	788'	EAST	SAN JUAN	
	,		11 Bott	om Hole	Location I	f Different Fr	om Surface			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
Dedicated Acre	<u> </u> !8		18 Joint or	Infill	14 Consolidation C	Code	16 Order No.	<u></u>	<u> </u>	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



LATITUDE: 36.73587°N LONGITUDE: 108.02664°W DATUM: NAD 83

SLOPES TO BE CONSTRUCTED TO MATCH THE ORIGINAL CONTOURS AS CLOSE AS POSSIBLE.

BURLINGTON RESOURCES O&G CO LP

COOPER #100


1034' FSL & 788' FEL


LOCATED IN THE SE/4 SE/4 OF SECTION 7,

T29N, R11W, N.M.P.M.,

SAN JUAN COUNTY, NEW MEXICO

GROUND ELEVATION: 5741', NAVD 88 FINISHED PAD ELEVATION: 5741.0', NAVD 88





305' x 340' =2.38 ACRES OF DISTURBANCE SCALE: 1" = 60'

SCALE: 1" = 60' JOB No.: COPC186 DATE: 05/29/08 NOTE:

RESERVE PIT DIKE: TO BE 8' ABOVE DEEP SIDE (OVERFLOW - 3' WIDE AND 1' ABOVE SHALLOW SIDE).

RUSSELL SURVEYING, INC. IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES.

CONTRACTOR SHOULD CALL ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED, BURIED PIPELINES OR

CABLES ON WELL PAD, IN CONSTRUCTION ZONE AND/OR ACCESS ROAD AT LEAST TWO.

(2) WORKING DAYS PRIOR TO CONSTRUCTION.



Russell Surveying 1409 W. Aztec Bivd. #2 Aztec, New Mexico 87410 (505) 334-8637



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington	Project #:	92115-1712
Sample ID:	Reserve Pit	Date Reported:	03-02-11
Laboratory Number:	57422	Date Sampled:	03-01-11
Chain of Custody No:	11179	Date Received:	03-01-11
Sample Matrix:	Soil	Date Extracted:	03-01-11
Preservative:	Cool	Date Analyzed:	03-02-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Cooper 100

Analyst

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington	Project #:	92115-1712
Sample ID:	Back Ground	Date Reported:	03-02-11
Laboratory Number:	57423	Date Sampled:	03-01-11
Chain of Custody No:	11179	Date Received:	03-01-11
Sample Matrix:	Soil	Date Extracted:	03-01-11
Preservative:	Cool	Date Analyzed:	03-02-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	ND	0.2	
Diesel Range (C10 - C28)	ND	0.1	
Total Petroleum Hydrocarbons	ND		

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Cooper 100

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA Method 8015 Modified Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Quality Assurance Report

Client:	QA/QC		Project #:		N/A
Sample ID:	03-02-11 QA/	03-02-11 QA/QC		Date Reported:	
Laboratory Number:	57422		Date Sampled:		N/A
Sample Matrix:	Methylene Chlor	ide	Date Received:		N/A
Preservative:	N/A		Date Analyzed:		03-02-11
Condition:	N/A		Analysis Requested	:	TPH
Gasoline Range C5 - C10	I-Cal Date 03-02-11	I-Cal RF: 9.9960E+002	C-Cal RF: % 9 1.0000E+003	Difference 0.04%	Accept: Range 1 0 - 15%
Gasoline Range C5 - C10 Diesel Range C10 - C28	03-02-11 03-02-11	9.9960E+002 9.9960E+002		0.04% 0.04%	0 - 15% 0 - 15%
Blank Conc. (mg/L = mg/	(g) 3.44.11.11.11.11.11.11.11.11.11.11.11.11.	Concentration		etection Lin	bit!
Gasoline Range C5 - C10		ND		0.2	
Diesel Range C10 - C28		ND		0.1	

Duplicate Conc. (mg/Kg)	Sample .	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	ND ,	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept: Range
Gasoline Range C5 - C10	ND	250	256	103%	75 - 125%
Diesel Range C10 - C28	ND	250	255	102%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 57421-57423, 57432, 57440-57441



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington	Project #:	92115-1712
Sample ID:	Reserve Pit	Date Reported:	03-02-11
Laboratory Number:	57422	Date Sampled:	03-01-11
Chain of Custody:	11179	Date Received:	03-01-11
Sample Matrix:	Soil	Date Analyzed:	03-02-11
Preservative:	Cool	Date Extracted:	03-01-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

		Det.	
	Concentration	Limit	
Parameter	(ug/Kg)	(ug/Kg)	
Benzene	ND	0.9	
Toluene	ND	1.0	
Ethylbenzene	ND	1.0	
p,m-Xylene	. ND	1.2	
o-Xylene	1.5	0.9	
Total BTEX	1.5		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	93.4 %
	1,4-difluorobenzene	96.5 %
	Bromochlorobenzene	87.4 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Cooper 100

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

			B /
		Dilution:	10
Condition:	Intact	Analysis Requested:	BTEX
Preservative:	Cool	Date Extracted:	03-01-11
Sample Matrix:	Soil	Date Analyzed:	03-02-11
Chain of Custody:	11179	Date Received:	03-01-11
Laboratory Number:	57423	Date Sampled:	03-01-11
Sample ID:	Back Ground	Date Reported:	03-02-11
Client:	Burlington	Project #:	92115-1712

1		Det.	
1	Concentration	Limit	
Parameter	(ug/Kg)	(ug/Kg)	

Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	1.3	1.2
o-Xylene	1.9	0.9
Total BTEX	3.2	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	92.3 %
	1,4-difluorobenzene	104 %
	Bromochlorobenzene	102 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Cooper 100

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	F	Project #:		N/A	
Sample ID:	0302BBLK QA/QC		Date Reported:	(03-02-11	
Laboratory Number:	57422		Date Sampled:		N/A	
Sample Matrix:	Soil	្រ	Date Received:		N/A	
Preservative:	N/A		Date Analyzed:	(03-02-11	
Condition:	N/A	,	Analysis:	1	BTEX	
			Dilution:		10	
Callbration and	i-Cal RF	. C-Cal RF:	%Diff.	Blank.	Detect.	
Detection Limits (ug/L)		C-Cal RF: Accept, Rang	%Diff. e 0 - 15%	Blank Conc	Detect: Limit	
Detection Limits (ug/L): Benzene	1.3363E+005	C-Cal RF: Accept. Rang 1.3390E+005	%Diff e 0 = 15% 0.2%	Blank Conc ND	Detect: Limit 0.1	
Detection Limits (ug/L): Benzene Toluene		C-Cal RF: Accept, Rang	%Diff. e 0 - 15%	Blank Conc	Detect: Limit	
システィ ありそうどう とかさがたいだけ いせきょうにゅんし はりょうしきこう ローバス	1.3363E+005 1.4686E+005	C-Cal RF Accept. Rang 1.3390E+005 1.4716E+005	%Diff. e 0 = 15% 0.2% 0.2%	Blank Conc ND ND	Detect: Limit 0.1 0.1	

Duplicate Conc. (ug/Kg)	Sample Dup	licate.	%Diff.	Accept Range	Detect Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	ND	ND	0.0%	0 - 30%	1.0
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.0
p,m-Xylene	ND	ND	0.0%	0 - 30%	1.2
o-Xylene	1.5	1.6	6.7%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample Amo	ount Spiked Spik	ed Sample %	Recovery	Accept Range
Benzene	ND	500	517	103%	39 - 150
Toluene	ND	500	520	104%	46 - 148
Ethylbenzene	ND	500	515	103%	32 - 160
p,m-Xylene	ND	1000	1,030	103%	46 - 148
o-Xylene	1.5	500	518	103%	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolylic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 57421-57423, 57432, 57440-57441

Analyst //



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Burlington	Project #:	92115-1712
Sample ID:	Reserve Pit	Date Reported:	03/02/11
Laboratory Number:	57422	Date Sampled:	03/01/11
Chain of Custody No:	11179	Date Received:	03/01/11
Sample Matrix:	Soil	Date Extracted:	03/02/11
Preservative:	Cool	Date Analyzed:	03/02/11
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

50.6

6.7

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Cooper 100

Analyst



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Burlington	Project #:	92115-1712
Sample ID:	Back Ground	Date Reported:	03/02/11
Laboratory Number:	57423	Date Sampled:	03/01/11
Chain of Custody No:	11179	Date Received:	03/01/11
Sample Matrix:	Soil	Date Extracted:	03/02/11
Preservative:	Cool	Date Analyzed:	03/02/11
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

61.3

6.7

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: C

Cooper 100

Analyst



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS QUALITY ASSURANCE REPORT

Client: **QA/QC** Project #: N/A Sample ID: **QA/QC** Date Reported: 03-02-11 Laboratory Number: 03-02-TPH.QA/QC 57422 Date Sampled: N/A Sample Matrix: Freon-113 Date Analyzed: 03-02-11

Preservative: N/A Date Extracted: 03-02-11
Condition: N/A Analysis Needed: TPH

 Calibration
 I-Cal Date
 C-Cal Date
 I-Cal RF:
 C-Cal RF:
 Difference
 Accept Range

 03/01/11
 03-02-11
 1,660
 1,690
 1.8%
 +/- 10%

Blank Conc. (mg/Kg) Concentration Detection Limit
TPH ND 6.7

Duplicate Conc. (mg/Kg)

Sample Duplicate % Difference Accepts Range
TPH

50.6

50.6

0.0%

+/- 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
TPH	50.6	2,000	1,860	90.7%	80 - 120%

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 57422-57423, 57364-57365, 57386-57387, 57400-57403



Chloride

150

Client: **Burlington** Project #: 92115-1712 Sample ID: Reserve Pit Date Reported: 03/02/11 Lab ID#: 57422 Date Sampled: 03/01/11 Sample Matrix: Soil Date Received: 03/01/11 Preservative: Cool Date Analyzed: 03/02/11 Condition: Intact Chain of Custody: 11179

Parameter Concentration (mg/Kg)

Total Chloride

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

. 67

Comments: Cooper 100



Chloride

20

Client: Burlington Project #: 92115-1712 Date Reported: Sample ID: **Back Ground** 03/02/11 Date Sampled: Lab ID#: 57423 03/01/11 Date Received: 03/01/11 Sample Matrix: Soil Preservative: Date Analyzed: 03/02/11 Cool Condition: Intact Chain of Custody: 11179

Parameter Concentration (mg/Kg)

Total Chloride

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Cooper 100

Review

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com

Submit To Appropr Two Copies	t Office		г		State of Ne						Form C-105 July 17, 2008						
District I 1625 N French Dr.	Hobbs, N	M 88240		En	ergy, I	Minerals and	a Na	turat k	ces	sources		1. WELL API NO.					
District II 1301 W. Grand Ave	nue, Artes	ia, NM 88	3210		Oi	l Conserva	tion	Divis	io	n	-	30-045-348					
1000 Rio Brazos Ro	l., Aztec, N	IM 87410		1220 South St. Francis Dr.						2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN							
District IV 1220 S. St. Francis	7505			Santa Fe, 1	NM :	87505	i		Ī	3 State Oil & SF-078813		Lease N	0.				
WELL COMPLETION OR RECOMPLETION							TION REPORT AND LOG						Arterior management				
4 Reason for file												5. Lease Nam					
☐ COMPLETI	ON REP	ORT (F	ill ın boxe	s#1 throu	ıgh #3 l	for State and Fe	e wells	only)			}	6. Well Numb	er.			 -	
	URE AT	TACHN	MENT (F	ill in box	es#1 thr	ough #9, #15 Da	ate Rig	Release	ed a	and #32 and/o	or	100	, c				
#33; attach this ar	d the plat																
∑ NEW V	VELL [] WORK	KOVER	DEEP	ENING	□PLUGBACI	к 🗆	DIFFER	EN	T RESERVO	OIR						
8 Name of Opera Burlington R		s Oil	Gas Co	mnanv	I.P							9. OGRID 14538					
10. Address of Op	erator			mpany,	1/1						\dashv	11. Pool name	or W	ildcat			
PO Box 4298, Far	mington,	, NM 874	199														
12.Location	Unit Ltr	Sec	tion	Towns	ship	Range	Lot			Feet from th	e	N/S Line	Feet	from the	e E/W	Line	County
Surface:												·					
BH:	т					<u> </u>											
13. Date Spudded	14. Da	ate T.D.	Reached		Date Rig 1/2010	Released		1	6.	Date Comple	ted	(Ready to Proc	luce)		17. Eleva RT, GR,		and RKB,
18. Total Measure	ed Depth	of Well		19.1	Plug Bac	ck Measured Dep	pth	2	0.	Was Direction	onal	Survey Made)				ther Logs Run
22. Producing Int	erval(s), c	of this co	mpletion	- Top, Bo	ttom, Na	ame				··				l			······································
23.					CAS	ING REC	ORI	n (Re	nc	ort all str	no	s set in w	ell)				
CASING SIZ	ZE	WE	IGHT LB	./FT		DEPTH SET				LE SIZE	1118	CEMENTIN		CORD	A	MOUNT	PULLED
							\dashv									•	
					 												
SIZE	ТОР		R/	MOTTC	LIN	ER RECORD SACKS CEM	ENIT	SCRE	ENI		25 SIZ						
SIZE	101			JI IOM		SACKS CEM	ENI	SCRE	EIN		312	IZE DEPTH SET				PACKI	ER SEI
																<u> </u>	
26. Perforation	record (ir	nterval, s	ize, and n	umber)						D, SHOT, I NTERVAL	R/	ACTURE, CE AMOUNT A					
								DEITI		MILKVAL		AMOUNTA	NU	LIND WI	TILKIA	L USED	
									~~								
28. Date First Produc	tion		Produ	ction Met	hod (Ele	owing, gas lift, p		ODUC				Well Status	/Dwo	d ou Cha	t in l		
Date 1 list 1 local	uon		11000	ction wici	nou (7 re	owing, gus tijt, p	итріп	g - 512e i	ırıcı	і іуре ритр)		Well Status	11100	ı. Or Shu	(-in)		
Date of Test	Hours	Tested	C	hoke Size		Prod'n For Test Period		Oil - B	ы		Gas	- MCF	W	ater - Bb	i.	Gas - C	Oil Ratio
Flow Tubing Press.	Casing	g Pressur		alculated our Rate	24-	Oil - Bbl.		Ga	ıs -	MCF	1	Water - Bbl		Oıl Gı	avity - A	API - (Cor	r.)
29. Disposition of	Gas (Sol	d, used f	or fuel, ve	nted, etc.,)								30. 1	est Witn	essed B	у	
31. List Attachme	nts		··	•													
32. If a temporary	pit was u	ised at th	e well, at	tach a pla	with th	e location of the	tempo	rary pit									
33. If an on-site b	=		-	=													
		Lat	itude 36.	73587°N	Long	gitude 108.0266	4°W	NAD []19	927 🖾 1983							
I hereby certif	y that th	he infor	rmation	shown s	on both Prin	h sides of this	form	is true	e a	ınd comple	te	to the best o	f my	knowle	edge ar	nd belief	·
Signature	m	كت(3000	<i>sub</i>		ne Jamie Go	odw	in Ti	itle	e: Regula	tor	y Tech.	Date	: 6/13/	2011		
E-mail Addres	s jamie	e.l.good	dwin@c	onocop	hillips.	.com											

ConocoPhillips

Pit Closure Form:		
Date: 3/16/11	<u> </u>	
Well Name: COOPER	100	
Footages: <u>/034 / F50</u>	-, 788' FEL	Unit Letter: P
Section:, T- <u></u>	-N, R- <u>//</u> -W, County: <u>≤a</u> w	Juan State: NM
Contractor Closing Pit:	AZTEC EXCAUATION	<u> </u>
Construction Inspector: nspector Signature:	JARED CHAVEZ	Date: <u>3//6/</u> <i>u</i>
Revised 11/4/10		
Office Use Only: Gubtask		

Goodwin, Jamie L

From: Payne, Wendy F

Sent: Thursday, March 10, 2011 8:06 AM

To: (Brandon.Powell@state.nm.us); GRP:SJBU Regulatory; 'tevans48@msn.com';

(bko@digii.net); (davidblakley@alltel.blackberry.com); Mark Kelly; Robert Switzer; Sherrie Landon; Bassing, Kendal R.; Berenz (mxberenz@yahoo.com); Elmer Perry; Faver Norman; Fred Martinez; Jared Chavez; Lowe, Terry; Payne, Wendy F; Spearman, Bobby E; Steve McGlasson; Tally, Ethel; Becker, Joey W; Bowker, Terry D; Gordon Chenault; GRP:SJBU Production Leads; Hockett, Christy R; Johnson, Kirk L; Bassing, Kendal R.; Kennedy, Jim R; Lopez, Richard A; O'Nan, Mike J.; Peace, James T; Pierce, Richard M; Poulson, Mark E; Smith, Randall O; Spearman, Bobby E; Stamets, Steve, LARRY; Work, Jim A; Corey Alfandre; 'isaiah@crossfire-llc.com'; Jerid Cabot (jerid@crossfire-llc.com); Blair, Moveell O: Blakkey Mass Earrell, Lyppite B; Cillatte, Steven L (BAC); Histon, Bassky, It Massace

Maxwell O; Blakley, Mac; Farrell, Juanita R; Gillette, Steven L (PAC); Hines, Derek J; Maxwell,

Mary Alice; McWilliams, Peggy L; Seabolt, Elmo F; Stallsmith, Mark R; Thayer, Ashley A

Cc: 'Aztec Excavation'

Subject: Reclamation Notice: Cooper 100

Importance: High

Attachments: Cooper 100.pdf

Aztec Excavation will move a tractor to the **Cooper 100** to start the reclamation process on Tuesday, March 15, 2011. Please contact Jared Chavez (793-7912) if you have questions or need further assistance.



Cooper 100.pdf (160 KB)

Burlington Resources Well- Network # 10248848 - Activity Code D250 (reclamation) & D260 (pit closure) - PO: Kaitlw San Juan County, NM

COOPER 100 - BLM surface / BLM minerals

Twin: Cooper B 1E 1034' FSL, 788' FEL SEC. 7, T29N, R11W

Unit Letter 'P'

Lease #: USA SF-078813

Latitude: 36° 44′ 09" N (NAD 83) Longitude: 108° 01′ 36" W (NAD83)

Elevation: 5741'

Total Acres Disturbed: 2.38 acres

Access Road: n/a API #: 30-045-34881 Within City Limits: NO

Pit Lined: yes


Wendy Payne ConocoPhillips-SJBU 505-326-9533


Wendy.F.Payne@conocophillips.com


ConocoPhillips

Reclamation Form:	
Date: <u>5/20/4</u>	_
Well Name:	/00
Footages: 1034 FS	<u>∠ 188 FEL</u> Unit Letter:
Section: <u>7</u> , T- <u>29</u> -	N, R- <u>//</u> -W, County:جمر عليم State: <u>٨</u> ٨٨
Reclamation Contractor:	MITEC EXCAVATION
Reclamation Date:	3/2\$/11
	3/23/11
	3/25/11
	,
**PIT MARKER STATUS (When Required): Picture of Marker set needed
**PIT MARKER STATUS (
MARKER PLACED: _3/	
MARKER PLACED: 3	(DATE
NARKER PLACED: 3/L	(DATE) 6. 7.3584 7. 02675
MARKER PLACED: 3/2 LATATUDE: N3/2 LONGITUDE: W/C	(DATE) (23/1) (DATE) (2.7.3584) (2.02675) (DATE)
MARKER PLACED: 3/2 LATATUDE: N3/2 LONGITUDE: W/C	(DATE) 23/11 (DATE) 2.73584 2.02675 2./14/11 (DATE) TARED CHAVEZ Date: 5/26/11
MARKER PLACED:	(DATE) 23/11 (DATE) 2.02675 (DATE) TARED CHAVEZ Date: 5/20/11
MARKER PLACED: 3/LATATUDE:	(DATE) 23/11 (DATE) 2.73584 2.02675 2./14/11 (DATE) TARED CHAVEZ Date: 5/26/11
LATATUDE:	(DATE) 23/11 (DATE) 2.02675 (DATE) TARED CHAVEZ Date: 5/20/11









	WELL NAME:	OPEN P	IT INSPE	CTION I	FORM :		•.	ConocoPhillips		
	Cooper #100	OI, LIV I	11 11431 L	.011014 1		3	•	Cone	SCOFII	imps
	INSPECTOR	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	
<u> </u>	DATE	10/07/10 Week 1	10/14/10 Week 2	10/21/10 Week 3	10/28/10 Week 4	11/04/10 Week 5	11/11/10 Week 6	11/24/10 Week 7	12/02/10 Week 8	Week 9
	*Please request for pit extention after 26 weeks PIT STATUS		Drilled Completed Clean-Up	Drilled Completed Clean-Up	Drilled Completed Clean-Up	Drilled Completed Clean-Up	Drilled Completed Clean-Up	Dniled Completed Clean-Up	Dniled Completed Clean-Up	Drilled Completed Clean-Up
NOIL	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	Yes No
LOCATION	Is the temporary well sign on location and visible from access road?	✓ Yes 🗌 No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☑ No	☑ Yes ☐ No	Yes No
	ls the access road in good driving condition? (deep ruts, bladed)	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☑ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No
"	Is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☐ Yes ☐ No
LIANC	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No
COMPLIANCE	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes 🗌 No	☑ Yes 🗌 No	☑ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No
_	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	✓ Yes 🗌 No	☑ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☐ Yes ☐ No
NWE	Does the pit contain two feet of free board? (check the water levels)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☐ Yes ☐ No
ENVIRONMENTAL	Is there any standing water on the blow pit?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☐ Yes ☐ No
=	Are the pits free of trash and oil?	✓ Yes 🗌 No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes 🗌 No	☐ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	☐ Yes ☑ No	✓ Yes □ No	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	Yes 🗸 No	✓ Yes □ No	☑ Yes ☐ No	☐ Yes ☐ No
ე ე	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No
	COMMENTS			Roads need bladed fix fence.		No repairs rig moven on loc.	no repairs location needs bladed	No repairs put sign back up.		

	WELL NAME:								-	_
	Cooper #100		'\$		7		# •	·	f , fe	<u> </u>
	INSPECTOR							E. Perry	E. Perry	E. Perry
	DATE	Week 10	Week 11	Week 12	Week 13	Week 14	Week 15	02/07/11 Week 16	02/16/11 Week 17	02/21/11 Week 18
	*Please request for plt extention after 26 weeks PIT STATUS	Drilled Completed Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up					
CATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	✓ Yes □ No	✓ Yes □ No	☑ Yes ☐ No
10CA	Is the temporary well sign on location and visible from access road?	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No
Γ	is the access road in good driving condition? (deep ruts, bladed)	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	✓ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No					
 	Is the top of the location bladed and in good operating condition?	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No			
COMPLIANCE	is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
O M	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
ENTAL	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No					
NWE	Does the pit contain two feet of free board? (check the water levels)	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No					
ENVIRONM	Is there any standing water on the blow pit?	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	Are the pits free of trash and oil?	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No					
	Are there diversion ditches around the pits for natural drainage?	☐ Yes ☐ No	Yes No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No				
	Is the Manifold free of leaks? Are the hoses in good condition?	☐ Yes ☐ No	Yes No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No				
ပ္ပ	Was the OCD contacted?	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	PICTURE TAKEN	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	COMMENTS							Fence loose Stains on Loc.	Fence loose Stains on Loc. Oil in Pit	Fence Loose Stains on Loc. Oilin Pit

	WELL NAME:		"	4		,				\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	Cooper #100			:						
	INSPECTOR	E. Perry	E. Perry	E. Perry	E. Perry					
<u> </u>	DATE		03/07/11	03/16/11	03/23/11	CLOSED	CLOSED	CLOSED	CLOSED	W = -1: 07
-	*Please request for pit extention after 26 weeks	Week 19 ✓ Drilled	Week 20 ☑ Drilled	Week 21 ✓ Drilled	Week 22	Week 23	Week 24	Week 25	*Week 26*	Week 27
	PIT STATUS	✓ Drilled ✓ Completed	✓ Completed	✓ Drilled ✓ Completed	Completed	Completed	Completed	Completed	Completed	Completed
	ili sinios	☐ Clean-Up	☐ Clean-Up	✓ Clean-Up	Clean-Up	☐ Clean-Up	☐ Clean-Up	Clean-Up	☐ Clean-Up	☐ Clean-Up
<u>N</u>	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	Yes No	Yes No	Yes No	Yes No	Yes No	☐ Yes ☐ No
LOCATION	Is the temporary well sign on location and visible from access road?	Yes V No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No
	is the access road in good driving condition? (deep ruts, bladed)	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
#	Is the top of the location bladed and in good operating condition?	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
COMPLIANCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
§	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
_	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
NME	Does the pit contain two feet of free board? (check the water levels)	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
ENVIRONMENTAL	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
<u> </u>	Are the pits free of trash and oil?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
ပ္ပ	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	PICTURE TAKEN	Yes No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No
	COMMENTS	Sign on Loc.	Sign on Loc.	Sign on Loc.		CLOSED				

.