District I

1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District III .

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

1 :

July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

For permanent puts and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

aU	1101	osed Themative Wednesd Fermit of Closure Flam Application
Q189	Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
•		X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
		Modification to an existing permit
		Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
		below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinance:

environment Nor does approval relieve the operator of its responsibility to comply	with any other applicable governmental authority's rules, regulations or ordinances
Operator Burlington Resources Oil & Gas Company, LP	OGRID#: <u>14538</u>
Address: P.O. Box 4289, Farmington, NM 87499	100-100-1
Facility or well name: SAN JUAN 30-6 UNIT 58C	
API Number: 30-039-30802	OCD Permit Number
U/L or Qtr/Qtr: C(NE/NW) Section: 31 Township 30N	Range 6W County: Rio Arriba
Center of Proposed Design: Latitude: 36.77425 °N	Longitude. <u>107.50653</u> °W NAD: <u>1927</u> 1983
Surface Owner: X Federal State Private 7	Tribal Trust or Indian Allotment
2 X Pit: Subsection F or G of 19 15 17 11 NMAC Temporary X Drilling Workover Permanent Emergency Cavitation P&A X Lined Unlined Liner type Thickness 20 mil X String-Reinforced Liner Seams X Welded X Factory Other	X LLDPE
Closed-loop System: Subsection H of 19 15 17 11 NMAC Type of Operation P&A Drilling a new well Workover notice of ir Drying Pad Above Ground Steel Tanks Haul-off Bins Lined Unlined Liner type Thickness mil Liner Seams Welded Factory Other	Other
	oll. CONS. DIV. DIST. 3 oner, 6-inch lift and automatic overflow shut-off Other
5 Alternative Method: Submittal of an exception request is required Exceptions must be submitted to	

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)					
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet					
Alternate Please specify					
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)					
Screen Netting Other					
Monthly inspections (If netting or screening is not physically feasible)					
8					
Signs: Subsection C of 19 15 17 11 NMAC					
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		}			
X Signed in compliance with 19 15 3 103 NMAC					
9 Administrative Approvals and Eventuals					
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance					
Please check a box if one or more of the following is requested, if not leave blank:					
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consi (Fencing/BGT Liner)	deration of ap	proval			
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval					
Exception(s) requests must be submitted to the Santa Te Environmental Bureau office for consideration of approval					
Siting Criteria (regarding permitting) 19 15 17 10 NMAC					
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable					
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for					
consideration of approval. Applicant must attach justification for request. Please refer to 19 15.17.10 NMAC for guidance. Siting criteria					
does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - 1WATERS database search, USGS, Data obtained from nearby wells	Yes	□No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	No			
(measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site					
	. —				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	∐Yes	∐No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA				
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applied to permanent pits)	□NA				
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image		_			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No			
- NM Office of the State Engineer - 1WATERS database search, Visual inspection (certification) of the proposed site	İ				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No			
- Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland.	Yes	□No			
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site					
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No			
Within an unstable area.	Yes	No			
 Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society, Topographic map 					
Within a 100-year floodplain - FEMA map	☐ Yes	No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19 15 17 9 NMAC and 19 15 17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Proposed Closure: 19 15 17 13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative
Proposed Closure Method Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize A	bove Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC)				
Instructions Please identify the facility or facilities for the disposal facilities are required	of liquids, drilling fluids and drill cuttings—Use attachment if more than two	,			
•	Disposal Facility Permit #				
Disposal Facility Name	Disposal Facility Permit #				
Will any of the proposed closed-loop system operations and as Yes (If yes, please provide the information	ssociated activities occur on or in areas that will not be used for future No	service and			
Required for impacted areas which will not be used for future service. Soil Backfill and Cover Design Specification - based upon the appropriate requirements. Site Reclamation Plan - based upon the appropriate requirements.	pon the appropriate requirements of Subsection H of 19 15 17 13 NM, ements of Subsection I of 19 15 17 13 NMAC	AC			
certain siting criteria may require administrative approval from the appro-	19 5 17 10 NMAC in the closure plan Recommendations of acceptable source material are provided opriate district office or may be considered an exception which must be submitted to s of equivalency are required Please refer to 19 15 17 10 NMAC for guidance				
Ground water is less than 50 feet below the bottom of the buri - NM Office of the State Engineer - iWATERS database search		Yes No			
Ground water is between 50 and 100 feet below the bottom of	the buried waste	☐ ☐Yes ☐No			
- NM Office of the State Engineer - iWATERS database search					
<u>-</u>	·				
Ground water is more than 100 feet below the bottom of the b		Yes No			
- NM Office of the State Engineer - tWATERS database search	, USGS, Data obtained from nearby wells	∐N/A			
(measured from the ordinary high-water mark)	f any other significant watercourse or lakebed, sinkhole, or playa lake	Yes No			
- Topographic map, Visual inspection (certification) of the prop	osed site				
Within 300 feet from a permanent residence, school, hospital, institution - Visual inspection (certification) of the proposed site, Aerial photosetical photoseti		Yes No			
Web 5001 at 16 at 6 and a factor for the standard for	and the last transfer for the solution of the	Yes No			
purposes, or within 1000 horizontal fee of any other fresh water well - NM Office of the State Engineer - iWATERS database, Visual					
Within incorporated municipal boundaries or within a defined munic pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Wr	apal fresh water well field covered under a municipal ordinance adopted	Yes No			
- written commination of verification from the municipality, will Within 500 feet of a wetland	men approval obtained from the municipality	☐Yes ☐No			
US Fish and Wildlife Wetland Identification map, Topographi	c map, Visual inspection (certification) of the proposed site				
Within the area overlying a subsurface mine		Yes No			
- Written confiramtion or verification or map from the NM EMN	JRD-Mining and Mineral Division				
Within an unstable area		Yes No			
- Engineering measures incorporated into the design, NM Burea Topographic map	u of Geology & Mineral Resources, USGS, NM Geological Society,				
Within a 100-year floodplain - FEMA map		Yes No			
18		J			
	tructions: Each of the following items must bee attached to the clos d.	sure plan. Please indicate,			
	on the appropriate requirements of 19 15 17 10 NMAC	!			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Construction/Design Plan of Burial Trench (if applical	ble) based upon the appropriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate required.	rements of Subsection I of 19 15 17 13 NMAC guirements of Subsection G of 19 15 17 13 NMAC				

Form C-144 Oil Conservation Division

Page 4 of 5

Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: Style Conditions (see attachment) Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: March 2, 2011
Closure Method: Waste Excavation and Removal X On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions. Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name Disposal Facility Permit Number Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliant to the items below) No Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. X Proof of Closure Notice (surface owner and division) X Proof of Deed Notice (required for on-site closure) X Plot Plan (for on-site closures and temporary pits) X Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) X Disposal Facility Name and Permit Number X Soil Backfilling and Cover Installation
X Re-vegetation Application Rates and Seeding Technique X Site Reclamation (Photo Documentation) On-site Closure Location Latitude 36.77424 on Longitude 107.50625 ow NAD 1927 X 1983 1983 1984 1985 19
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Jamie Goodwin Title Regulatory Tech
Signature Groodsow Date 4511
e-mail address Jamie L Goodwin@conocophilisc com Telephone 505-326-9784

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: SAN JUAN 30-6 UNIT 58C

API No.: 30-039-30802

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	ND ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	53.5 ug/kG
TPH	EPA SW-846 418.1	2500	99.6mg/kg
GRO/DRO	EPA SW-846 8015M	500	30.2 mg/Kg
Chlorides	EPA 300.1	1000/500	290 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, BLM, SAN JUAN 30-6 UNIT 58C, UŁ-C, Sec. 31, T 30N, R 6W, API # 30-039-30802

Jaramillo, Marie E

From:

Jaramillo, Marie E

Sent:

To:

Subject:

Wednesday, August 12, 2009 10:34 AM 'mark_kelly@nm.blm.gov' SURFACE OWNER NOTIFICATION 08/12/09

The following wells will have a temporary pit that will be closed on-site. Please let me know if you have any questions. Thanks

SAN JUAN 28-6 UNIT 143P SAN JUAN 30-6 UNIT 58C SAN JUAN 30-6 UNIT 58M

Marie Jaramillo Staff Regulatory Tech. ConocoPhillips Office # (505) 326-9865 Fax # (505) 599-4062 mailto marie e jaramillo@conocophillips.com District I 1625 N French Dr., Hobbs, NM 88240

District II 1301 W Grand Avenue, Artesia, NM BB210

District III 1000 Rio Brazos Rd , Aztec. NM 87410

District IV 1220 5 St Francis Dr. Santa Fe, NM 87505

State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-102
Revised October 12, 2005
Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

AMENDED REPORT


WELL LOCATION AND ACREAGE DEDICATION PLAT


'API Number	²Pool Code	³Pool Name		
	72319 / 71599	BLANCO MESAVERDE / BASI	N DAKOTA	
¹Property Code	· *Pro	Property Name		
	SAN JUA	58C		
'OGRID No	*Ope	*Elevation		
14538	BURLINGTON RESOURCE	6838 '		

¹⁰ Surface Location

UL or lot no	Section 31	30N	Range 6W	Lat Idn	Feet from the	North/South line NORTH	Feet from the	East/West line WEST	County RIO ARRIBA
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no	Sect ion	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
F	31	30N	6W		1970	NORTH	1830	WEST	RIO ARRIBA
Dedicated Acres 320 0 Acres - (W/2)			13 Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No				

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION







EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	02-14-11
Laboratory Number:	57179	Date Sampled:	02-11-11
Chain of Custody No:	9244	Date Received:	02-11-11
Sample Matrix:	Soil	Date Extracted:	02-11-11
Preservative:	Cool	Date Analyzed:	02-14-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

S.J. 30-6 #58C

Analyst



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	02-14-11
Laboratory Number:	57180	Date Sampled:	02-11-11
Chain of Custody No:	9244	Date Received:	02-11-11
Sample Matrix:	Soil	Date Extracted:	02-11-11
Preservative:	Cool	Date Analyzed:	02-14-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	8.1	0.2	
Diesel Range (C10 - C28)	22.1	0.1	
Total Petroleum Hydrocarbons	30.2		

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

S.J. 30-6 #58C

Analyst



EPA Method 8015 Modified Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Quality Assurance Report

Client:	QA/QC		Project#:		N/A
Sample ID:	02-14-11 QA/Q	lC	Date Reported:		02-14-11
Laboratory Number:	57179		Date Sampled:		N/A
Sample Matrix:	Methylene Chlori	de	Date Received:		N/A
Preservative:	N/A		Date Analyzed:		02-14-11
Condition:	N/A		Analysis Request	ed:	TPH
	I-Cal Daté	/ I-Cal RF	C-CalRF	% Difference	Accept Range
Gasoline Range C5 - C10	02-14-11	1.0188E+003	1.0192E+003	0.04%	0 - 15%
Diesel Range C10 - C28	02-14-11	1.0135E+003	1.0139E+003	0.04%	0 - 15%
Blank Conc. (mg/L = mg/k	(g)	Concentration		Detection Lin	it
Gasoline Range C5 - C10		ND		0.2	
Diesel Range C10 - C28		ND		0.1	
Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept: Rang	é
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%	
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%	
Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	ND	250	238	95.1%	75 - 125%
Diesel Range C10 - C28	ND	250	251	100%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 57179-57180, 57183-57189

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	02-14-11
Laboratory Number:	57179	Date Sampled:	02-11-11
Chain of Custody:	9244	Date Received:	02-11-11
Sample Matrix:	Soil	Date Analyzed:	02-14-11
Preservative:	Cool	Date Extracted:	02-11-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

		Det.	
	Concentration	Limit	
Parameter	(ug/Kg)	(ug/Kg)	

Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	DИ	1.2
o-Xylene	ND	0.9

Total BTEX ND

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	115 %
	1,4-difluorobenzene	109 %
	Bromochlorobenzene	103 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

S.J. 30-6 #58C

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	02-14-11
Laboratory Number:	57180	Date Sampled:	02-11-11
Chain of Custody:	9244	Date Received:	02-11-11
Sample Matrix:	Soil	Date Analyzed:	02-14-11
Preservative:	Cool	Date Extracted:	02-11-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	0.9	
Toluene	ND	1.0	

Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	43.6	1.2
o-Xylene	9.9	0.9
Total BTEX	53.5	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	101 %
	Bromochlorobenzene	96.9 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

S.J. 30-6 #58C

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A		Project#:	N	/A	
Sample ID:	0214BBLK QA/QC		Date Reported:	0	02-14-11	
Laboratory Number:	57179		Date Sampled:	N	//A	
Sample Matrix:	Soil		Date Received:	N	/A	
Preservative:	N/A		Date Analyzed:	0	2-14-11	
Condition:	N/A		Analysis:	E	TEX	
		•	Dilution:	1(
Calibration and	FCal RF:	C-Cal RF: \	%Diff	Blank	Detect	
Detection Limits (ug/L)		TO A THE WAY OF THE PARTY AND A TOTAL AND A	ge 015%	Conc		
Benzene	1.7972E+005	1.8008E+005	0.2%	ND	0.1	
Toluene	1.9628E+005	1.9667E+005	0.2%	ND	0.1	
Ethylbenzene	1.7164E+005	1.7198E+005	0.2%	ND	0.1	
p,m-Xylene	3.8937E+005	3.9015E+005	0.2%	ND	0.1	
o-Xylene	1.6165E+005	1.6197E+005	0.2%	ND	0.1	
			655.75°./0/ Dist			
Dublicate Colic. (ug/Kg)	Sample *		70LIII	**************************************	Detect: Limit	
Benzene	ND	ND	0.0%	0 - 30%	0.9	
Toluene	ND	ND	0.0%	0 - 30%	1.0	
Ethvibenzene	ND	ND	0.0%	0 - 30%	1.0	

Spike Conc. (ug/Kg)	Sample	unt Spiked * Spil	ked Sample 🥕 %	Recovery	Accept Range
Benzene	ND	500	536	107%	39 - 150
Toluene	ND	500	542	108%	46 - 148
Ethylbenzene	ИD	500	513	103%	32 - 160
p,m-Xylene	ND	1000	1,010	101%	46 - 148
o-Xylene	ND	500	517	103%	46 - 148

ND

ND

0.0%

0.0%

0 - 30%

0 - 30%

ND

ND

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References:

Analyst

p,m-Xylene

o-Xylene

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

<u>5</u>7179-57180, 57182-57188 Comments:

1.2

0.9



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	02/14/11
Laboratory Number:	57179	Date Sampled:	02/11/11
Chain of Custody No:	9244	Date Received:	02/11/11
Sample Matrix:	Soil	Date Extracted:	02/14/11
Preservative:	Cool	Date Analyzed:	02/14/11
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

66.4

34.5

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

S.J. 30-6 #58C

Analyst



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client: ConocoPhillips Project #: 96052-1706 02/14/11 Sample ID: Reserve Pit Date Reported: Date Sampled: 02/11/11 Laboratory Number: 57180 Chain of Custody No: 9244 Date Received: 02/11/11 Sample Matrix: Soil Date Extracted: 02/14/11 Preservative: Cool Date Analyzed: 02/14/11 Condition: Analysis Needed: TPH-418.1 Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

99.6

34.5

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

S.J. 30-6 #58C

4

Analyst



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS **QUALITY ASSURANCE REPORT**

Client:

QA/QC

Project #:

N/A

Sample ID:

QA/QC

Date Reported:

02/14/11

Laboratory Number:

Freon-113

02-14-TPH.QA/QC 57179

Date Sampled:

N/A

Sample Matrix: Preservative:

Date Analyzed:

02/14/11

Condition:

N/A N/A Date Extracted: Analysis Needed: 02/14/11

TPH

Calibration I-Cal Date

12/27/10

C-Cal Date 1-Cal RF C-Cal RF % Difference 02/14/11

1,660

1,670

0.6%

Accept Range +/- 10%

Blank Conc. (mg/Kg)

Concentration

Detection Limit

TPH

ND

34.5

Duplicate Conc. (mg/Kg)

Sample

Duplicate

% Difference Accept Range +/- 30%

TPH

TPH

66.4

69.7

5.0%

Spike Conc. (mg/Kg)

Sample . 66.4

Spike Added Spike Result % Recovery Accept Range 2,000

1,920

92.9%

80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 57179-57180, 57182, 57188

Analyst



Chloride

Client: ConocoPhillips Project #: 96052-1706 **Back Ground** Sample ID: Date Reported: 02/14/11 Lab ID#: 57179 Date Sampled: 02/11/11 Sample Matrix: Soil Date Received: 02/11/11 Preservative: 02/14/11 Cool Date Analyzed: Condition: Chain of Custody: Intact 9244

Parameter Concentration (mg/Kg)

Total Chloride

70

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

S.J. 30-6 #58C

Analyst



Chloride

Client: ConocoPhillips Project #: 96052-1706 02/14/11 Sample ID: Reserve Pit Date Reported: Lab ID#: 57180 Date Sampled: 02/11/11 Sample Matrix: Date Received: Soil 02/11/11 Preservative: Cool Date Analyzed: 02/14/11 Condition: Intact Chain of Custody: 9244

Parameter Concentration (mg/Kg)

Total Chloride 290

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **S.J. 30-6 #58C**

Analyst Review

Submit To Appropriate District Office Two Copies					State of New Mexico						Form C-105							
District I 1625 N French Dr , Hobbs, NM 88240					Energy, Minerals and Natural Resources							July 17, 2008						
District II 1301 W Grand Avenue, Artesia, NM 88210							_						1. WELL API NO. 30-039-30802					
District III							Conservat					ŀ	2 Type of Lease					
1000 Rto Brazos Rd , Aztec, NM 87410 District IV					1220 South St. Francis Dr.						STATE FEE FED/INDIAN							
1220 S St Francis	M 87505		Dania 1 0, 1 11/1 0 / 3 0 3						3 State Oil & Gas Lease No SF - 080711 - A									
WELL COMPLETION OR RECOMPLETION								TION REPORT AND LOG				Sr - 000/11 - A						
4 Reason for filing							•	,					5 Lease Name or Unit Agreement Name					
COMPLETION REPORT (Fill in boxes #						rea #1 there exists #21 for Ctate and For really and a						SAN JUAN 30-6 UNIT 6 Well Number						
☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33, attach this and the plat to the C-144 closure report in accordance with 19 15 17 13 K NMAC)								or	58C									
7 Type of Completion																		
NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER																		
Burlington R		es O	il Gas (Comi	nanv.	LP			9. OGRID 14538									
10 Address of O	perator												11 Pool name	or Wı	ldcat			
PO Box 4298, Fa	rmington	, NM	87499															
12.Location	Unit Ltr		Section		Township		Range Lot			Feet from t		he	N/S Line Fo		Feet from the E/		Line	County
Surface:																		
вн:																		
13 Date Spudded	l 14 D	ate T	D Reach	ed		ate Rig 1/2010	Released			16	Date Compl	eted	(Ready to Prod	uce)				and RKB,
18 Total Measure	ed Depth	of W	'ell				k Measured Dep	oth		20	Was Direct	iona	l Survey Made?			Γ, GR, e e Electr		her Logs Run
	•					-	•			- "	211001				~ ₎ p.	. 2.000.		ner Bogs Run
22 Producing Int	erval(s),	of thi	s completi	on - To	op, Bot	tom, Na	me											
23						CAS	ING REC	ORI	D (R	lepo	ort all sti	ring	gs set in we	ell)				
CASING SI	ZE		WEIGHT	LB /F	T		DEPTH SET			НО	LE SIZE		CEMENTIN	G REC	CORD	AN	MOUNT	PULLED
																		
24. SIZE	ТОР			DOT	LINER RECORD				LECTREN OF							LDAGKI	an ana	
SIZE	108			BOI	SOTTOM SACKS CEMENT			SCREEN SIZ			SIZ	SIZE DEPTH SET PACKE				ER SET		
																	 	
26 Perforation	record (1	nterv	al, sıze, an	d num	ber)							FR.	ACTURE, CE					
								DEI	DEPTH INTERVAL			AMOUNT AND KIND MATERIAL USED						
																	•	
28								PRO	DDU	J C I	TION							
Date First Produc	tion		Pro	ductio	on Metl	nod (Flo	wing, gas lift, pi	umpin	g - Siz	e ana	l type pump))	Well Status	(Prod	or Shut-	in)		
Date of Test	Hour	s Tes	ted	Chol	ke Sıze		Prod'n For Test Period		Oil	- Bbl		Gas	as - MCF		iter - Bbl		Gas - C	Oil Ratio
Flow Tubing Press	Casın	g Pre	essure		ulated 2 r Rate	24-	Oıl - Bbl		Gas - MCF				Water - Bbl		Oil Gravity - API - (Corr)			r)
29 Disposition o	f Gas (So	ld, us	ed for fuel	, vente	ed, etc)									30 T	est Witne	ssed By	,	
31 List Attachme	ents																	
32 If a temporary	pit was	used	at the well	, attac	h a plat	with the	e location of the	tempo	orary p	pit				-				
33 If an on-site b	urial was	used	at the wel	l, repo	ort the e	xact loc	ation of the on-s	site bu	rial									
			Latitude				utude 107.5062											
I hereby certij	fy that t	he n	nformati ^	on sh	own c	on both Prir		form	i is ti	rue a	ind compl	lete	to the best o	f my	knowlea	lge an	d belief	"
Signature ($Q \gamma \gamma$	مر	ناغات	x 0d		Nan	ne Jamie Go	odwi	in	Titl	e: Regul	lato	ry Tech.	Date	e: 4/5/20)11		
E-mail Addre	E-mail Address Jamie L. Goodwin@conocophillips.com																	

ConocoPhillips

Pit Closure Form:
Date: <u> </u>
Well Name: 57 30-6 58C
Footages: 775'FNL, 1985'FWL Unit Letter: C
Section: 3/, T-30-N, R-6-W, County: Res ARRIBA State: NM
Contractor Closing Pit: AzTEC EXCAVATION
Construction Inspector: Sake Chave 2 Date: 3/2/11
Revised 11/4/10 Office Use Only: Gubtask DSM

Goodwin, Jamie L

From: Pavne, Wendy F

Friday, February 25, 2011 7 43 AM Sent:

(Brandon Powell@state nm us), GRP SJBU Regulatory, 'tevans48@msn com', To:

(bko@digii net), (davidblakley@alltel blackberry com), Mark Kelly, Robert Switzer; Sherrie Landon, Bassing, Kendal R, Berenz (mxberenz@yahoo com), Elmer Perry, Faver Norman, Fred Martinez, Jared Chavez, Lowe, Terry; Payne, Wendy F, Spearman, Bobby E, Steve McGlasson, Tally, Ethel, Becker, Joey W, Bowker, Terry D, Gordon Chenault, GRP SJBU Production Leads, Hockett, Christy R, Johnson, Kirk L, Bassing, Kendal R, Kennedy, Jim R; Lopez, Richard A, O'Nan, Mike J; Peace, James T, Pierce, Richard M; Poulson, Mark E, Smith, Randall O, Spearman, Bobby E, Stamets, Steve A, Thacker, LARRY, Work, Jim A, Corey Alfandre, 'isaiah@crossfire-llc com', Jerid Cabot (jerid@crossfire-llc com), Blair, Maxwell O; Blakley, Mac, Clark, Joni E, Farrell, Juanita R, Gillette, Steven L (PAC), Greer, David A, Hines, Derek J, Maxwell, Mary Alice, McWilliams, Peggy L, Seabolt, Elmo F,

Stallsmith, Mark R

Cc: Aztec Excavation

Reclamation Notice: San Juan 30-6 Unit 58C Subject:

Importance: High

Attachments: San Juan 30-6 Unit 58C pdf

Aztec Excavation will move a tractor to the San Juan 30-6 Unit 58C to start the reclamation process on Wednesday March 2, 2011 Please contact Jared Chavez (793-7912) if you have questions or need further assistance.



San Juan 30-6 Unit 58C.pdf (19...

Burlington Resources Well - Network # 10261660 - Activity Code D250 (reclamation) & D260 (pit closure) - PO Kaitlw Rio Arriba County, NM

San Juan 30-6 Unit 58C - BLM surface/BLM minerals

Onsited: Mike Flaniken 6-2-09

Twin: San Juan 30-6 Unit 58A (P&A) and San Juan 30-6 Unit 58B (existing)

775' FNL, 1985' FWL Sec 31, T30N, R6W Unit Letter "C" Lease # SF-080711-A

BH SENW Sec 31,T30N,R6W Latitude 36° 46' 27" N (NAD83) Longitude 107° 30' 23" W (NAD 83)

Elevation: 6838'

Total Acres Disturbed. 3 03 acres

Access Road n/a API # 30-039-30802 Within City Limits: No

Pit Lined YES

Note Arch Monitoring is **NOT** required on this location


Wendy Payne ConocoPhillips-SJBU 505-326-9533


Wendy.F.Payne@conocophillips.com

ConocoPhillips

Reclamation Form:
Date: 3/22/1/
Well Name: <u>ST 30-6 58C</u>
Footages: 775 FNL, 1985 FWL Unit Letter: C
Section: <u>3/</u> , T- <u>30</u> -N, R- <u>6</u> -W, County: Reo Arriba State: <u>NM</u>
Reclamation Contractor: Aztec Excavation
Reclamation Date: <u>3/4///</u>
Road Completion Date: 3/17/11
Seeding Date: <u> </u>
**PIT MARKER STATUS (When Required): Picture of Marker set needed MARKER PLACED :
MARKER PLACED :(DATE) LATATUDE: LONGITUDE:
MARKER PLACED :(DATE) LATATUDE:
MARKER PLACED:









	WELL NAME: S.J. 30-6#58C	OPEN P	IT INSPE	ConocoPhillips						
	INSPECTOR DATE	08/31/10	Fred Mtz 09/08/10 Week 2	Fred Mtz 09/21/10	Fred Mtz 09/28/10 Week 4	10/05/10	10/19/10 Week 6	10/26/10	Fred Mtz 11/02/10	Fred Mtz 11/09/19
	*Please request for pit extention after 26 weeks , PIT STATUS	Week 1 Drilled Completed Clean-Up	Drilled Completed Clean-Up	Week 3 Drilled Completed Clean-Up	Drilled Completed Clean-Up	Week 5 Drilled Completed Clean-Up	Week 6 ☑ Drilled ☐ Completed ☐ Clean-Up	Week 7 Drilled Completed Clean-Up	Week 8 Drilled Completed Clean-Up	Week 9 Drilled Completed Clean-Up
ATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No
7001	ls the temporary well sign on location and visible from access road?	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No
	Is the access road in good driving condition? (deep ruts, bladed)	✓ Yes ☐ No	☐ Yes ☑ No	✓ Yes 🗌 No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☑ No	☑ Yes ☐ No	✓ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	✓ Yes □ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No
	Is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	Yes 🗸 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	✓ Yes 🗌 No	✓ Yes ☐ No	☐ Yes ☑ No	Yes No	☐ Yes ☑ No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No	✓ Yes ☐ No
COMPLIANCE	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes □ No	☑ Yes ☐ No	✓ Yes ☐ No	Yes No	Yes No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No
_	Is the the location free from trash, oil stains and another materials? (cables, pipe threads, etc.)	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	Yes No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No	☑ Yes ☐ No
MENT/	Does the pit contain two feet of free board? (check the water levels)	✓ Yes □ No	✓ Yes ☐ No	✓ Yes ☐ No	Yes No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes □ No	✓ Yes □ No	☑ Yes ☐ No
ENVIRONMENTAL	Is there any standing water on the blow pit?	✓ Yes □ No	☑ Yes ☐ No	✓ Yes □ No	Yes No	✓ Yes ☐ No	✓ Yes No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No
ENV	Are the pits free of trash and oil?	✓ Yes □ No	☑ Yes¹ ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No	✓ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	✓ Yes □ No	✓ Yes ☐ No	✓ Yes □ No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes □ No	✓ Yes □ No	✓ Yes ☐ No
	Is there a Manifold on location?	✓ Yes □ No	Yes 🗸 No	☐ Yes ☑ No	Yes No	Yes No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes □ No	✓ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	Yes No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No
	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	PICTURE TAKEN	Yes 🗸 No	☐ Yes ☑ No	Yes No	Yes No	Yes 🗸 No	☐ Yes ☑ No	Yes 🗸 No	Yes 🗸 No	☐ Yes ☑ No
	COMMENTS	Mote on loc	Roads muddy	HVP RIG 282 Rosd needs bladed Cattle guard needs reset	rig on location	fence needs fixed water needs pulled location needs bladed		Road needs bladed		

WELL NAME: S.J. 30-6#58C INSPECTOR Fred Mtz 11/23/10 11/30/10 12/07/10 01/05/10 01/11/11 01/18/11 01/25/11 02/08/11 DATE 11/16/10 *Please request for pit extention after 26 weeks Week 10 Week 11 Week 12 Week 13 Week 14 Week 15 Week 16 Week 17 Week 18 ✓ Drilled ☑ Drilled □ Drilled ☐ Drilled Drilled ✓ Drilled ✓ Drilled Drilled ☐ Drilled Completed Completed Completed Completed Completed Completed ☑ Completed ✓ Completed Completed PIT STATUS Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Lin Is the location marked with the proper flagging? ☑ Yes ☐ No ✓ Yes No ✓ Yes No ☑ Yes ☐ No ✓ Yes ☐ No ☐ Yes ☐ No Yes No ✓ Yes ☐ No ✓ Yes ☐ No (Const. Zone, poles, pipelines, etc.) Is the temporary well sign on location and visible ☑ Yes ☐ No ✓ Yes ☐ No. ✓ Yes ☐ No ✓ Yes ☐ No. ✓ Yes ☐ No ☐ Yes ☐ No. ☐ Yes ☐ No. ✓ Yes ☐ No ✓ Yes ☐ No from access road? Is the access road in good driving condition? ✓ Yes ☐ No ✓ Yes ☐ No ✓ Yes □ No ✓ Yes □ No Yes V No Yes No Yes No Yes V No ☐ Yes ✓ No. (deep ruts, bladed) Are the culverts free from debris or any object ☐ Yes ☐ No ✓ Yes 🗌 No ✓ Yes ☐ No ✓ Yes ☐ No ✓ Yes ☐ No ☑ Yes ☐ No ✓ Yes ☐ No Yes No ✓ Yes ☐ No preventing flow? Is the top of the location bladed and in good 🛒 : ✓ Yes ☐ No. Yes No ✓ Yes No ✓ Yes ☐ No ☐ Yes 🗸 No ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☑ No Yes V No operating condition? Is the fence stock-proof? (fences tight, barbed ☐ Yes ☐ No ✓ Yes ☐ No ✓ Yes □ No ✓ Yes ☐ No ✓ Yes □ No ✓ Yes □ No ☐ Yes ☐ No. Yes V No ☐ Yes ✓ No wire, fence clips in place? Is the pit liner in good operating condition? (no ✓ Yes ☐ No ✓ Yes 🗌 No ✓ Yes □ No ✓ Yes ☐ No ✓ Yes ☐ No ✓ Yes ☐ No Yes No ☐ Yes ☐ No ✓ Yes □ No tears, up-rooting corners, etc.) Is the the location free from trash, oil stains and Yes No ☑ Yes ☐ No ☑ Yes ☐ No ☐ Yes ☐ No Yes No ✓ Yes ☐ No ✓ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No other materials? (cables, pipe threads, etc.) Does the pit contain two feet of free board? (check ✓ Yes ☐ No ✓ Yes 🗌 No ✓ Yes ☐ No ☑ Yes ☐ No ✓ Yes □ No ☐ Yes ☐ No ☐ Yes ☐ No ☑ Yes ☐ No ✓ Yes ☐ No the water levels) Is there any standing water on the blow pit? ✓ Yes ☐ No ☐ Yes ☐ No Yes No ✓ Yes ☐ No. Are the pits free of trash and oil? ✓ Yes ☐ No ☑ Yes ☐ No ✓ Yes ☐ No ✓ Yes ☐ No ✓ Yes ☐ No ✓ Yes ☐ No Yes No ☐ Yes ☐ No ✓ Yes ☐ No Are there diversion ditches around the pits for ✓ Yes No ✓ Yes No ☑ Yes ☐ No ☐ Yes ✓ No ✓ Yes ☐ No Yes No ☐ Yes ☐ No ✓ Yes ☐ No ✓ Yes 🗌 No natural drainage? Is there a Manifold on location? ✓ Yes No ✓ Yes ☐ No Yes No ✓ Yes 🗌 No ☑ Yes ☐ No Yes No ☐ Yes ☐ No ✓ Yes 🗌 No ✓ Yes □ No Is the Manifold free of leaks? Are the hoses in ☑ Yes ☐ No ✓ Yes □ No ✓ Yes □ No ✓ Yes 🗌 No ✓ Yes ☐ No ☐ Yes ☐ No Yes No ✓ Yes 🗌 No Yes No good condition? Yes No Yes No Yes V No ☐ Yes ☑ No △ Was the OCD contacted? ☐ Yes ☑ No Yes V No Yes 🗸 No Yes V No Yes V No ☐ Yes ☑ No Yes V No Yes 🗸 No ☐ Yes 🗸 No Yes No ☐ Yes ☐ No Yes No Yes 🔽 No Yes V No PICTURE TAKEN Tiahten fence dropped off COMMENTS DraKF rik on boom road and Road needs No repairs has oil Drake rig on Drake rig on location moven location needs bladed location No repairs frack crew on location by load line location location on the 19th bladed needs bladed

-		WELL NAME: S.J. 30-6#58C									
F		INSPECTOR		Fred Mtz							
-		*Please request for pit extention after 26 weeks	02/15/11 Week 19	03/01/11 Week 20	Week 21	Week 22	Week 23	Week 24	Week 25	*Week 26*	Week 27
	PIT STATUS		☑ Drilled ☑ Completed ☐ Clean-Up	☑ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled☐ Completed☐ Clean-Up	☐ Drilled☐ Completed☐ Clean-Up	☐ Drilled☐ Completed☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	Drilled Completed Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	Drilled Completed Clean-Up
I	ATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	Yes No	Yes No	Yes No	☐ Yes ☐ No
I۷	Ω	Is the temporary well sign on location and visible from access road?	☐ Yes ☐ No	-☑ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
		Is the access road in good driving condition? (deep ruts, bladed)	☐ Yes ☑ No	✓ Yes □ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
		Are the culverts free from debris or any object preventing flow?	✓ Yes No	✓ Yes No	Yes No	Yes No	☐ Yes ☐ No	Yes No	Yes No	Yes No	Yes No
		Is the top of the location bladed and in good operating condition?	☐ Yes ☑ No	✓ Yes □ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No	Yes No
I	NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	✓ Yes 🗌 No	✓ Yes No	☐ Yes ☐ No	☐.Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	Yes No	☐ Yes ☐ No
	OMPLIAN	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes 🗌 No	✓ Yes □ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
l	Ŭ	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	✓ Yes 🗌 No	✓ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
İ	NVIRONMENTAL	Does the pit contain two feet of free board? (check the water levels)	✓ Yes 🗌 No	☐ Yes ☑ No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	RON	Is there any standing water on the blow pit?	✓ Yes 🗌 No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	ENV	Are the pits free of trash and oil?	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	Yes No	Yes No
		Are there diversion ditches around the pits for natural drainage?	✓ Yes 🗌 No	✓ Yes □ No	Yes No	Yes No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No
		Is there a Manifold on location?	✓ Yes 🗌 No	☐ Yes ☑ No	☐ Yes ☐ No	Yes No	Yes No	Yes No	Yes No	☐ Yes ☐ No	Yes No
		Is the Manifold free of leaks? Are the hoses in good condition?	✓ Yes 🗌 No	☐ Yes ☑ No	Yes No	Yes No	Yes No	Yes No	Yes No	☐ Yes ☐ No	Yes No
00	3 a	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No
		PICTURE TAKEN	☐ Yes ☑ No	.□ Yes ☑ No	Yes No	Yes No	Yes, No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
		COMMENTS	Tested pit on 2/11/11 road and location needs bladed	Reclamation crew on location							