1625 N French Dr., Hobbs, NM 88240

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd , Aztec, NM 87410

District IV

1220 S St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division

1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

		Pit, Closed-Loop System, Below-Grade Tank, or
	Prop	osed Alternative Method Permit or Closure Plan Application
2942	Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
0		X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
•		Modification to an existing permit
		Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
		below-grade tank, or proposed alternative method
Instructions: l	Please submit one a	pplication (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

l Operator: Bur	lington Resources Oil & Gas Company, LP	OGRID#: 14538
	. Box 4289, Farmington, NM 87499	
Facility or well	name: SAN JUAN 28-6 UNIT 122N	
API Number:	30-039-30790	OCD Permit Number:
U/L or Qtr/Qtr:	K(NE/SW) Section: 15 Township: 28N	Range: 6W County: Rio Arriba
Center of Prope	osed Design: Latitude: 36.65829 °N	Longitude: 107.45826 °W NAD: 1927 X 1983
Surface Owner	X Federal State Private	Tribal Trust or Indian Allotment
X Pit: Substitution Temporary Permanent X Lined X String-Reir	Unlined Liner type: Thickness 20 mi	I X LLDPE PVC Other
Liner Seams:	X Welded X Factory Other	Volume: bbl
Type of Opera	notice of it	, =
Drying F Lined [Liner Seams	dad Above Ground Steel Tanks Haul-off Bins Unlined Liner type: Thickness mil Welded Factory Other	Other
Volume: Tank Construct Secondary	containment with leak detection Visible sidewalls, lin	ner, 6-inch lift and automatic overflow shut-off Change Cons. DIV. DIST. 3
	ive Method: n exception request is required. Exceptions must be submitted t	o the Santa Fe Environmental Bureau office for consideration of approval.
F	n C 144	mustian Division Daga Lof 5



Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)				
Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify		,		
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible) Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15 3.103 NMAC Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for considerations of the consideration of the consideration of the santa Fe Environmental Bureau office for considerations.	deration of app	roval		
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	□No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□ NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐Yes ☐NA	No		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	□No		
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	□No		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No		
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No		
Within a 100-year floodplain - FEMA map	Yes	□No		

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC				
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17 9 NMAC and 19.15 17.13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9				
NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC Situng Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15.17.13 NMAC				
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17.13 NMAC				
Ste Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division

Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above	Ground Steel Tanks or Haul-off Bins Only:(19.15 17.13.D NMAC)		
Instructions: Please identify the facility or facilities for the disposal of liq facilities are required				
Disposal Facility Name:	Disposal Facility Permit #:			
Disposal Facility Name:		7		
Will any of the proposed closed-loop system operations and assoc		e service and		
Required for impacted areas which will not be used for future service and	the appropriate requirements of Subsection H of 19.15.17.13 its of Subsection I of 19 15 17 13 NMAC	NMAC		
17 Siting Criteria (Regarding on-site closure methods only: 19.15. Instructions Each siting criteria requires a demonstration of compliance in the cle certain siting criteria may require administrative approval from the appropriate di office for consideration of approval. Justifications and/or demonstrations of equiv	isure plan. Recommendations of acceptable source material are provided belo strict office or may be considered an exception which must be submitted to the			
Ground water is less than 50 feet below the bottom of the buried - NM Office of the State Engineer - iWATERS database search; US		Yes No		
Ground water is between 50 and 100 feet below the bottom of the	buried waste	☐ ☐Yes ☐No		
- NM Office of the State Engineer - iWATERS database search; USC		N/A		
Ground water is more than 100 feet below the bottom of the burns	ed waste.	Yes No		
- NM Office of the State Engineer - (WATERS database search; USC	GS; Data obtained from nearby wells	□N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any (measured from the ordinary high-water mark).		Yes No		
- Topographic map, Visual inspection (certification) of the proposed				
Within 300 feet from a permanent residence, school, hospital, institution, - Visual inspection (certification) of the proposed site; Aerial photo; s		∐Yes ∐No		
Within 500 horizontal feet of a private, domestic fresh water well or spring purposes, or within 1000 horizontal fee of any other fresh water well or spring - NM Office of the State Engineer - iWATERS database; Visual inspr	oring, in existence at the time of the initial application.	Yes No		
Within incorporated municipal boundaries or within a defined municipal fr pursuant to NMSA 1978, Section 3-27-3, as amended	·	Yes No		
 Written confirmation or verification from the municipality; Written Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map, Topographic ma 		Yes No		
Within the area overlying a subsurface mine	o, visual hispection (certification) of the proposed site	☐Yes ☐No		
- Written confirantion or verification or map from the NM EMNRD-	Mining and Mineral Division			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of C Topographic map	Geology & Mineral Resources; USGS, NM Geological Society:	Yes No		
Withm a 100-year floodplain FEMA map		☐Yes ☐No		
18 On-Site Closure Plan Checklist: (19.15 17 13 NMAC) Instruct by a check mark in the box, that the documents are attached.	ions: Each of the following items must bee attached to the cl	osure plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the				
Proof of Surface Owner Notice - based upon the appropria				
	based upon the appropriate requirements of 19.15.17.11 NMA			
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Waste Material Sampling Plan - based upon the appropriat	e requirements of Subsection F of 19.15.17.13 NMAC			
	illing fluids and drill cuttings or in case on-site closure standar	rds cannot be achieved)		
Soil Cover Design - based upon the appropriate requirement				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17.13 NMAC				

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print) Title:
Signature: Date:
e-mail address Telephone:
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 1915 1713 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: June 25, 2010
22
Closure Method: X Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain
23 Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0010 / NM -01-0010B
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? X Yes (If yes, please demonstrate compliant to the items below) No
Required for impacted areas which will not be used for future service and operations: X Site Reclamation (Photo Documentation)
X Soil Backfilling and Cover Installation
X Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) X Plot Plan (for on-site closures and temporary pits) X Confirmation Sampling Analytical Results (if applicable) X Waste Material Sampling Analytical Results (if applicable) X Disposal Facility Name and Permit Number X Soil Backfilling and Cover Installation X Re-vegetation Application Rates and Seeding Technique X Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: 36.65842 °N Longitude: 107.45849 °W NAD 1927 x 1983
25
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) Jamie Goodwin Title: Regulatory, Tech
Signature:
a mail address (James I goodwin@conoconbilling com Talanhone: 505 226 0784

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: SAN JUAN 28-6 UNIT 122N

API No.: 30-039-30790

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- C-141 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on FederalLand, certified mail is not required for Federal Land per BLM/OCD MOU.)

3. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future.

- 4. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

5. All contents of the temporary pit including the liner will be excavated and hauled to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit #NM-01-0011.

Liner of temporary pit and pit contents was excavated and hauled to Envirotech Land Farm (Permit #NM-01-0011). Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried.

6. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken from the soil beneath the pit to conclude if a release had occurred using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	1.1 ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	16.3 ug/kG
TPH	EPA SW-846 418.1	2500	11.0mg/kg
GRO/DRO	EPA SW-846 8015M	500	ND mg/Kg
Chlorides	EPA 300.1	1000/500	35 mg/L

7. Upon testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. The cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The pit area passed testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. The cover included one foot of suitable material to establish vegetation at the site.

8. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

9. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

10. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

11. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The temporary pit was excavated and no on-site burial marker was required.

Jaramillo, Marie E

From:

Jaramillo, Marie E

Sent:

Tuesday, June 30, 2009 1:17 PM

To:

'mark_kelly@nm.blm.gov'

Subject:

SURFACE OWNER NOTIFICATION 06/30/09

Importance:

High

The subject well will have a temporary pit that will be closed on-site. Please let me know if you have any questions.

NEW DRILL

SAN JUAN 28-6 UNIT 119N SAN JUAN 28-6 UNIT 122N

The subject wells have a temporary pit that will be closed on-site. Please let me know if you have any questions.

PIT CLOSURE

SAN JUAN 31-6 UNIT 3M SAN JUAN 30-5 UNIT 73N

Marie Jaramillo

Staff Regulatory Tech.
ConocoPhillips
Office # (505) 326-9865
Fax # (505) 599-4062
mailto;marie.e.jaramillo@conocophillips.com

District I 1625 N French Dr., Hobbs, NM 88240

District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410

District IV 1220 S St Francis Dr. Santa Fe, NM 87505

State of New Mexico Energy, Minerals & Natural Resources Department

> OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised October 12, 2005 Instructions on back Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

AMENDED REPORT


WELL LOCATION AND ACREAGE DEDICATION PLAT

'API Number	'Pool Code 72319 / 71599	³Pool Name BLANCO MESAVERDE / BA	IN DAKOTA	
'Property Code Property SAN JUAN 20				
'OGRID No 14538	*Operat BURLINGTON RESOURCES	OIL & GAS COMPANY LP	°Elevation 6593'	

10 Surface Location

					Jan 1 acc	Coca c tou			
UL or lat no	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
К	15	28N	6W		1550	SOUTH	1540	WEST	RIO ARRIBA
		11 E	Bottom	Hole L	ocation I	f Different	From Surf	ace	
UL or lat no	Sect ion	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County RIO
L	15	28N	6W		2300	SOUTH	300	WEST	ARRIBA
12 Dedicated Acres	320.0 320.0			(MV) (DK)	13 Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr, Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Revised October 10, 2003

Form C-141

Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

Release Notification and Corrective Action

	OPERATOR	☐ Initia	l Report 🛛 🖂 Final Repor			
Name of Company BURLINGTON RESOURCES OIL & GA	AS Contact Jamie Goodwin					
COMPANY LP Address 3401 East 30 th St, Farmington, NM	Telephone No (505) 226 07	Talanhana Na (505) 226 0784				
Facility Name: SAN JUAN 28-6 UNIT 122N	Facility Type: Gas Well	04				
Surface Owner BLM Mineral Ov	wner BLM	Lease N	o.SF-079192			
LOCA	LOCATION OF RELEASE					
Unit Letter Section Township Range Feet from the K 15 28N 6W	North/South Line Feet from the	East/West Line	County RIO ARRIBA			
Latitude <u>36</u>	.65829 Longitude <u>107.45826</u>					
NATO	URE OF RELEASE					
Type of Release Pit Closure Summary	Volume of Release N/A		ecovered N/A			
Source of Release N/A	Date and Hour of Occurrence	N/A Date and I	lour of Discovery N/A			
Was Immediate Notice Given?	quired N/A					
By Whom? N/A	Date and Hour N/A					
Was a Watercourse Reached?	If YES, Volume Impacting th	ne Watercourse.				
N/A ☐ Yes ☐ No	N/A					
Describe Cause of Problem and Remedial Action Taken.* N/A Describe Area Affected and Cleanup Action Taken.* N/A	N/A Describe Area Affected and Cleanup Action Taken.*					
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.						
Signature: OIL CONSERVATION DIVISION Printed Name: Jamie Goodwin Approved by District Supervisor:						
Title: Regulatory Tech	Approval Date:	Expiration D	Date:			
The regulatory room	Approval Bate.	1 Expiration L				
E-mail Address: jamie.l.goodwin@conocophillips.com	Conditions of Approval:		Attached			
Date: 9/12/11 Phone: (505) 326-9784 * Attach Additional Sheets If Necessary	Date: 9/12/11 Phone: (505) 326-9784 Attach Additional Sheets If Necessary					



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	SJ 28-6 122N	Date Reported:	07-01-10
Laboratory Number:	54895	Date Sampled:	06-25-10
Chain of Custody No:	9768	Date Received:	06-25-10
Sample Matrix:	Soil	Date Extracted:	06-29-10
Preservative:	Cool	Date Analyzed:	06-30-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	ND	0.2	
Diesel Range (C10 - C28)	ND	0.1	
Total Petroleum Hydrocarbons	ND	0.2	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

SJ 28-6 122N

Sample After Dig & Haul

Analyst

Poviou



EPA Method 8015 Modified Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Quality Assurance Report

Client:	QA/QC		Project #:		N/A
Sample ID:	06-30-10 QA/0	ac ac	Date Reported:		07-01-10
Laboratory Number:	54891		Date Sampled:		N/A
Sample Matrix:	Methylene Chlor	ride	Date Received:		N/A
Preservative:	N/A		Date Analyzed:		06-30-10
Condition:	N/A		Analysis Reque	ested:	TPH
The same was	I-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
Gasoline Range C5 - C10	05-07-07	9.9960E+002	1.0000E+003	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	9.9960E+002	1.0000E+003	0.04%	0 - 15%
Blank Conc. (mg/L - mg/Kg)		Concentration		Detection Limit	:
Gasoline Range C5 - C10		ND		0.2	
Diesel Range C10 - C28		ND		0.1	
Total Petroleum Hydrocarbons		ND		0.2	
Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range	
Gasoline Range C5 - C10	26.8	27.3	1.9%	0 - 30%	
Diesel Range C10 - C28	3.8	4.3	13.2%	0 - 30%	
Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	26.8	250	278	100%	75 - 125%
Diesel Range C10 - C28	3.8	250	258	102%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 54891-54895; 54898-54900; 54916; 54828-54829

Paris Vaguera



96052-1706

07-02-10

06-25-10

06-25-10

06-30-10

06-29-10

BTEX

Client: ConocoPhillips Project #: Sample ID: SJ 28-6 122N Date Reported: Laboratory Number: 54895 Date Sampled: Chain of Custody: 9768 Date Received: Sample Matrix: Soil Date Analyzed: Preservative: Cool Date Extracted: Condition: Intact Analysis Requested:

Concentration Limit
Parameter (ug/Kg) (ug/Kg)



Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	SJ 28-6 122N	Date Reported:	07-02-10
Laboratory Number:	54895	Date Sampled:	06-25-10
Chain of Custody:	9768	Date Received:	06-25-10
Sample Matrix:	Soil	Date Analyzed:	06-30-10
Preservative:	Cool	Date Extracted:	06-29-10
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	1.1	0.9
Toluene	3.5	1.0
Ethylbenzene	2.6	1.0
p,m-Xylene	4.4	1.2
o-Xylene	4.7	0.9
Total BTEX	16.3	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
•	1,4-difluorobenzene	· 100 %
	Bromochlorobenzene	100 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

SJ 28-6 122N

Sample After Dig & Haul

Analyst

Review



Client:	N/A		Project #:		N/A
Sample ID:	0630BBLK QA/QC		Date Reported:		07-02-10
Laboratory Number:	54891		Date Sampled:		N/A
Sample Matrix:	Soil		Date Received:		N/A
Preservative:	N/A		Date Analyzed: 06-30-1		06-30-10
Condition:	N/A		Analysis:		BTEX
Calibration and	I-Cal RF:	C-Cal RF:	%Diff.	Blank	Detect.
Detection Limits (ug/L)		Accept. Ran	ge 0 - 15%	Conc	Limit
Benzene	1 2656E+006	1.2682E+006	0.2%	ND	0.1
Toluene	1 1600E+006	1 1623E+006	0.2%	ND	0.1
Ethylbenzene	1.0418E+006	1,0439E+006	0.2%	ND	0.1
p,m-Xylene	2.5785E+006	2.5837E+006	0.2%	ND	0.1
o-Xylene	9.5318E+005	9.5509E+005	0.2%	ND	0.1
Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff.	Accept Range	Detect. Limit
Benzene	17.8	17.2	3.4%	0 - 30%	0.9
Toluene	78.3	65.0	17.0%	0 - 30%	1.0
Ethylbenzene	36.4	33.0	9.3%	0 - 30%	1.0
p,m-Xylene	363	371	2.2%	0 - 30%	1.2
o-Xylene	112	104	7.1%	0 - 30%	0.9
Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	17.8	50.0	52.6	77.7%	39 - 150
Toluene	78.3	50.0	57.2	44.6%	46 - 148
Ethylbenzene	36.4	50.0	51.8	60.0%	32 - 160
p,m-Xylene	363	100	135		46 - 148
• • •					
o-Xylene	112	50.0	60.3	98.6%	46 - 148

ND - Parameter not detected at the stated detection limit.

References.

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 54891-54895; 54898-54900

Analyst



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	SJ 28-6 #122N	Date Reported:	07-02-10
Laboratory Number:	54895	Date Sampled:	06-25-10
Chain of Custody No:	9768	Date Received:	06-25-10
Sample Matrix:	Soil	Date Extracted:	06-30-10
Preservative:	Cool	Date Analyzed:	06-30-10
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit (
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

11.0

9.6

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

SJ 28-6 122N

Sample After Dig & Haul

Analyst

Paul Vaguera



EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

Client: QA/QC Project #: N/A Sample ID: **QA/QC** Date Reported: 07-01-10 06-30-TPH.QA/QC 54931 Laboratory Number: Date Sampled: N/A Sample Matrix: Freon-113 Date Analyzed: 06-30-10 Preservative: N/A Date Extracted: 06-30-10 Condition: N/A Analysis Needed: TPH

Calibration I-Cal Date C-Cal Date I-Cal RF: C-Cal RF: % Difference Accept. Range 06-30-10 06-30-10 1,716 1,770 3.1% +/- 10%

Blank Conc. (mg/Kg) Concentration **Detection Limit TPH** ND 9.6

Duplicate Conc. (mg/Kg) Sample Duplicate % Difference Accept. Range **TPH** 12.4 11.0 11.3% +/- 30%

Spike Conc. (mg/Kg) Sample Spike Added Spike Result % Recovery Accept Range **TPH** 12.4 2,000 1,920 95.4% 80 - 120%

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 54928-54931, 54945; 54891-54895

Fondi Vaguera



Chloride

Client: ConocoPhillips Project #: 96052-1706 Sample ID: SJ 28-6 #122N Date Reported: 07-01-10 Lab ID#: 54895 Date Sampled: 06-25-10 Sample Matrix: Soil Date Received: 06-25-10 Preservative: Cool Date Analyzed: 06-30-10 Condition: Intact Chain of Custody: 9768

Parameter

Concentration (mg/Kg)

Total Chloride -

35

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

SJ 28-6 122N

Sample After Dig & Haul



Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	05-21-10
Laboratory Number:	54253	Date Sampled:	05-14-10
Chain of Custody:	9178	Date Received:	05-14-10
Sample Matrix:	Soil	Date Analyzed:	05-20-10
Preservative:	Cool	Date Extracted:	05-18-10
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	40.0	0.0
Toluene	10.6 116	0. 9 1.0
Ethylbenzene	15.2	1.0
p,m-Xylene	229	1.2
o-Xylene	23.3	0.9 ·
Total BTEX	394	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery	
	Fluorobenzene	114 %	
	1,4-difluorobenzene	116 %	
	Bromochlorobenzene	115 %	

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

San Juan 28-6 Unit 122N

Analyst

Review



Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	05-21-10
Laboratory Number:	54254	Date Sampled:	05-14-10
Chain of Custody:	9178	Date Received:	05-14-10
Sample Matrix:	Soil ·	Date Analyzed:	05-20-10
Preservative:	Cool	Date Extracted:	05-18 - 10
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	0.9	
Toluene	3.4	1.0	
Ethylbenzene	ND	1.0	
p,m-Xylene	1.8	1.2	
o-Xylene	3.8	0.9	
Total BTEX	9.0		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	124 %
	1,4-difluorobenzene	128 %
	Bromochlorobenzene	115 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

San Juan 28-6 Unit 122N

Analyst

Review



Client:	N/A	Project#:	N/A
Sample ID:	0520BBLK QA/QC	Date Reported:	05-21-10
Laboratory Number: ·	54289	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	05-20-10
Condition:	N/A	Analysis:	BTEX

Gallbrätten gives: "Detegrön Umba (46)L)		C-GAIRE 'Accept Rang		III Blank **Bobic	it. Defect * : Elmli
Benzene	2.0527E+006	2.0568E+006	0.2%	ND	0.1
Toluene	1.4129E+006	1.4157E+006	0.2%	ND	0.1
Ethylbenzene	1.0477E+006	1.0498E+006	0.2%	ND	0.1
p,m-Xylene	1.2790E+005	1.2815E+005	0.2%	ND	0.1
o-Xylene	3.8315E+005	3.8392E+005	0.2%	ND	0.1

(and highly about thanks)	Her Centers & Diff	olliselle.		Anderjeld kantejs	Beige Hill
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	ND	ND	0.0%	0 - 30%	1.0
Ethylbenzene	₩D	ND	0.0%	0 - 30%	1.0
p,m-Xylene	ND	ND	0.0%	0 - 30%	1.2
o-Xylene	ND	ND	0.0%	0 - 30%	0.9

Spike/conc.((ig/kg)*	Samiles S. Amo	uni spilter ssini	čie sample s	Marce Syen	Acceptance
Benzene	ND	50.0	69.3	139%	39 - 150
Toluene	ND	50.0	66.7	133%	46 - 148
Ethylbenzene	ND	50.0	58.9	118%	32 - 160
p,m-Xylene	ND	100	114	114%	46 - 148
o-Xylene	ND	50.0	54.3	109%	46 - 148

ND - Parameter not detected at the stated detection limit.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 54253, 54254, 54289, 54290, 54303-54308, 54337.

Analyst



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client;	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	05-21-10
Laboratory Number:	54253	Date Sampled:	05-14-10
Chain of Custody No:	9178	Date Received:	05-14-10
Sample Matrix:	Soil	Date Extracted:	05-20-10
Preservative:	Cool	Date Analyzed:	05-20-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	109	0.2
Diesel Range (C10 - C28)	420	0.1
Total Petroleum Hydrocarbons	529	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments: San Juan 28-6 Unit 122N

Analyst



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips.	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	05-21-10
Laboratory Number:	54254	Date Sampled:	05-14-10
Chain of Custody No:	9178	Date Received:	05-14-10
Sample Matrix:	Soil	Date Extracted:	05-20-10
Preservative:	Cool	Date Analyzed:	05-20-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

San Juan 28-6 Unit 122N



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	05-20-10 QA/QC	Date Reported:	05-21-10
Laboratory Number:	54289	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	05-20-10
Condition:	N/A	Analysis Requested:	TPH

	A provide per 164	es reactional design	(SIGNOSIANIS)	// Ellichende	Accept Range
Gasoline Range C5 - C10	05-07-07	9.8932E+002	9.8972E+002	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	1.0141E+003	1.0145E+003	0.04%	0 - 15%

Hank Gonts (tra) Song/(se) Consultation	her Edingenhen(o)	Delegation tellerin
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

Pigelierczele (malecze		Dispilesta:		ু তেওঁ গুলু নিৰ্দাৰ কৰি । প্ৰতিক্ৰিয়া কৰি ।
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%

Splkeredneskon/konstitution	i de la	a applications	Spkelifeaul	e 9% Releavent	Acesto France
Gasoline Range C5 - C10	ND	250	299	120%	75 - 125%
Diesel Range C10 - C28	ND	250	305	122%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 54289, 54290, 54337, 54304-54308, 54253, 54254.

Analyst

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client: .	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	05-24-10
Laboratory Number:	54253	Date Sampled:	05-14-10
Chain of Custody No:	9178	Date Received:	05-14-10
Sample Matrix:	Soil	Date Extracted:	05-20-10
Preservative:	Cool	Date Analyzed:	05-20-10
Condition:	Intact	Analysis Needed:	TPH-418.1

•		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

548

21.6

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

San Juan 28-6 Unit 122N

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	05-24-10
Laboratory Number:	54254	Date Sampled:	05-14-10
Chain of Custody No:	9178	Date Received:	05-14-10
Sample Matrix:	Soil	Date Extracted:	05-20-10
Preservative:	Cool	Date Analyzed:	05-20-10
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

23,7

21.6

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

San Juan 28-6 Unit 122N



EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

Client:

QA/QC

Project #:

N/A

Sample ID:

QA/QC

Date Reported:

05-24-10

Laboratory Number:

05-20-TPH.QA/QC 54251

Date Sampled:

N/A

TPH

Sample Matrix:

Freon-113

Date Analyzed:

05-20-10

Preservative:

N/A

N/A

Date Extracted: Analysis Needed: 05-20-10

Condition:

I-Cal Date C-Cal Date

I-Cal RF:

C-Cal RF: % Difference Accept Range

Calibration 04/22/2010

05-20-10

1,690

1,770

4.7% +/- 10%

Blank Conc. (mg/Kg)

Concentration ND

Detection Limit 21.6

TPH

Duplicate

% Difference

Accept. Range

TPH

TPH

Sample 473

392

17.1%

+/- 30%

Spike Conc. (mg/Kg)

Duplicate Conc. (mg/Kg

473

Spike Added 2,000

Spike Result 2,430

98.2%

80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 54251-54254, 54304, 54308.



Chloride

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	05-24-10
Lab ID#:	54253	Date Sampled:	05-14-10
Sample Matrix:	Soil	Date Received:	05-14-10
Preservative:	Cool	Date Analyzed:	05-20-10
Condition:	Intact	Chain of Custody:	9178

Parameter	Concentration (mg	-11/\
Parameier	Loncentration (mo	1/K(T)
	Outlocht ation fins	#* * *21 /

Total Chloride

150

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

San Juan 28-6 Unit 122N

Analyst



Chloride

Client:	ConocoPhillipd	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	05-24-10
Lab ID#:	54254	Date Sampled:	05-14-10
Sample Matrix:	Soil	Date Received:	05-14-10
Preservative:	Cool	Date Analyzed:	05-20-10
Condition:	Intact	Chain of Custody:	9178

Parameter

Concentration (mg/Kg)

Total Chloride

45

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

San Juan 28-6 Unit 122N

Analyst ,

Revi

Submit To Appropri Two Copies	ate District Of	fice		State of New Mexico						Form C-105 July 17, 2008					
District I 1625 N French Dr,	Hobbs, NM 8	8240		Energy, Minerals and Natural Resources				1. WELL API NO.							
District II 1301 W Grand Ave	nue, Artesia, N	NM 88210							30-039-30790						
<u>District III</u> 1000 Rio Brazos Rd	, Aztec, NM	87410			20 South S					2 Type of Lease					AN
District IV 1220 S St Francis I				12	Santa Fe, N			<i>7</i> 1.		STATE ☐ FEE ☑ FED/INDIAN 3. State Oil & Gas Lease No.					AN
				FOOMBL				2100		SF-079192	2000	- m 93	5 8 2 N Z	- T.	
WELL COMPLETION OR RECOMPLETION REPORT AND LOG 4. Reason for filing						5 Lease Name			-2.04						
☐ COMPLETI	U	T (Edl in b	.v.oc #1	through #21	for State and Fee	a walle c	nlu)			SAN JUAN	28-				
_		,		J			• /			6 Well Numb	er.				
C-144 CLOS #33, attach this an	nd the plat to								d/or						
7 Type of Comp ☑ NEW V		VORKOVEI	R □ D	DEEPENING	□PLUGBACI	K 🗆 D	IFFERI	NT RESER	VOIF	R OTHER_					
8 Name of Opera		Oil Cas (70	any I D						9 OGRID 14538					
Burlington R 10 Address of Or		On Gas C	_omp	any, LP						11. Pool name	or Wı	ldcat			
PO Box 4298, Fai	rmington, Ni	M 87499						•							
12.Location	Unit Ltr	Section	7	Township	Range	Lot		Feet from	the	N/S Line	Feet	from the	E/W I	ine	County
Surface:															
BH:														(0.0	12772
13 Date Spudded	14. Date	T D Reache	ed	15. Date Rig 01/09/10	g Released		10	. Date Comp	oletec	d (Ready to Prod	uce)		7. Elevat Γ, GR, e		and RKB,
18. Total Measure	ed Depth of V	Well		19 Plug Ba	ck Measured Dep	pth	20	Was Direc	ctiona	al Survey Made?		21 Typ	e Electri	ic and Ot	her Logs Run
22 Producing Inte	erval(s), of the	his completion	on - To	<u>l</u> op, Bottom, N	ame		_							** ***	
				CAS	INC DEC	ODD	(Dat	out all at	tuin	ag got in vy	.11\				
CASING SIZ	ZE	WEIGHT	LB./FT		DEPTH SET			OLE SIZE	11111	gs set in we		CORD	——AN	MOUNT	PULLED
						_									
24. SIZE	TOP		BOTT		ER RECORD SACKS CEM	IENIT I	SCREE	N	25	<u>T</u> ZE	_	NG REC		DACK	ER SET
SIZE	TOP		БОТТ	OWI	SACKS CEIVI	IENI	SCREE	IN .	31.	<u>ZC</u>	100	.r m se	<u> </u>	FACK	EK SET
26 Perforation	record (inter	val, sıze, an	d numb	ber)		}		CID, SHOT I INTERVA		ACTURE, CE I AMOUNT A					
						F	DEI II	HILLERTIE		- Amount in			<u> </u>	JOSED	
20						DDO	DIIC	TION							
Date First Produc	tion	Pro	ductio	on Method (Fi	owing, gas lift, p				p)	Well Status	(Proc	d. or Shut-	- <i>in)</i>		
Date of Test	Hours Te	ested	Chok	e Size	Prod'n For Test Period	ļ	Oıl - B	ol	Ga	as - MCF	w	ater - Bbl		Gas - C	Oil Ratio
Flow Tubing Press	Casing P	ressure	Calcu Hour	ulated 24-	Oil - Bbl		Ga	s - MCF	<u> </u>	Water - Bbl.		Oıl Gra	vity - A	PI - <i>(Cor</i>	r)
29. Disposition of	FGoo (Sold)	used for fire						•••			20 7	est Witne	seed By		•
31. List Attachme	,	usea jor juei	, verned	u, eic)							30 1	cst with			
32 If a temporary		d at the well	attach	a plat with t	ne location of the	temnor	ary nit								
33 If an on-site b	-														
N/A DIG & I		eu at ille wei	п, герог					45849°W 1	NAD	□1927 ⊠1983	3				
I hereby certif	fy that the	informati	on sho	own on bot	h sides of this	s form	is true	and comp	olete	to the best o	f my	knowled	dge an	d beliej	f
Signature	Dmi	e Goo	du		nted me Jamie Go	oodwir	n Ti	tle: Regi	ulato	ory Tech	Date	: 9/8/20	11		
E-mail Addres	ss jamie.l	.goodwin(@con	ocophillips	s.com_										

ConocoPhillips

Pit Closure Form:
Date: 6/25/2010
Well Name: 53 28-6 122N
Footages: 1550 FSL 1540 FWL Unit Letter: K
Section: 15, T-28-N, R-6-W, County: RA State:
Contractor Closing Pit: 30 R; Her
**PIT MAKER STATUS (When Required): MARKER PLACED: No Marker (DATE)
MARKER MADE BUT NOT PLACED(X)(DATE)
Construction Inspector: Norman Faver Date: 6/25/10 Inspector Signature: Norman Faver
Dig Haul Sample 6/25/2010

Revised 4/30/10

Goodwin, Jamie L

From:

Payne, Wendy F

Sent:

Tuesday, June 15, 2010 10:45 AM

To:

(Brandon.Powell@state.nm.us); 'brook@crossfire-llc.com'; GRP:SJBU Regulatory; 'Isaiah

Lee'; 'tevans48@msn.com'; (bko@digii.net); Mark Kelly; Robert Switzer; Sherrie Landon; Bassing, Kendal R.; Chavez, Virgil E; Elmer Perry; Faver Norman; Fred Martinez; Jared Chavez; Lowe, Terry; Payne, Wendy F; Spearman, Bobby E; 'Steve McGlasson'; Tally, Ethel; Becker, Joey W; Bowker, Terry D; Gordon Chenault; GRP:SJBU Production Leads; Hockett, Christy R; Johnson, Kirk L; Bassing, Kendal R.; Kennedy, Jim R; Lopez, Richard A; O'Nan, Mike J.; Peace, James T; Pierce, Richard M; Poulson, Mark E; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A; Thacker, LARRY; Work, Jim A; Blair, Maxwell O; Blakley, Mac; Clark, Joni E; Farrell, Juanita R; Gillette, Steven L (Gray Surface Specialties and Consulting, Ltd.); Greer, David A; Hines, Derek J (Finney Land Co.); Maxwell, Mary Alice; McWilliams,

Peggy L; Seabolt, Elmo F; Stallsmith, Mark R

Cc:

'jdritt@aol.com'

Subject:

Reclamation Notice: San Juan 28-6 Unit 122N

Importance:

High

Attachments:

San Juan 28-6 Unit 122N.pdf

JD Ritter will move a tractor to the **San Juan 28-6 Unit 122N** to start the reclamation process on Friday, June 18, 2010. <u>The Pit Closure will require a full Dig and Haul</u>. Please contact Norm Faver (320-0670) if you have questions or need further assistance. Driving directions are attached.



San Juan 28-6 Unit 122N.pdf (4...

Burlington Resources Well- Network #: 10257897 - Activity Code D250 (reclamation) & D260 (pit closure - dig & haul)

Rio Arriba County, NM

SAN JUAN 28-6 UNIT 122N-BLM surface / BLM minerals

1550' FSL, 1540' FWL

SEC.15, T28N, R06W

Unit Letter 'K'

Lease #: USA SF-079192

Latitude: 36° 39 min 29.84400sec N (NAD 83)

Longitude: 107° 27 min 29.73600 sec W (NAD83)


API #: 30-039-30790

Wendy Payne


ConocoPhillips


Reclamation Form:		
Date: 7/21/10		
Well Name: <u>\$3</u> 28-6	122N	
Footages: 1550 FSL,		
Section: <u>/5</u> , T- <u>Z8</u> -N, R- <u>6</u>	W, County: <u>R. A.</u> State: _	NM
Reclamation Contractor: <u> </u>	K:Her	
Reclamation Date: 7/1		
Road Completion Date: 7/1	/10	
Seeding Date:	s ? ?	
**PIT MARKER STATUS (When Re	-	
MARKER PLACED : 1> 19	& Haul	_(DATE)
LATATUDE:	* * · · · · · · · · · · · · · · · · · ·	
LONGITUDE:		
A/	~ ·	/
Construction Inspector: North	man raver Date: //	21/10
Inspector Signature:	man Jaw	****

BLM









	WELL NAME:			·	······			-		
<u> </u>	San Juan 28-6 Unit 122N INSPECTOR		·			1		T	Elmer Perry	Elmer Perry
-	DATE								04/23/10	05/03/10
	*Please request for pit extention after 26 weeks	Week 10	Week 11	Week 12	Week 13	Week 14	Week 15	Week 16	Week 17	Week 18
	PIT STATUS	☐ Drilled☐ Completed☐ Clean-Up	Drilled Completed Clean-Up	☐ Dnilled ☐ Completed ☐ Clean-Up	Drilled Completed Clean-Up	Drilled Completed Clean-Up	☐ Dnlled☐ Completed☐ Clean-Up	☐ Drilled☐ Completed☐ Clean-Up	☐ Drilled ☑ Completed ☐ Clean-Up	☐ Drilled ☑ Completed ☐ Clean-Up
LOCATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No
7001	Is the temporary well sign on location and visible from access road?	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	Yes No	Yes No	✓ Yes No	☑ Yes ☐ No
	is the access road in good driving condition? (deep ruts, bladed)	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No
	Are the culverts free from debris or any object preventing flow?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	✓ Yes 🗌 No	✓ Yes □ No
"	Is the top of the location bladed and in good operating condition?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No
MPLIANCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No
S S S	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
MAK	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No	☑ Yes ☐ No	✓ Yes 🗌 No
NWE	Does the pit contain two feet of free board? (check the water levels)	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No
ENVIRONMENTAL	Is there any standing water on the blow pit?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No
<u> </u>	Are the pits free of trash and oil?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No
	Are there diversion ditches around the pits for natural drainage?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
L	is the Manifold free of leaks? Are the hoses in good condition?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
၁၀	Was the OCD contacted?	Yes No	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☑ No	☐ Yes ☑ No
	PICTURE TAKEN	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes 🗸 No	☐ Yes ☑ No
	COMMENTS								Loc. Needs Bladed Fence loose	Rd. and Loc. Need Bladed Fence loose

.

	WELL NAME:			,					,	
L	San Juan 28-6 Unit 122N						·			
-	INSPECTOR DATE	· · · · · · · · · · · · · · · · · · ·	05/14/10	Elmer Perry 05/26/10	06/02/10	6/09/10	Elmer Perry 06/15/10			
	*Please request for pit extention after 26 weeks	Week 19	Week 20	Week 21	Week 22	Week 23	Week 24	Week 25	*Week 26*	Week 27
	PIT STATUS	☐ Drilled☐ ☐ Completed☐ ☐ Clean-Up	Drilled Completed Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☑ Clean-Up	☐ Drilled☐ Completed☐ ✓ Clean-Up	☐ Drilled☐ Completed☐ ✓ Clean-Up	Drilled Completed Clean-Up	Drilled Completed Clean-Up	☐ Drilled☐ Completed☐ Clean-Up
CATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
/ 1001	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	Yes No	☐ Yes ☐ No
	Is the access road in good driving condition? (deep ruts, bladed)	Yes ✓ No	Yes 🗸 No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
	Are the culverts free from debris or any object preventing flow?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the top of the location bladed and in good operating condition?	☐ Yes ☑ No	Yes 🗸 No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
COMPLIANCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
NO S	is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
_	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☐ Yes ☑ No	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
ENVIRONMENTAL	Does the pit contain two feet of free board? (check the water levels)	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
N N N N N N	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
^w	Are the pits free of trash and oil?	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	✓ Yes □ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
ပ္က ၀	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	Yes No	Yes No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🗸 No	Yes V No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	Yes No	Yes No
	COMMENTS	Rd. and Loc. Need Bladed Stains on Loc.	Loc. And Loc. Need bladed Stains on Loc.	Rd. needs Bladed	Diversion Ditch	Sign on Loc. Rd. needs Bladed Diversion Plugged	Sign on Loc. Rd. needs Bladed			

202

WELL PAD SAFETY AND ENVIRONMENTAL CHECK LIST

WELL NAME: SAN JUAN 28-6 UNIT 122N

	11	\sim	~~	_	~ ~	70	^
AΡ	π.	30	-003	ιч.	-:30	1791	()

DATE	INSPECTOR	SAFETY CHECK	LOCATION CHECK	PICTURES TAKEN	COMMENTS
3/26/2010	Elmer Perry	X	Х		Road rutted, fence loose, no WH barricade
2/2/2010	Jared Chavez	X	x		Pit & location in good condition
2/9/2010	Jared Chavez	Х	X		Pit & location in good condition
2/23/2010	Jared Chavez	Х	Х		Pit & location in good condition
3/8/2010	Jared Chavez	Х	Х		Pit & location in good condition
3/17/2010	Jared Chavez	Х	Х		Pit & location in good condition
1/28/2010	Fred Martinez	Х	Х		location has deep rutts
3/3/2010	Norman Favor	Х	х		N/A
04/23/10	ELMER PERRY	X	X		LOC. NEEDS BLADED FENCE LOOSE
05/03/10	ELMER PERRY	Х	Х		RD. AND LOC.
1/08/2010	Norman Favor				H&P 283 on location