District I

1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St Francis Dr, Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

July 21, 2008
For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

48111

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
Modification to an existing permit
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative

Please be advised that approval of this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

Operator: Burlington Resources Oil & Gas Company, LP	OGRID#: 14538
Address. PO Box 4289, Farmington, NM 87499	11000
Facility or well name: Negro Canyon 4M	
API Number: 30-045-34643	OCD Permit Number
U/L or Qtr/Qtr: M(SW/SW) Section: 36 Township: 32N	Range: 8W County. San Juan
Center of Proposed Design: Latitude: 36.935073 °N	Longitude: 107.632706 °W NAD: 1927 X 1983
Surface Owner: Federal X State Private Tr	bal Trust or Indian Allotment
Pit: Subsection F or G of 19 15 17 11 NMAC Temporary Drilling Workover	
Permanent Emergency Cavitation P&A	
Lined Unlined Liner type: Thickness mil	LLDPE HDPE PVC Other
String-Reinforced	
Liner Seams Welded Factory Other	Volume: bbl
3 X Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation P&A Drilling a new well Workover or notice of inte	Drilling (Applies to activities which require prior approval of a permit or ent)
X Drying Pad X Above Ground Steel Tanks Haul-off Bins X Lined Unlined Liner type Thickness 20 mil Liner Seams. X Welded X Factory Other	Other XLLDPE HDPE PVD Other RECENTED
Below-grade tank: Subsection I of 19 15 17 11 NMAC Volume bbl Type of fluid Tank Construction material	Other X LLDPE HDPE PVD Other RECENTED OIL CONS. DIV. DIST. 3 r, 6-inch lift and automatic overflow shut-off Definer Other
	r, 6-inch lift and automatic overflow shut-off ner Other
Submittal of an exception request is required Exceptions must be submitted to	



Fencing: Subsection D of 19 15 17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other			
Monthly inspections (If netting or screening is not physically feasible)			
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3.103 NMAC			
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance.			
Please check a box if one or more of the following is requested, if not leave blank:			
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consi (Fencing/BGT Liner)	deration of app	proval	
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval			
10			
Siting Criteria (regarding permitting) 19.15.17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	Yes	No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No	
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA		
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes NA	∐No	
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	_		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No	
- NM Office of the State Engineer - tWATERS database search; Visual inspection (certification) of the proposed site			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	□No	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No	
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No	
 Within an unstable area. Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	Yes	No	
Within a 100-year floodplain - FEMA map	Yes	No	

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17 9 NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design) API or Permit Number.				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions. Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached.				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17 9 NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Climatological Factors Assessmeni				
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17.11 NMAC				
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19 15.17 11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plar				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15.17 11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15.17 13 NMAC				
14				
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative Proposed Closure Method Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench Burial				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures, based upon the appropriate requirements of 10.15.17.13 NIMAC.				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17.13 NMAC				

16				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Stee Instructions Please identify the facility or facilities for the disposal of liquids, drilling j are required	I Tanks or Haul-off Bins Only: (19 15 17.13.D NMAC) luds and drill cuttings Use attachment if more than two fac	ilities		
Disposal Facility Name	Disposal Facility Permit #.			
Disposal Facility Name	Disposal Facility Permit #			
Will any of the proposed closed-loop system operations and associated activities Yes (If yes, please provide the information No		ice and operations?		
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsect Site Reclamation Plan - based upon the appropriate requirements of Subsect	ion I of 19 15 17 13 NMAC			
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions. Each siting criteria requires a demonstration of compliance in the closure plan Recusting criteria may require administrative approval from the appropriate district office or may be consideration of approval Justifications and/or demonstrations of equivalency are required. Ple	considered an exception which must be submitted to the Santa Fe Er			
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS Data obta	ined from nearby wells	Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No		
NM Office of the State Engineer - iWATERS database search, USGS, Data obtain	ned from nearby wells			
Ground water is more than 100 feet below the bottom of the buried waste	16	Yes No		
- NM Office of the State Engineer - iWATERS database search, USGS, Data obtain	ned from nearby wells	∐N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signific (measured from the ordinary high-water mark).	ant watercourse or lakebed, sinkhole, or playa lake	Yes No		
- Topographic map, Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in e - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	* *	Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less that purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existe - NM Office of the State Engineer - iWATERS database, Visual inspection (certific	ence at the time of the initial application	YesNo		
Within incorporated municipal boundaries or within a defined municipal fresh water we pursuant to NMSA 1978, Section 3-27-3, as amended	Il field covered under a municipal ordinance adopted	Yes No		
Written confirmation or verification from the municipality, Written approval obta Within 500 feet of a wetland LIS Fish and Widdle Wetland Identification man. Topographic man. Visual income.	·	Yes No		
 US Fish and Wildlife Wetland Identification map, Topographic map, Visual insp Within the area overlying a subsurface mine 	ection (certification) of the proposed site	□Yes □No		
- Written confiramtion or verification or map from the NM EMNRD-Mining and M	Ineral Division			
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mi	neral Resources, USGS, NM Geological Society.	Yes No		
Topographic map				
Within a 100-year floodplain - FEMA map		Yes No		
On-Site Closure Plan Checklist: (19.15.17 13 NMAC) Instructions: Each of the check mark in the box, that the documents are attached.	f the following items must bee attached to the closure p	olan. Please indicate, by a		
	requirements of 19 15 17 10 NM AC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.11 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Operator Application Co.	rtification					
Operator Application Cerline I hereby certify that the inform	rtification: nation submitted with this application is true, accurate	e and complete to the best of my knowled	lge and belief			
Name (Print)	,	Title				
Signature		Date				
e-mail address		Telephone ⁻				
OCD Approval: Permit Application (including closure plan) Closure Plan (enty) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: OCD Permit Number:						
Closure Report (required within 60 days of closure completion): Subsection K of 1915 17 13 NMAC Instructions. Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: 10/7/2009						
Closure Method: Waste Excavation and	d Removal On-site Closure Method oved plan, please explain	Alternative Closure Method X	Waste Removal (Closed-loop systems only)			
23						
	Waste Removal Closure For Closed-loop Systems The facility or facilities for where the liquids, drilling	•				
utilized.	ine facility or facilities for where the liquius, artiling	; junas una arm cumngs were aisposea.	Ose unachment if more than two facilities were			
Disposal Facility Name	Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit Number	NM-01-0011 / NM-01-0010B			
Disposal Facility Name	Basin Disposal Facility	Disposal Facility Permit Number	NM-01-005			
Were the closed-loop syst	em operations and associated activities performed on	or in areas that will not be used for future	e service and opeartions?			
Yes (If yes, please de	monstrate complilane to the items below) X	No (Original Approved Drying	Pad was not utilized for this location)			
	as which will not be used for future service and oper	ations:				
Site Reclamation (Ph	•					
Soil Backfilling and C	ation Rates and Seeding Technique					
	and rates and seeding recumque					
Closure Report Attacl	nment Checklist: Instructions: Each of the follow	ing items must be attached to the closur	e report Please indicate, by a check mark in			
i '	otice (surface owner and division)					
l =	ce (required for on-site closure)					
Plot Plan (for on-si	te closures and temporary pits)					
Confirmation Samp	oling Analytical Results (if applicable)					
Waste Material Sar	npling Analytical Results (if applicable)					
Disposal Facility N	ame and Permit Number					
Soil Backfilling and						
· = · · · ·	lication Rates and Seeding Technique					
On-site Closure Lo	Photo Documentation)	Longitudo	NAD 1927 1983			
On-site Closure Lo	cation Latitude	Longitude	NAD 1927 1903			
Operator Closure Certification:						
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that						
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.						
Name (Print)	Crystal Tafoya	Title R	Regulatory Technician			
Signature	motal Talogo	Date	19/2010			
e-mail address	crystal tafoya@conocphillips com	Telephone	505-326-9837			