District I 1625 N French Dr , Hobbs, NM 88240 State of New Mexico
Energy Minerals and Natural Resources

Form C-144 July 21, 2008

<u>District II</u> 1301 W Grand Ave , Artesia, NM 88210 <u>District III</u>

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

1000 Rio Brazos Rd , Aztec, NM 87410

District IV
1220 S. St Francis Dr , Santa Fe, NM 8750

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		appropriate NMOCI	D District Office
1007	Pit, Closed-Loop System,	Below-Grade Tank, or	
7865 Propo	osed Alternative Method Pe	ermit or Closure Plan App	lication
Type of action:	Permit of a pit, closed-loop syste	m, below-grade tank, or proposed a	lternative method
	X Closure of a pit, closed-loop syst	tem, below-grade tank, or proposed	alternative method
	Modification to an existing perm	nit	
		an existing permitted or non-permitt	ted pit, closed-loop system,
Instructions: Plaged submit on	below-grade tank, or proposed a e application (Form C-144) per indi-		n-arada tank or alternative
	this request does not relieve the operator of liabil		
environment Nor does approval relie	eve the operator of its responsibility to comply wit	h any other applicable governmental authority's	rules, regulations or ordinances
perator. Burlington Resources Oil	& Gas Company, LP	OGRID#: 1453	38
Address: PO Box 4289, Farmingto			
facility or well name: Heaton 7 100			
API Number:)-045-34702	OCD Permit Number	
J/L or Qtr/Qtr: K(NE/SW) Section	on: 29 Township: 31N	Range: 11W County:	San Juan
Center of Proposed Design: Latitude		Longitude: 108.016869	<u>°W</u> NAD: ☐ 1927 🔀 1983
Surface Owner: Federal	State X Private Tri	bal Trust or Indian Allotment	
2	THE NEW CO.		
Pit: Subsection F or G of 19 15 17			
	kover Cavitation P&A		
	ner type Thickness mil	LLDPE HDPE PVC	Other
String-Reinforced			
	actory Other	Volumebbl Dimension	s Lx Wx D
3			
	ion H of 19 15 17 11 NMAC Drilling a new well Workover or	Drilling (Applies to activities which rec	nuire prior approval of a permit or
Type of operation	notice of inte		quite prior approvai or a periori
<u> </u>	and Steel Tanks Haul-off Bins	Other	7617 18 19 20 27 3
X Lined Unlined Line		X LLDPE HDPE PVD	Other Other
Liner Seam's X Welded X F	actory Other		Other RECENTION
Below-grade tank: Subsection	L-C10 15 17 11 NIVA C		E MAN 201ED
	bl Type of fluid		15 OIL CONS SUITO
Tank Construction material	or Type of fluid		So DIV. DIST. 3
Secondary containment with leak de	etection Visible sidewalls, line		at-off
Visible sidewalls and liner	Visible sidewalls only Oth	ner	123
Liner Type Thickness	milHDPEPVC	Other	AL-OFF PEZI - VEOF
5			-
Alternative Method:			

Form C-144

Oil Conservation Division

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC	-			
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19 15.17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
Siting Criteria (regarding permitting) 19 15.17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	Yes No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes No			
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No			
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society, Topographic map	Yes No			
Within a 100-year floodplain - FEMA map	Yes No			

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15.17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19 15 17 9 NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design) API or Permit Number				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15.17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Climatological Factors Assessmeni Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15.17 11 NMAC Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC Quality Control/Quality Assurance Construction and Installation Plar Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19.15 17 13 NMAC				
14				
Proposed Closure: 19 15 17 13 NMAC Instructions. Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative Proposed Closure Method. Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench Burial				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19 15.17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Stee Instructions Please identify the facility or facilities for the disposal of liquids, drilling J	1 Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC) luids and drill cuttings Use attachment if more than two faci	dues		
are required.				
Disposal Facility Name	Disposal Facility Permit #.			
Disposal Facility Name.	Disposal Facility Permit #.			
Will any of the proposed closed-loop system operations and associated activities Yes (If yes, please provide the information No	occur on or in areas that will not be used for future serve	ice and operations?		
Required for impacted areas which will not be used for future service and operations				
Soil Backfill and Cover Design Specification - based upon the appropriat Re-vegetation Plan - based upon the appropriate requirements of Subsect	•			
Site Reclamation Plan - based upon the appropriate requirements of Subs				
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions. Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 10 NMAC for guidance				
Ground water is less than 50 feet below the bottom of the buried waste		Yes No		
- NM Office of the State Engineer - IWATERS database search, USGS Data obta	ined from nearby wells	L_N/A		
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No		
- NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells		□N/A		
Ground water is more than 100 feet below the bottom of the buried waste		Yes No		
- NM Office of the State Engineer - (WATERS database search; USGS; Data obtain	ned from nearby wells	□N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)		Yes No		
- Topographic map, Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in e		Yes No		
- Visual inspection (certification) of the proposed site, Aerial photo, satellite image		□Yes □No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less that purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exist - NM Office of the State Engineer - iWATERS database, Visual inspection (certification)	ence at the time of the initial application.	∐Yes ∐No		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.		Yes No		
 Written confirmation or verification from the municipality; Written approval obt. Within 500 feet of a wetland 	ained from the municipality	□Yes □No		
- US Fish and Wildlife Wetland Identification map; Topographic map, Visual insp	ection (certification) of the proposed site			
Within the area overlying a subsurface mine		Yes No		
- Written confiramtion or verification or map from the NM EMNRD-Mining and N	Ameral Division			
Within an unstable area		∐Yes ∐No		
 Engineering measures incorporated into the design, NM Bureau of Geology & M Topographic map 	ineral Resources, USGS, NM Geological Society,			
Within a 100-year floodplain - FEMA map		Yes No		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the check mark in the box, that the documents are attached.	of the following items must bee attached to the closure p	olan. Please indicate, by a		
Siting Criteria Compliance Demonstrations - based upon the appropriate	requirements of 19 15 17 10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requiremen	·			
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place bunal of a drying pad) - based upon the appropriate requirements of 19.15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirement	Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Sub	section G of 19 15 17.13 NMAC			

Form C-144 Oil Conservation Division Page 4 of 5

19 / Command Application Courts of
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print).
Signature Date:
e-mail address Telephone
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 1915 1713 NMAC Instructions. Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report is required to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed X Closure Completion Date: 2/6/2009
Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name
Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover İnstallatior Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location Latitude: Longitude NAD 1927 1983
25
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Crystal Tafoya Title Regulatory Technician Signature. Date: 1/14/2010
e-mail address crystal tafoya@conocphillips com Telephone. 505-326-9837