1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Oil Conservation Division 15 787 1220 South St. Francis Dr. Santa Fe, NM 87505

## Pit or Below-Grade Tank Registration of Closure Is pit or below-grade tank covered by a "general plan"? Yes No 🗌

Type of action: Registration of a pit or below-grade tank, \(\subseteq \text{Closure of a pit or below-grade tank \(\subseteq \text{\subseteq}\)				
Operator: Burlington Resources  Telephone: (505) 326-9841  e-mail.address: LHasely@br-inc.com  Address: 3401 East 30 <sup>th</sup> Street, Farmington, New Mexico, 87402				
Facility or well name: Zachry Well No. 16E				
County: San Juan  Latitude 36.67713 Longitude -107.884 NAD: 1927 ⊠ 1983 □				
Surface Owner: Federal  State Private Indian				
Pit	Below-grade tank			
Type: Drilling Production Disposal	Volume: 95 bbl Type of fluid: Produced Water and Incidental Oil			
Workover Emergency	Construction material: Fiberglass			
Lined Unlined U	Double-walled, with leak detection? Yes  If not, explain why not.			
Liner type: Synthetic Thicknessmil Clay [	No. Tank in place prior to Rule 50.			
Pit Volumebbl	No. Tank in place prior to Rule 30.			
rit volume	Less than 50 feet	(20 moints)		
Depth to ground water (vertical distance from bottom of pit to seasonal		(20 points)		
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)		
	100 feet or more	( 0 points) 0		
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)		
water source, or less than 1000 feet from all other water sources.)	No	( 0 points) 0		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)		
imgation canais, diches, and perennai and epitemetal watercourses.	1000 feet or more	( 0 points) 10		
	Ranking Score (Total Points)	10		
	<u> </u>			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if				
your are burying in place) onsite offsite offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and				
end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results.				
(5) Attach soil sample results and a diagram of sample locations and excava	tions.			
Additional Comments:				
*The soils tested clean and no soil remediation was required.				
I hereby certify that the information above is true and complete to the best				
has been/will be constructed or closed according to NMOCD guidelines [], a general permit [], or an (attached) alternative OCD-approved plan [].				
Date: 3/16/65				
Printed Name/Title Ed Hesely Signature Signature				
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or				
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Approval: SESSITIVE ON S. CAR. WAR				
Approval: SEPUTY OIL & GAS INSPECTOR, DIST. Signature Signature Signature Date: 17 2005				
Signature 1				

CLIENT: Burlington	Envirotech Inc.	LOCATION NO:		
Resources	ENVIRONMENTAL SCIENTISTS & ENGINEERS 5796 U.S. HIGHWAY 64-3014 FARMINGTON, NEW MEXICO 87401 PHONE: (505) 632-0615	C.O.C. NO:		
FIELD REPOF	RT: CLOSURE VERIFICATION	PAGE No: of		
LOCATION: NAME: ZACHE	DATE STARTED: 3/1/05 DATE FINISHED: 3/1/05			
QUAD/UNIT: SEC: 33 TWP: 29N RNG: 10W PM: NMPM CNTY: 5T ST: MM QTR/FUUTAGE: CONTRACTOR: LAR		ENVIRONMENTAL SPECIALIST: MPM		
EXCAVATION APPROX. 14 FT. x 14 FT. DEEP. CUBIC YARDAGE:				
DISPOSAL FACILITY: * * * * * * * * * * * * * * * * * * *				
	LEASE: FO			
	RKS: PIT LOCATED APPROXIMATELY _53 FT			
DEPTH TO GROUNDWATER:O NEAREST WATER SOURCE:O NEAREST SURFACE WATER: \ O				
NMOCD RANKING SCORE:	¥	CHECK ONE:		
SOIL AND EXCAVATION DESCRIPTION:  ——PIT ABANDONED  ——STEEL TANK INSTALLED				
Soil vary natural in color. No soundarry line. Pit sat on stand. No soor.  No soil removed from site.  Five point composite taken from 4 walls and bottom @ 6 depth.  FIELD 418.1 CALCULATIONS  TIME SAMPLE I.D. LAB No: WEIGHT (g) ml. FREON DILUTION READING CALC. ppm  SCALE  O FT				
PIT PERIM	ETED OVM DIT			
RESULTS  SAMPLE FIELD HEADSPACE PIO (POPO)  13 had as to peper 25 PH Coup  14 5 14 14 15 114 114 114 114 114 114 11				
Atri Sil	RESULTS  SAMPLE FIELD HEADSPACE PID (ppm)  1 3' hel an & ppm 25 P+Comp   ppm 3  4  5  LAB SAMPLES  SAMPLE   ANALYSIS   THE	<del>- 14</del>		

•

. 3



## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

**Burlington Resources** 

Project #:

92115-021-041

Sample No.:

1

Date Reported:

3/2/2005

Sample ID:

5 Point Composite @ 6' Depth

3/1/2005

Sample Matrix:

Soil

Date Sampled:
Date Analyzed:

3/1/2005

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

20.8

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Zachry Well No. 16E

Michael P. Marquez

Poviou