


District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505
AS DRILLED PLAT



WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045-35217	² Pool Code 71599 / 72319	³ Pool Name BASIN DAKOTA / BLANCO MESAVERDE
⁴ Property Code 31329	⁵ Property Name SAN JUAN 32-7 UNIT	⁶ Well Number 8A
⁷ OGRID No. 217817	⁸ Operator Name CONOCOPHILLIPS COMPANY	⁹ Elevation 6454

¹⁰ SURFACE LOCATION


UL or lot no. L	Section 17	Township 31-N	Range 7-W	Lot Idn	Feet from the 1412	North/South line SOUTH	Feet from the 1208	East/West line WEST	County SAN JUAN
---------------------------	----------------------	-------------------------	---------------------	---------	------------------------------	----------------------------------	------------------------------	-------------------------------	---------------------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. N	Section 17	Township 31-N	Range 7-W	Lot Idn	Feet from the 693'	North/South line SOUTH	Feet from the 1941'	East/West line WEST	County SAN JUAN
---------------------------	----------------------	-------------------------	---------------------	---------	------------------------------	----------------------------------	-------------------------------	-------------------------------	---------------------------

¹² Dedicated Acres 320.00	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--	-------------------------------	----------------------------------	-------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature
Marie E. Jaramillo

Printed Name
Marie E. Jaramillo

Title and E-mail Address
marie.e.jaramillo@conocophillips

Date
9/22/11

Date

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief

Date of Survey: 10/26/09

Signature and Seal of Professional Surveyor:



Certificate Number: NM 11393

COP Deviation Report

SAN JUAN 32-7 UNIT #8A

Operator CONOCOPHILLIPS COMPANY		Legal WellName SAN JUAN 32-7 UNIT #8A		API / UWI 3004535217		County SAN JUAN		State/Province NEW MEXICO			
Surface Legal Location 017-031N-007W-L				N/S Dist (ft) 1,412.00		N/S Ref FSL		E/W Dist (ft) 1,208.00		E/W Ref FWL	
Survey Data											
Date		MD (ftKB)		Incl (°)		Method		Survey Company			
6/21/2011		129.00		1.00		Inc-Drop		MO-TE DRILLING INC.			
6/21/2011		239.00		1.00		Inc-Drop		MO-TE DRILLING INC.			
7/7/2011		270.00		0.97		IncAzi-MWD		Scientific Drilling			
7/7/2011		301.00		0.95		IncAzi-MWD		Scientific Drilling			
7/7/2011		332.00		0.62		IncAzi-MWD		Scientific Drilling			
7/7/2011		363.00		0.59		IncAzi-MWD		Scientific Drilling			
7/7/2011		395.00		0.94		IncAzi-MWD		Scientific Drilling			
7/7/2011		426.00		1.38		IncAzi-MWD		Scientific Drilling			
7/7/2011		457.00		1.58		IncAzi-MWD		Scientific Drilling			
7/7/2011		488.00		2.13		IncAzi-MWD		Scientific Drilling			
7/7/2011		518.00		2.84		IncAzi-MWD		Scientific Drilling			
7/7/2011		549.00		3.55		IncAzi-MWD		Scientific Drilling			
7/7/2011		580.00		4.16		IncAzi-MWD		Scientific Drilling			
7/7/2011		611.00		5.10		IncAzi-MWD		Scientific Drilling			
7/7/2011		642.00		5.79		IncAzi-MWD		Scientific Drilling			
7/7/2011		672.00		6.40		IncAzi-MWD		Scientific Drilling			
7/7/2011		703.00		7.15		IncAzi-MWD		Scientific Drilling			
7/7/2011		733.00		7.70		IncAzi-MWD		Scientific Drilling			
7/7/2011		764.00		8.32		IncAzi-MWD		Scientific Drilling			
7/7/2011		795.00		9.18		IncAzi-MWD		Scientific Drilling			
7/7/2011		826.00		9.87		IncAzi-MWD		Scientific Drilling			
7/7/2011		860.00		10.73		IncAzi-MWD		Scientific Drilling			
7/7/2011		892.00		11.37		IncAzi-MWD		Scientific Drilling			
7/7/2011		923.00		12.19		IncAzi-MWD		Scientific Drilling			
7/7/2011		955.00		12.92		IncAzi-MWD		Scientific Drilling			
7/7/2011		987.00		13.82		IncAzi-MWD		Scientific Drilling			
7/7/2011		1,019.00		14.67		IncAzi-MWD		Scientific Drilling			
7/7/2011		1,050.00		15.63		IncAzi-MWD		Scientific Drilling			
7/7/2011		1,082.00		16.25		IncAzi-MWD		Scientific Drilling			
7/7/2011		1,114.00		17.11		IncAzi-MWD		Scientific Drilling			
7/8/2011		1,145.00		17.83		IncAzi-MWD		Scientific Drilling			
7/8/2011		1,177.00		18.43		IncAzi-MWD		Scientific Drilling			
7/8/2011		1,209.00		19.14		IncAzi-MWD		Scientific Drilling			
7/8/2011		1,240.00		19.95		IncAzi-MWD		Scientific Drilling			
7/8/2011		1,272.00		20.48		IncAzi-MWD		Scientific Drilling			
7/8/2011		1,304.00		21.28		IncAzi-MWD		Scientific Drilling			

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____



COP Deviation Report

SAN JUAN 32-7 UNIT #8A

Survey Data				
Date	MD (ftKB)	Incl (°)	Method	Survey Company
7/8/2011	1,335.00	21 90	IncAzi-MWD	Scientific Drilling
7/8/2011	1,399.00	22 86	IncAzi-MWD	Scientific Drilling
7/8/2011	1,462.00	23 33	IncAzi-MWD	Scientific Drilling
7/8/2011	1,526.00	23 91	IncAzi-MWD	Scientific Drilling
7/8/2011	1,589.00	24 76	IncAzi-MWD	Scientific Drilling
7/8/2011	1,652.00	25 19	IncAzi-MWD	Scientific Drilling
7/8/2011	1,716.00	25 59	IncAzi-MWD	Scientific Drilling
7/8/2011	1,779.00	25 79	IncAzi-MWD	Scientific Drilling
7/8/2011	1,842.00	25 88	IncAzi-MWD	Scientific Drilling
7/8/2011	1,905.00	25 74	IncAzi-MWD	Scientific Drilling
7/8/2011	1,968.00	25 65	IncAzi-MWD	Scientific Drilling
7/8/2011	2,031.00	25 10	IncAzi-MWD	Scientific Drilling
7/8/2011	2,095.00	25 21	IncAzi-MWD	Scientific Drilling
7/8/2011	2,158.00	25 10	IncAzi-MWD	Scientific Drilling
7/8/2011	2,221.00	24 67	IncAzi-MWD	Scientific Drilling
7/8/2011	2,284.00	24 82	IncAzi-MWD	Scientific Drilling
7/8/2011	2,348.00	24 92	IncAzi-MWD	Scientific Drilling
7/8/2011	2,411.00	24 68	IncAzi-MWD	Scientific Drilling
7/8/2011	2,474.00	25 04	IncAzi-MWD	Scientific Drilling
7/8/2011	2,537.00	25 00	IncAzi-MWD	Scientific Drilling
7/8/2011	2,600.00	24 66	IncAzi-MWD	Scientific Drilling
7/8/2011	2,663.00	24 66	IncAzi-MWD	Scientific Drilling
7/8/2011	2,762.00	24 50	IncAzi-MWD	Scientific Drilling
7/8/2011	2,790.00	24 17	IncAzi-MWD	Scientific Drilling
7/8/2011	2,853.00	23 67	IncAzi-MWD	Scientific Drilling
7/8/2011	2,917.00	22 14	IncAzi-MWD	Scientific Drilling
7/9/2011	2,980.00	20 45	IncAzi-MWD	Scientific Drilling
7/9/2011	3,043.00	19 39	IncAzi-MWD	Scientific Drilling
7/9/2011	3,106.00	18 02	IncAzi-MWD	Scientific Drilling
7/9/2011	3,169.00	17 10	IncAzi-MWD	Scientific Drilling
7/9/2011	3,233.00	15 57	IncAzi-MWD	Scientific Drilling
7/9/2011	3,296.00	14 08	IncAzi-MWD	Scientific Drilling
7/9/2011	3,359.00	12 57	IncAzi-MWD	Scientific Drilling
7/9/2011	3,422.00	11 62	IncAzi-MWD	Scientific Drilling
7/9/2011	3,485.00	10 36	IncAzi-MWD	Scientific Drilling
7/9/2011	3,548.00	9 40	IncAzi-MWD	Scientific Drilling
7/10/2011	3,611.00	8 53	IncAzi-MWD	Scientific Drilling
7/10/2011	3,674.00	6 58	IncAzi-MWD	Scientific Drilling
7/10/2011	3,717.00	5 23	IncAzi-MWD	Scientific Drilling

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____



COP Deviation Report
SAN JUAN 32-7 UNIT #8A

Survey Data

Date	MD (ftKB)	Incl (°)	Method	Survey Company
7/27/2011	8,192.00	1.50	Inc-WL	Phoenix Services LLC

I, the undersigned, certify that I acting in my capacity as Drafting Engineer for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this 9/22/11

Notary Public in and for San Juan County, New Mexico

My Commission expires 9/28/14



Scientific Drilling
Directional Drilling Operations

ConocoPhillips

SJB (NM West)
SEC 17-T31N-R7W
SJ 32-7 #8A
API# 30-045-35217
Original Hole

Design: Original Hole





Standard Survey Report

18 July, 2011

This survey is correct to the best of my knowledge and is supported by actual field data.

Notarized this date 18th of July, 2011.




Notary Signature
County of Natrona
State of Wyoming



ConocoPhillips



Project: SJB (NM West)
Site: SEC 17-T31N-R7W
Well: SJ 32-7 #8A
Wellbore: Original Hole
Design: Original Hole



COMPANY DETAILS: ConocoPhillips
Calculation Method: Minimum Curvature
Error System: ISCWSA
Scan Method: Closest Approach 3D
Error Surface: Combined Covariances
Warning Method: Risk Ratio

PROJECT DETAILS: SJB (NM West)
Geodetic System: US State Plane 1927 (Exact solution)
Datum: NAD 1927 (NADCON CONUS)
Ellipsoid: Clarke 1866
Zone: New Mexico West 3003
System Datum: Mean Sea Level

SITE DETAILS: SEC 17-T31N-R7W
San Juan County NM
Site Centre Latitude: 36° 54' 15.789 N
Longitude: 107° 35' 15.789 W
Positional Uncertainty: 0.0
Convergence: 0 15
Local North: True

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well SJ 32-7 #8A
Project:	SJB (NM West)	TVD Reference:	AWS 730 @ 6469.0ft (DFE 15' + 6454' GL)
Site:	SEC 17-T31N-R7W	MD Reference:	AWS 730 @ 6469.0ft (DFE 15' + 6454' GL)
Well:	SJ 32-7 #8A	North Reference:	True
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	EDMCOP

Project	SJB (NM West), New Mexico, S-Type MV/DK Wells		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		Using Well Reference Point
Map Zone:	New Mexico West 3003		Using geodetic scale factor

Site		SEC 17-T31N-R7W			
Site Position:		Northing:	2,148,553 07 ft	Latitude:	36° 54' 15.789 N
From:	Lat/Long	Easting:	571,812 84 ft	Longitude:	107° 35' 15.789 W
Position Uncertainty:	0.0 ft	Slot Radius:	6-1/8"	Grid Convergence:	0.15 °

Well	SJ 32-7 #8A, S-Type MV/DK Well					
Well Position	+N/-S	0.0 ft	Northing:	2,145,553.14 ft	Latitude:	36° 53' 46.204 N
	+E/-W	0.0 ft	Easting:	568,622.38 ft	Longitude:	107° 35' 55.163 W
Position Uncertainty		3.5 ft	Wellhead Elevation:	ft	Ground Level:	6,454.0 ft

Wellbore	Original Hole				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	BGGM2011	6/14/2011	9.84	63.64	50,828

Design:	Original Hole				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD)	+N/-S	+E/-W	Direction	
	(ft)	(ft)	(ft)	(°)	
	0.0	0.0	0.0	134.42	

Survey Program	Date	7/18/2011			
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description	
270.0	3,717.0	Survey #1 (Original Hole)	MWD SDI	MWD - Standard ver 1.0.1	

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00	
270.0	0.97	265.25	270.0	-0.2	-2.3	-1.5	0.36	0.36	0.00	
First SDI MWD Survey										
301.0	0.95	259.86	301.0	-0.3	-2.8	-1.8	0.30	-0.06	-17.39	
332.0	0.62	248.84	332.0	-0.4	-3.2	-2.0	1.17	-1.06	-35.55	
363.0	0.59	193.90	363.0	-0.6	-3.4	-2.0	1.80	-0.10	-177.23	
395.0	0.94	170.35	395.0	-1.0	-3.4	-1.7	1.45	1.09	-73.59	
426.0	1.38	160.84	426.0	-1.6	-3.2	-1.2	1.54	1.42	-30.68	
457.0	1.58	143.95	457.0	-2.3	-2.9	-0.4	1.54	0.65	-54.48	
488.0	2.13	124.26	487.9	-3.0	-2.1	0.6	2.69	1.77	-63.52	
518.0	2.84	128.16	517.9	-3.7	-1.1	1.8	2.43	2.37	13.00	
549.0	3.55	125.77	548.9	-4.8	0.3	3.6	2.33	2.29	-7.71	
580.0	4.16	129.94	579.8	-6.1	1.9	5.6	2.16	1.97	13.45	

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well SJ 32-7 #8A
Project:	SJB (NM West)	TVD Reference:	AWS 730 @ 6469.0ft (DFE 15' + 6454' GL)
Site:	SEC 17-T31N-R7W	MD Reference:	AWS 730 @ 6469.0ft (DFE 15' + 6454' GL)
Well:	SJ 32-7 #8A	North Reference:	True
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	EDMCOP

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
611.0	5.10	127.77	610.7	-7.6	3.9	8.1	3.08	3.03	-7.00
642.0	5.79	128.60	641.6	-9.4	6.2	11.0	2.24	2.23	2.68
672.0	6.40	124.51	671.4	-11.3	8.8	14.2	2.49	2.03	-13.63
703.0	7.15	129.30	702.2	-13.5	11.7	17.8	3.03	2.42	15.45
733.0	7.70	131.90	731.9	-16.1	14.6	21.7	2.15	1.83	8.67
764.0	8.32	133.40	762.6	-19.0	17.8	26.0	2.11	2.00	4.84
795.0	9.18	135.81	793.3	-22.3	21.2	30.7	3.02	2.77	7.77
826.0	9.87	135.24	823.8	-26.0	24.7	35.8	2.25	2.23	-1.84
860.0	10.73	136.18	857.3	-30.3	29.0	41.9	2.58	2.53	2.76
892.0	11.37	136.29	888.7	-34.7	33.2	48.1	2.00	2.00	0.34
923.0	12.19	136.18	919.0	-39.3	37.6	54.4	2.65	2.65	-0.35
955.0	12.92	136.60	950.3	-44.4	42.4	61.3	2.30	2.28	1.31
987.0	13.82	135.75	981.4	-49.7	47.5	68.7	2.88	2.81	-2.66
1,019.0	14.67	136.31	1,012.4	-55.4	53.0	76.6	2.69	2.66	1.75
1,050.0	15.63	136.15	1,042.3	-61.2	58.6	84.7	3.10	3.10	-0.52
1,082.0	16.25	135.38	1,073.1	-67.5	64.7	93.5	2.05	1.94	-2.41
1,114.0	17.11	135.14	1,103.8	-74.0	71.2	102.7	2.70	2.69	-0.75
1,145.0	17.83	134.80	1,133.3	-80.6	77.8	112.0	2.35	2.32	-1.10
1,177.0	18.43	133.80	1,163.7	-87.6	84.9	121.9	2.11	1.88	-3.13
1,209.0	19.14	133.49	1,194.0	-94.7	92.4	132.2	2.24	2.22	-0.97
1,240.0	19.95	132.71	1,223.2	-101.8	99.9	142.6	2.75	2.61	-2.52
1,272.0	20.48	132.78	1,253.3	-109.3	108.1	153.7	1.66	1.66	0.22
1,304.0	21.28	132.55	1,283.2	-117.0	116.4	165.1	2.51	2.50	-0.72
1,335.0	21.90	131.96	1,312.0	-124.7	124.9	176.5	2.12	2.00	-1.90
1,399.0	22.86	132.23	1,371.2	-141.0	143.0	200.8	1.51	1.50	0.42
1,462.0	23.33	131.80	1,429.1	-157.5	161.3	225.5	0.79	0.75	-0.68
1,526.0	23.91	131.77	1,487.8	-174.6	180.5	251.1	0.91	0.91	-0.05
1,589.0	24.76	132.85	1,545.2	-192.1	199.6	277.0	1.52	1.35	1.71
1,652.0	25.19	134.08	1,602.3	-210.4	219.0	303.6	1.07	0.68	1.95
1,716.0	25.59	133.87	1,660.1	-229.4	238.7	331.1	0.64	0.63	-0.33
1,779.0	25.79	133.76	1,716.9	-248.4	258.4	358.4	0.33	0.32	-0.17
1,842.0	25.88	133.15	1,773.6	-267.2	278.3	385.8	0.45	0.14	-0.97
1,905.0	25.74	133.17	1,830.3	-286.0	298.3	413.3	0.22	-0.22	0.03
1,968.0	25.65	134.84	1,887.1	-305.0	318.0	440.6	1.16	-0.14	2.65
2,031.0	25.10	134.08	1,944.0	-323.9	337.3	467.6	1.01	-0.87	-1.21
2,095.0	25.21	134.39	2,001.9	-342.9	356.8	494.8	0.27	0.17	0.48
2,158.0	25.10	133.12	2,058.9	-361.4	376.1	521.6	0.87	-0.17	-2.02
2,221.0	24.67	133.08	2,116.1	-379.5	395.4	548.1	0.68	-0.68	-0.06
2,284.0	24.82	133.16	2,173.3	-397.5	414.7	574.4	0.24	0.24	0.13
2,348.0	24.92	135.06	2,231.4	-416.3	434.0	601.3	1.26	0.16	2.97
2,411.0	24.68	135.22	2,288.6	-435.0	452.7	627.8	0.40	-0.38	0.25
2,474.0	25.04	136.17	2,345.7	-453.9	471.2	654.2	0.85	0.57	1.51
2,537.0	25.00	136.35	2,402.8	-473.2	489.6	680.9	0.14	-0.06	0.29
2,600.0	24.66	136.06	2,460.0	-492.3	507.9	707.3	0.57	-0.54	-0.46
2,663.0	24.66	135.45	2,517.2	-511.1	526.2	733.6	0.40	0.00	-0.97
2,726.0	24.50	134.82	2,574.5	-529.7	544.7	759.8	0.49	-0.25	-1.00
2,790.0	24.17	134.20	2,632.8	-548.2	563.5	786.2	0.65	-0.52	-0.97
2,853.0	23.67	133.29	2,690.4	-565.8	582.0	811.7	0.99	-0.79	-1.44
2,917.0	22.14	132.81	2,749.4	-582.8	600.2	836.6	2.41	-2.39	-0.75
2,980.0	20.45	131.88	2,808.1	-598.3	617.1	859.5	2.74	-2.68	-1.48
3,043.0	19.39	132.11	2,867.3	-612.6	633.0	880.9	1.69	-1.68	0.37
3,106.0	18.02	131.91	2,927.0	-626.1	648.0	901.1	2.18	-2.17	-0.32
3,169.0	17.10	132.78	2,987.0	-638.9	662.1	920.1	1.52	-1.46	1.38
3,233.0	15.57	134.23	3,048.5	-651.3	675.2	938.1	2.47	-2.39	2.27

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well SJ 32-7 #8A
Project:	SJB (NM West)	TVD Reference:	AWS 730 @ 6469.0ft (DFE 15' + 6454' GL)
Site:	SEC 17-T31N-R7W	MD Reference:	AWS 730 @ 6469.0ft (DFE 15' + 6454' GL)
Well:	SJ 32-7 #8A	North Reference:	True
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	EDMCOP

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
3,296.0	14.08	136.01	3,109.4	-662.7	686.5	954.2	2.47	-2.37	2.83
3,359.0	12.57	136.51	3,170.7	-673.2	696.6	968.7	2.40	-2.40	0.79
3,422.0	11.62	137.33	3,232.3	-682.9	705.6	981.9	1.53	-1.51	1.30
3,485.0	10.36	137.31	3,294.1	-691.7	713.7	993.9	2.00	-2.00	-0.03
3,548.0	9.40	141.35	3,356.2	-699.9	720.8	1,004.7	1.88	-1.52	6.41
3,611.0	8.53	144.94	3,418.4	-707.7	726.7	1,014.4	1.64	-1.38	5.70
3,674.0	6.58	150.04	3,480.9	-714.7	731.2	1,022.4	3.27	-3.10	8.10
3,717.0	5.23	154.56	3,523.6	-718.6	733.2	1,026.6	3.32	-3.14	10.51
Last SDI MWD Survey									

Checked By: _____	Approved By: _____	Date: _____
-------------------	--------------------	-------------