<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 1301 W. Grand Avenue Artesia NM 88210 District III District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr. Santa Fe, NM 87505

regulations.

Approval: Printed Name/Title CEPUTY OIL & GAS INSPECTOR, DIST. 198

State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe NM 87505

Form C-144

June 1, 2004

A MILL	IIIa Fe, NW 6/303					
Pit or Below-Grade Tank Registration or Closure						
Is pit or below-grade tank covered by a "general plan"? Yes No						
Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank						
Operator:						
Address: 3401 East 30 th Street, Farmington, New Mexico 87402						
Facility or well name: Cleveland Well No. 2 API #: 30045063340000 U/L or Qtr/Qtr P Sec 20 T 27N R 9W						
County: <u>San Juan</u> <u>Latitude 36.55636</u> <u>Longitude -107.8052</u> NAD: 1927 ☑ 1983 ☐						
Surface Owner: Federal State Private Indian						
<u>Pit</u>	Below-grade tank					
Type: Drilling Production Disposal	Volume: 60 bbl Type of fluid: Produced W	ater and Incidental Oil				
Workover ☐ Emergency ☐	Construction material: Fiberglass					
Lined Unlined	Double-walled, with leak detection? Yes If not,	, explain why not.				
Liner type: Synthetic Thicknessmil Clay	No. Tank in place prior to Rule 50.					
Pit Volumebbl						
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)				
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)				
	100 feet or more	(0 points) 10				
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)				
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0				
water source, or less than 1000 feet from an other water sources.)	L 1 200 C 1	(20				
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)				
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet 1000 feet or more	(10 points) (0 points) 20				
	1000 feet of more					
	Ranking Score (Total Points)	30				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks. (2) Indica	tte disposal location: (check the onsite box if				
your are burying in place) onsite offsite If offsite, name of facility_	* (3) Attach a genera	l description of remedial action taken including				
remediation start date and end date. (4) Groundwater encountered: No 🛛 Y	Yes I If yes, show depth below ground surface	ft. and attach sample results.				
(5) Attach soil sample results and a diagram of sample locations and excavat	tions.					
Additional Comments:						
* No soil removed from site. All OVM and TPH readings below 100 ppm.	See attached documentation					
The state of the s						
		<u> </u>				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .						
3/3/25						
Printed Name/Title Ed Hasely/ Enu. Advisar Signature 2 House						
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or						

CLIENT: Burlington		Enviro	OTECH	Inc.		LDC	N NOITA	2
Resources	E	FARMINGTON	SCIENTISTS & HIGHWAY 64-	-3014 87401			C.□.C. N	
FIELD REPOR'	T: CLO	OSURI	E VE	RIFIC	ATION	PAGE	No:	
LOCATION: NAME: (Levelan) WELL #: 2 PIT: QUAD/UNIT: SEC: 20 TWP: 27N RNG: 9W PM: CNTY: SJST: NM					DATE	DATE STARTED: 1/21/05 DATE FINISHED: 1/21/05		
QTR/FOOTAGE:		CONTRAC	TOR:			SPECIA	NMENTAL LIST:/	MPM
EXCAVATION APPROX. 16 FT. x 15 FT. x 8 FT. DEEP. CUBIC YARDAGE: 0 DISPOSAL FACILITY: FOUND LEASE: FORMATION:								
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 74 FT. 95° FROM WELLHEAD. DEPTH TO GROUNDWATER: 10 NEAREST WATER SOURCE: 0 NEAREST SURFACE WATER: 20								
NMOCD RANKING SCORE: 30	NMOCD TPH	CLOSURE ST	TD: 100	PPM		CHE	CK ON	<u>E</u> :
SOIL AND EXCAVATION DESCRIPTION: ——PIT ABANDONED ——STEEL TANK INSTALLED							Į.	
- area was very clean, did composite at 13:35 at 34 below pit FIELD 418.1 CALCULATIONS TIME SAMPLE I.D. LAB No: WEIGHT (g) ml. FREON DILUTION READING CALC. ppm								
SCALE .		COMP	B 110. W	5	20	LOTION		18.6656
0 FT PIT PERIME	TER		OVM		PIT	PR	OFILE	<u> </u>
SAMPLE FIELD HEADSPACE PID (ppm)								
	•		PID (ppr	PACE n)				J
a Hor	^	13ft & pit 2 C2 comp	2 pp. 2	1				J
Compressor Oit	^	13ft & ait	2 pp/	1			~ - ~	J
Compressive Pit	^	13ft & pit 2C2comp 3	2 pp/	1		0		
Compresser Pit Sop	^	13ft & pit 2C2comp 3	2 pp/	1	8 4			
Compressive Pit	\hat{\chi}	13ft v et 2 C2 comp 3 4 5 5	Z pp/ 2 pf	1 M	Y /	<u> </u>		
Compresser Pit Sop	AL-hr	13ft / pit 2C2comp 3 4 5	2 pp/2 Pf	1 M	1 4	e Point	for 5	
Compressive Pit	Mater	13ft v et 2 C2 comp 3 4 5 5	Z pp/ 2 pf	TIME	Y /	e Point e Com cete	for 5 posite. Anal e	pt.



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Project #:

92115-021-001

Sample No.:

- 1

Date Reported: Date Sampled:

1/25/2005

Sample ID:

5 Point Composite

1/21/2005

Sample Matrix:

Soil

Date Analyzed:

1/21/2005

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

18.7

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Cleveland Well No. 2

Analyst

Humly Hose put Tarke