

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505



Form C-102

Revised October 12, 2005

Substantive Appropriate District Office

State Lease - 7 Copies

Fee Lease - 3 Copies

AS DRILLED PLAT

AMMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-039-30605	² Pool Code 72319-7 71599	³ Pool Name BLANCO MESAVERDE / BASIN DAKOTA
⁴ Property Code 7452	⁵ Property Name SAN JUAN 27-4 UNIT	⁶ Well Number 35M
⁷ OGRID No. 14538	⁸ Operator Name BURLINGTON RESOURCES OIL AND GAS COMPANY LP	⁹ Elevation 7252

¹⁰ SURFACE LOCATION

UL or lot no. A	Section 34	Township 27-N	Range 4-W	Lot Idn	Feet from the 400	North/South line NORTH	Feet from the 405	East/West line EAST	County RIO ARriba
---------------------------	----------------------	-------------------------	---------------------	---------	-----------------------------	----------------------------------	-----------------------------	-------------------------------	-----------------------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. M	Section 26	Township 27-N	Range 4-W	Lot Idn	Feet from the 708'	North/South line SOUTH	Feet from the 696'	East/West line WEST	County RIO ARriba
---------------------------	----------------------	-------------------------	---------------------	---------	------------------------------	----------------------------------	------------------------------	-------------------------------	-----------------------------

¹² Dedicated Acres 320.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

¹⁶ 	¹⁷ OPERATOR CERTIFICATION <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the Division.</i> Signature Marie E. Jaramillo Printed Name Regulatory Tech. Title and E-mail Address 8/29/11 Date
	¹⁸ SURVEYOR CERTIFICATION <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i> Date of Survey: 8/22/07 Signature and Seal of Professional Surveyor: Certificate Number: NM 11393

W

PC

COP Deviation Report **SAN JUAN 27-4 UNIT #35M**

Operator BURLINGTON RESOURCES OIL & GAS COMPANY LP	Legal WellName SAN JUAN 27-4 UNIT #35M	API / UWI 3003930605	County RIO ARRIBA	State/Province NEW MEXICO
Surface Legal Location 034-027N-004W-A	N/S Dist (ft) 400.00	N/S Ref FNL	E/W Dist (ft) 405.00	E/W Ref FEL

Survey Data					
Date	MD (ft)	Incl (°)	Method	Survey Company	
5/23/2011	130.00	1.00	Inc-WL	MOTE	
5/23/2011	230.00	1.00	Inc-WL	MOTE	
5/23/2011	357.00	0.75	Inc-WL	MOTE	
6/9/2011	373.00	0.48	IncAzi-MWD	Scientific Drilling	
6/9/2011	435.00	1.63	IncAzi-MWD	Scientific Drilling	
6/9/2011	497.00	3.07	IncAzi-MWD	Scientific Drilling	
6/9/2011	558.00	4.55	IncAzi-MWD	Scientific Drilling	
6/9/2011	620.00	6.01	IncAzi-MWD	Scientific Drilling	
6/9/2011	681.00	7.36	IncAzi-MWD	Scientific Drilling	
6/9/2011	743.00	8.79	IncAzi-MWD	Scientific Drilling	
6/9/2011	805.00	9.86	IncAzi-MWD	Scientific Drilling	
6/9/2011	866.00	11.54	IncAzi-MWD	Scientific Drilling	
6/10/2011	929.00	12.87	IncAzi-MWD	Scientific Drilling	
6/10/2011	993.00	13.10	IncAzi-MWD	Scientific Drilling	
6/10/2011	1,056.00	14.17	IncAzi-MWD	Scientific Drilling	
6/10/2011	1,120.00	15.41	IncAzi-MWD	Scientific Drilling	
6/10/2011	1,183.00	15.13	IncAzi-MWD	Scientific Drilling	
6/10/2011	1,247.00	15.53	IncAzi-MWD	Scientific Drilling	
6/10/2011	1,310.00	17.28	IncAzi-MWD	Scientific Drilling	
6/10/2011	1,374.00	18.58	IncAzi-MWD	Scientific Drilling	
6/10/2011	1,437.00	19.88	IncAzi-MWD	Scientific Drilling	
6/10/2011	1,501.00	22.04	IncAzi-MWD	Scientific Drilling	
6/10/2011	1,564.00	23.36	IncAzi-MWD	Scientific Drilling	
6/10/2011	1,628.00	25.03	IncAzi-MWD	Scientific Drilling	
6/10/2011	1,691.00	25.20	IncAzi-MWD	Scientific Drilling	
6/10/2011	1,755.00	25.62	IncAzi-MWD	Scientific Drilling	
6/10/2011	1,818.00	25.45	IncAzi-MWD	Scientific Drilling	
6/10/2011	1,882.00	24.67	IncAzi-MWD	Scientific Drilling	
6/10/2011	1,945.00	25.28	IncAzi-MWD	Scientific Drilling	
6/10/2011	2,009.00	25.70	IncAzi-MWD	Scientific Drilling	
6/10/2011	2,072.00	26.47	IncAzi-MWD	Scientific Drilling	
6/10/2011	2,136.00	25.97	IncAzi-MWD	Scientific Drilling	
6/10/2011	2,200.00	23.26	IncAzi-MWD	Scientific Drilling	
6/10/2011	2,262.00	23.01	IncAzi-MWD	Scientific Drilling	
6/10/2011	2,326.00	23.03	IncAzi-MWD	Scientific Drilling	

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____





COP Deviation Report

SAN JUAN 27-4 UNIT #35M

Survey Data					
Date	MD (ftKB)	Incl (°)	Method	Survey Company	
6/10/2011	2,389.00	23.29	IncAzi-MWD	Scientific Drilling	
6/10/2011	2,453.00	23.83	IncAzi-MWD	Scientific Drilling	
6/10/2011	2,517.00	23.94	IncAzi-MWD	Scientific Drilling	
6/10/2011	2,580.00	24.08	IncAzi-MWD	Scientific Drilling	
6/10/2011	2,644.00	24.18	IncAzi-MWD	Scientific Drilling	
6/10/2011	2,707.00	24.34	IncAzi-MWD	Scientific Drilling	
6/10/2011	2,771.00	23.84	IncAzi-MWD	Scientific Drilling	
6/10/2011	2,834.00	23.65	IncAzi-MWD	Scientific Drilling	
6/10/2011	2,898.00	23.67	IncAzi-MWD	Scientific Drilling	
6/10/2011	2,961.00	24.50	IncAzi-MWD	Scientific Drilling	
6/10/2011	3,025.00	24.82	IncAzi-MWD	Scientific Drilling	
6/10/2011	3,088.00	26.19	IncAzi-MWD	Scientific Drilling	
6/10/2011	3,151.00	25.61	IncAzi-MWD	Scientific Drilling	
6/10/2011	3,215.00	25.87	IncAzi-MWD	Scientific Drilling	
6/10/2011	3,279.00	27.11	IncAzi-MWD	Scientific Drilling	
6/10/2011	3,342.00	27.60	IncAzi-MWD	Scientific Drilling	
6/10/2011	3,406.00	27.74	IncAzi-MWD	Scientific Drilling	
6/10/2011	3,469.00	27.92	IncAzi-MWD	Scientific Drilling	
6/10/2011	3,533.00	27.60	IncAzi-MWD	Scientific Drilling	
6/10/2011	3,596.00	27.24	IncAzi-MWD	Scientific Drilling	
6/10/2011	3,660.00	26.69	IncAzi-MWD	Scientific Drilling	
6/10/2011	3,723.00	26.90	IncAzi-MWD	Scientific Drilling	
6/13/2011	3,787.00	26.66	IncAzi-MWD	Scientific Drilling	
6/13/2011	3,850.00	37.49	IncAzi-MWD	Scientific Drilling	
6/13/2011	3,914.00	27.48	IncAzi-MWD	Scientific Drilling	
6/13/2011	3,977.00	25.78	IncAzi-MWD	Scientific Drilling	
6/13/2011	4,041.00	24.53	IncAzi-MWD	Scientific Drilling	
6/13/2011	4,104.00	23.94	IncAzi-MWD	Scientific Drilling	
6/13/2011	4,167.00	22.67	IncAzi-MWD	Scientific Drilling	
6/13/2011	4,231.00	21.44	IncAzi-MWD	Scientific Drilling	
6/13/2011	4,294.00	20.09	IncAzi-MWD	Scientific Drilling	
6/13/2011	4,358.00	18.90	IncAzi-MWD	Scientific Drilling	
6/13/2011	4,421.00	18.14	IncAzi-MWD	Scientific Drilling	
6/13/2011	4,485.00	17.92	IncAzi-MWD	Scientific Drilling	
6/13/2011	4,548.00	16.50	IncAzi-MWD	Scientific Drilling	
6/13/2011	4,612.00	14.48	IncAzi-MWD	Scientific Drilling	
6/13/2011	4,675.00	12.28	IncAzi-MWD	Scientific Drilling	
6/13/2011	4,739.00	10.70	IncAzi-MWD	Scientific Drilling	
6/13/2011	4,802.00	8.40	IncAzi-MWD	Scientific Drilling	

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico


My Commission expires _____

Survey Data					
Date	MD (ftKB)	Incl (°)	Method	Survey Company	
6/13/2011	4,866 00	6 37	IncAzi-MWD	Scientific Drilling	
6/13/2011	4,930.00	4 65	IncAzi-MWD	Scientific Drilling	
6/13/2011	4,993 00	3 48	IncAzi-MWD	Scientific Drilling	
6/13/2011	5,056 00	2.17	IncAzi-MWD	Scientific Drilling	
6/13/2011	5,104.00	2.00	IncAzi-MWD	Scientific Drilling	
6/13/2011	5,157 00	2.00	Projection	Scientific Drilling	
6/28/2011	8,815 00	1.50	Inc-WL	Phoenix Services LLC	

I, the undersigned, certify that I acting in my capacity as Drilling Engineer for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.



Subscribed and sworn to me this 8/29/11

 Notary Public in and for San Juan County, New Mexico

My Commission expires 7/28/14



Scientific Drilling
Directional Drilling Operations

ConocoPhillips

SJB (NM Central)
SEC 34-T27N-R4W
SJ 27-4 #35M

Original Hole

API# 30039 30605

Design: Original Hole



Standard Survey Report


27 June, 2011

This survey is correct to the best of my knowledge and is supported by actual field data.

Notarized this date 27th of June, 2011.

Darci D. Neal



Notary Signature
County of Natrona
State of Wyoming



ConocoPhillips



Project: SJB (NM Central)
Site: SEC 34-T27N-R4W
Well: SJ 27-4 #35M
Wellbore: Original Hole
Design: Original Hole



COMPANY DETAILS: ConocoPhillips
Calculation Method: Minimum Curvature
Error System: ISCWSA
Scan Method: Closest Approach 3D
Error Surface: Combined Covariances
Warning Method: Risk Ratio

PROJECT DETAILS: SJB (NM Central)
Geodetic System: US State Plane 1927 (Exact solution)
Datum: NAD 1927 (NADCON CONUS)
Ellipsoid: Clarke 1866
Zone: New Mexico Central 3002
System Datum: Mean Sea Level

SITE DETAILS: SEC 34-T27N-R4W
Rio Arriba County NM
Site Centre Latitude: 36° 32' 9.401 N
Longitude: 107° 13' 49.120 W
Positional Uncertainty: 7.5
Convergence: -0.58
Local North: True

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well SJ 27-4 #35M
Project:	SJB (NM Central)	TVD Reference:	AD 711 @ 7267.0ft (15' DF + 7252' GL)
Site:	SEC 34-T27N-R4W	MD Reference:	AD 711 @ 7267.0ft (15' DF + 7252' GL)
Well:	SJ 27-4 #35M	North Reference:	True
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	EDMCOP

Project	SJB (NM Central), New Mexico, S-Type MV/DK Wells		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		Using Well Reference Point
Map Zone:	New Mexico Central 3002		Using geodetic scale factor

Site		SEC 34-T27N-R4W			
Site Position:		Northing:	2,015,765 52 ft	Latitude:	36° 32' 9.401 N
From:	Lat/Long	Easting:	212,004.75 ft	Longitude:	107° 13' 49.120 W
Position Uncertainty:	15 0 ft	Slot Radius:	6-1/8"	Grid Convergence:	-0.58 °

Well	SJ 27-4 #35M, S-Type MV/DK Well					
Well Position	+N/-S	0.0 ft	Northing:	2,015,765 52 ft	Latitude:	36° 32' 9.401 N
	+E/-W	0.0 ft	Easting:	212,004 75 ft	Longitude:	107° 13' 49.120 W
Position Uncertainty		3.5 ft	Wellhead Elevation:	ft	Ground Level:	7,252 0 ft

Wellbore	Original Hole				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	BGGM2010	5/5/2011	9.64	63.42	50,689

Design	Original Hole			
Audit Notes:				
Version:	1.0	Phase:	ACTUAL	Tie On Depth: 0.0
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)
	0.0	0.0	0.0	44.82

Survey Program	Date 6/27/2011			
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description
373.0	5,104.0	Survey #1 (Original Hole)	MWD SDI	MWD - Standard ver 1.0.1

Survey:										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00	
373.0	0.48	113.96	373.0	-0.6	1.4	0.6	0.13	0.13	0.00	
First SDI MWD Survey										
435.0	1.63	100.39	435.0	-0.9	2.5	1.1	1.89	1.85	-21.89	
497.0	3.07	79.02	496.9	-0.7	5.0	3.0	2.68	2.32	-34.47	
558.0	4.55	74.36	557.8	0.2	9.0	6.5	2.48	2.43	-7.64	
620.0	6.01	64.42	619.5	2.3	14.3	11.7	2.77	2.35	-16.03	
681.0	7.36	58.12	680.1	5.7	20.5	18.5	2.52	2.21	-10.33	
743.0	8.79	56.70	741.5	10.4	27.8	27.0	2.33	2.31	-2.29	
805.0	9.86	51.42	802.7	16.3	35.9	36.9	2.21	1.73	-8.52	
866.0	11.54	46.02	862.6	23.8	44.4	48.2	3.20	2.75	-8.85	
929.0	12.87	41.25	924.2	33.5	53.5	61.5	2.65	2.11	-7.57	
993.0	13.10	44.04	986.6	44.1	63.3	75.9	1.04	0.36	4.36	

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well SJ 27-4 #35M
Project:	SJB (NM Central)	TVD Reference:	AD 711 @ 7267.0ft (15' DF + 7252' GL)
Site:	SEC 34-T27N-R4W	MD Reference:	AD 711 @ 7267.0ft (15' DF + 7252' GL)
Well:	SJ 27-4 #35M	North Reference:	True
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	EDMCOP

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
1,056.0	14.17	43.42	1,047.8	54.8	73.5	90.7	1.71	1.70	-0.98
1,120.0	15.41	43.57	1,109.7	66.6	84.8	107.0	1.94	1.94	0.23
1,183.0	15.13	43.45	1,170.4	78.7	96.2	123.6	0.45	-0.44	-0.19
1,247.0	15.53	46.24	1,232.2	90.7	108.1	140.5	1.31	0.63	4.36
1,310.0	17.20	48.72	1,292.6	102.6	121.2	158.3	2.87	2.65	3.94
1,374.0	18.58	46.64	1,353.5	115.9	135.8	177.9	2.38	2.16	-3.25
1,437.0	19.88	47.25	1,413.0	130.1	150.9	198.6	2.09	2.06	0.97
1,501.0	22.04	44.52	1,472.8	146.0	167.3	221.5	3.70	3.38	-4.27
1,564.0	23.36	43.56	1,530.9	163.5	184.2	245.8	2.18	2.10	-1.52
1,628.0	25.03	44.43	1,589.3	182.3	202.5	272.0	2.67	2.61	1.36
1,691.0	25.20	44.77	1,646.3	201.4	221.2	298.8	0.35	0.27	0.54
1,755.0	25.62	44.24	1,704.1	221.0	240.5	326.3	0.75	0.66	-0.83
1,818.0	25.45	43.98	1,761.0	240.5	259.4	353.4	0.32	-0.27	-0.41
1,882.0	24.67	43.80	1,818.9	260.0	278.2	380.5	1.22	-1.22	-0.28
1,945.0	25.28	43.80	1,876.0	279.2	296.6	407.1	0.97	0.97	0.00
2,009.0	25.70	42.09	1,933.8	299.4	315.3	434.6	1.32	0.66	-2.67
2,072.0	26.47	42.21	1,990.4	319.9	333.9	462.3	1.23	1.22	0.19
2,136.0	25.97	42.38	2,047.8	340.8	353.0	490.6	0.79	-0.78	0.27
2,200.0	23.26	43.74	2,106.0	360.3	371.2	517.2	4.33	-4.23	2.13
2,262.0	23.01	43.58	2,163.0	377.9	388.0	541.5	0.42	-0.40	-0.26
2,326.0	23.03	43.78	2,221.9	396.0	405.3	566.6	0.13	0.03	0.31
2,389.0	23.29	43.18	2,279.8	414.0	422.3	591.3	0.56	0.41	-0.95
2,453.0	23.83	43.67	2,338.5	432.6	439.9	616.9	0.90	0.84	0.77
2,517.0	23.94	42.77	2,397.0	451.5	457.6	642.8	0.59	0.17	-1.41
2,580.0	24.08	43.14	2,454.6	470.2	475.1	668.4	0.33	0.22	0.59
2,644.0	24.18	42.65	2,513.0	489.4	492.9	694.6	0.35	0.16	-0.77
2,707.0	24.34	43.47	2,570.4	508.3	510.6	720.5	0.59	0.25	1.30
2,771.0	23.84	44.15	2,628.8	527.2	528.7	746.6	0.89	-0.78	1.06
2,834.0	23.65	43.16	2,686.5	545.5	546.2	771.9	0.70	-0.30	-1.57
2,898.0	23.67	44.38	2,745.1	564.1	563.9	797.6	0.77	0.03	1.91
2,961.0	24.50	46.38	2,802.6	582.1	582.2	823.3	1.85	1.32	3.17
3,025.0	24.82	46.45	2,860.8	600.5	601.6	850.0	0.50	0.50	0.11
3,088.0	26.19	46.80	2,917.7	619.1	621.3	877.1	2.19	2.17	0.56
3,151.0	25.61	45.93	2,974.3	638.1	641.2	904.6	1.10	-0.92	-1.38
3,215.0	25.87	46.29	3,032.0	657.4	661.3	932.4	0.47	0.41	0.56
3,279.0	27.11	46.60	3,089.3	677.1	681.9	961.0	1.95	1.94	0.48
3,342.0	27.60	46.54	3,145.2	697.0	703.0	989.9	0.78	0.78	-0.10
3,406.0	27.74	46.39	3,201.9	717.4	724.5	1,019.6	0.24	0.22	-0.23
3,469.0	27.92	46.18	3,257.6	737.8	745.8	1,049.0	0.33	0.29	-0.33
3,533.0	27.60	45.47	3,314.2	758.5	767.1	1,078.8	0.72	-0.50	-1.11
3,596.0	27.24	45.61	3,370.2	778.9	787.9	1,107.8	0.58	-0.57	0.22
3,660.0	26.69	45.28	3,427.2	799.2	808.5	1,136.8	0.89	-0.86	-0.52
3,723.0	26.90	45.18	3,483.4	819.2	828.7	1,165.2	0.34	0.33	-0.16
3,787.0	26.66	44.73	3,540.6	839.6	849.1	1,194.1	0.49	-0.38	-0.70
3,850.0	27.49	44.53	3,596.7	860.0	869.2	1,222.7	1.33	1.32	-0.32
3,914.0	27.48	44.91	3,653.4	881.0	890.0	1,252.3	0.27	-0.02	0.59
3,977.0	25.78	46.45	3,709.8	900.8	910.2	1,280.5	2.91	-2.70	2.44
4,041.0	24.53	46.94	3,767.7	919.4	930.0	1,307.7	1.98	-1.95	0.77
4,104.0	23.94	45.85	3,825.1	937.3	948.7	1,333.5	1.18	-0.94	-1.73
4,167.0	22.67	45.30	3,883.0	954.7	966.5	1,358.5	2.05	-2.02	-0.87
4,231.0	21.44	43.75	3,942.3	971.8	983.4	1,382.5	2.13	-1.92	-2.42
4,294.0	20.09	42.14	4,001.2	988.2	998.6	1,404.8	2.33	-2.14	-2.56
4,358.0	18.90	39.90	4,061.5	1,004.3	1,012.6	1,426.1	2.20	-1.86	-3.50
4,421.0	18.14	39.16	4,121.3	1,019.7	1,025.4	1,446.1	1.26	-1.21	-1.17

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well SJ 27-4 #35M
Project:	SJB (NM Central)	TVD Reference:	AD 711 @ 7267.0ft (15' DF + 7252' GL)
Site:	SEC 34-T27N-R4W	MD Reference:	AD 711 @ 7267.0ft (15' DF + 7252' GL)
Well:	SJ 27-4 #35M	North Reference:	True
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	EDMCOP

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
4,485.0	17.92	39.71	4,182.1	1,035.0	1,037.9	1,465.8	0.43	-0.34	0.86
4,548.0	16.50	39.91	4,242.3	1,049.3	1,049.9	1,484.3	2.26	-2.25	0.32
4,612.0	14.48	39.42	4,304.0	1,062.5	1,060.8	1,501.4	3.16	-3.16	-0.77
4,675.0	12.21	38.28	4,365.3	1,073.8	1,069.9	1,515.8	3.63	-3.60	-1.81
4,739.0	10.70	38.70	4,428.0	1,083.7	1,077.8	1,528.5	2.36	-2.36	0.66
4,802.0	8.40	41.83	4,490.1	1,091.7	1,084.6	1,538.9	3.74	-3.65	4.97
4,866.0	6.37	43.13	4,553.6	1,097.8	1,090.1	1,547.1	3.18	-3.17	2.03
4,930.0	4.65	49.77	4,617.3	1,102.1	1,094.5	1,553.2	2.86	-2.69	10.38
4,993.0	3.48	50.41	4,680.1	1,104.9	1,097.9	1,557.7	1.86	-1.86	1.02
5,056.0	2.17	43.95	4,743.1	1,107.0	1,100.2	1,560.8	2.14	-2.08	-10.25
5,104.0	2.00	41.21	4,791.0	1,108.3	1,101.4	1,562.5	0.41	-0.35	-5.71
Last SDI MWD Survey									

Checked By: _____	Approved By: _____	Date: _____
-------------------	--------------------	-------------