District I 1625 N French Dr , Hobbs, NM 88240

State of New Mexico Energy Minerals and Natural Resources Form C-144 July 21, 2008

District II

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

District III 1000 Rio Brazos Rd , Aztec, NM 87410

1301 W Grand Ave , Artesia, NM 88210

For permanent pits and exceptions submit to the Santa Fe

<u>District IV</u> 220 S. St. Francis Dr., Santa Fe, NM 87505	Suita 10, 141		Environmental Bureau office and provide a copy to the appropriate NMOCD District Office
ZN ^)	Pit, Closed-Loop System	n, Below-Grad	e Tank, or
Prop	osed Alternative Method	Permit or Clos	ure Plan Application
Type of action:	Permit of a pit, closed-loop sy	stem, below-grade ta	ank, or proposed alternative method
	X Closure of a pit, closed-loop s	ystem, below-grade	tank, or proposed alternative method
	Modification to an existing pe	-	
		٠.	tted or non-permitted pit, closed-loop system,
	below-grade tank, or proposed	i alternative method	
Instructions: Please submit o	ne application (Form C-144) per in	idividual pit, closed-	loop system, below-grade tank or alternative
			sult in pollution of surface water, ground water or the governmental authority's rules, regulations or ordinances
Operator Burlington Resources C	Dil & Gas Company, LP		OGRID# 14538
Address P.O. Box 4289, Farming	gton, NM 87499		
Facility or well name CANYON I	LARGO UNIT COM 318F		
API Number	30-039-30540	OCD Permit Numbe	er
J/L or Qtr/QtrM(SW/SW) Sect	tion 13 Township 24N	Range [.]	6W County Rio Arriba
Center of Proposed Design Latitud	le· 36.307933 °N	Longitude	107.426192 °W NAD 1927 X 1983
Surface Owner X Federal	State Private	Trıbal Trust or Indian	n Allotment
2			

U/L or Qtr/Qtr M(sW/sW) Section 13 Township 24N Center of Proposed Design Latitude 36,307933 °N	Range 6W County Rio Arriba
	Longitude 107.426192 °W NAD 1927 X 1983 bal Trust or Indian Allotment
State Private Tri	X LLDPE
notice of inte	Drilling (Applies to activities which require prior approval of a permit or int) Other LLDPE HDPE PVD Other RECEIVED
Below-grade tank: Subsection I of 19 15 17 11 NMAC Volumebbl	r, 6-inch lift and automatic overflow shut-off
Alternative Method: Submittal of an exception request is required Exceptions must be submitted to t	the Santa Fe Environmental Bureau office for consideration of approval
0.00	



Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consi (Fencing/BGT Liner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	deration of ap	proval		
String Criteria (regarding permitting) 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval Applicant must attach justification for request. Please refer to 19 15.17.10 NMAC for guidance. String criteria				
does not apply to drying pads or above grade-tanks associated with a closed-loop system. Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	Yes	□No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	∐NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes NA	□No		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No		
- NM Office of the State Engineer - IWATERS database search, Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	∐No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Yes	□No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No		
Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological	Yes	No		
Society, Topographic map Within a 100-year floodplain - FEMA map	Yes	□No		

Torm C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19 15 17 9 NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design) APIor Permit Number				
Closed-loop Systems Permit Application Attachment Checklist: Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC Previously Approved Design (attach copy of design) API Previously Approved Operating and Maintenance Plan API				
Treviously Approved Operating and Wallitenance Flair AFT				
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Climatological Factors Assessmeni Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC Quality Control/Quality Assurance Construction and Installation Plar Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan				
Oil Field Waste Stream Characterization Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
Proposed Closure: 19 15 17 13 NMAC Instructions Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative Proposed Closure Method Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench Burial Alternative Clasura Method (Evapations must be submitted to the Sente Fe Environmental Russey for consideration)				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist. (19 15 17 13 NMAC) Instructions Each of the following items must be attached to the closure plan Please indicate, by a check mark in the box, that the documents are attached				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

16					
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Stee Instructions Please identify the facility or facilities for the disposal of liquids, drilling fare required		ulines			
Disposal Facility Name	Disposal Facility Permit #				
Disposal Facility Name	Disposal Facility Permit #				
Will any of the proposed closed-loop system operations and associated activities Yes (If yes, please provide the information No	· · · · · · · · · · · · · · · · · · ·	ice and operations?			
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Plan - based upon the app	ion I of 19 15 17 13 NMAC	`			
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recsilling criteria may require administrative approval from the appropriate district office or may be consideration of approval. Justifications and/or demonstrations of equivalency are required. Pleating the consideration of approval.	considered an exception which must be submitted to the Santa Fe Er				
Ground water is less than 50 feet below the bottom of the buried waste		Yes No			
- NM Office of the State Engineer - tWATERS database search, USGS Data obtain	ned from nearby wells	□N/A			
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No			
- NM Office of the State Engineer - (WATERS database search, USGS, Data obtain	ned from nearby wells	□ _{N/A} □			
	·				
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obtai	ned from pearby wells	∐Yes ∐No			
- Not Office of the State Engineer - TWATERS database search, USUS, Data obtain	ned from nearby wetts	N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signific (measured from the ordinary high-water mark)	ant watercourse or lakebed, sinkhole, or playa lake	Yes No			
Topographic map, Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in e - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	• •	Yes No			
in the proposed site, i.e. and proposed site, i.e. and process, sales in the		Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less that purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existed - NM Office of the State Engineer - iWATERS database, Visual inspection (certific	ence at the time of the initial application				
Within incorporated municipal boundaries or within a defined municipal fresh water we pursuant to NMSA 1978, Section 3-27-3, as amended	·	Yes No			
Written confirmation or verification from the municipality, Written approval obta Within 500 feet of a wetland	aned from the municipality	∏Yes ∏No			
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspi	ection (certification) of the proposed site				
Within the area overlying a subsurface mine		∏Yes ∏No			
- Written confiramtion or verification or map from the NM EMNRD-Mining and M	lineral Division				
Within an unstable area		Yes No			
- Engineering measures incorporated into the design, NM Bureau of Geology & Mi Topographic map	neral Resources, USGS, NM Geological Society,				
Within a 100-year floodplain - FEMA map		Yes No			
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of check mark in the box, that the documents are attached.	of the following items must bee attached to the closure p	olan. Please indicate, by a			
Siting Criteria Compliance Demonstrations - based upon the appropriate	requirements of 19 15 17 10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirement					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC					
		15 17 11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					

Form C-144 Oil Conservation Division Page 4 of 5

19
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed X Closure Completion Date: July 14, 2009
Closure Method: Waste Excavation and Removal The different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only Instructions. Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were
utilized Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations
Ste Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached X Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
X Plot Plan (for on-site closures and temporary pits)
X Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
X Disposal Facility Name and Permit Number X Soil Backfilling and Cover Installation
X Soil Backfilling and Cover Installation X Re-vegetation Application Rates and Seeding Technique
X Site Reclamation (Photo Documentation)
On-site Closure Location Latitude 36.30815 °N Longitude 107.42619 °W NAD 1927 X 1983
25
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Crystal Tafoya Title Regulatory Tech
Signature Lindal Taloya Date 2/1/2010
e-mail address crystal tafova@conocophillips.com Telephone 505-326-9837

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: CANYON LARGO UNIT COM 318F

API No.: 30-039-30540

In accordance with Rule 19 15 17 13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

- 1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves
 - All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).
- The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

- 3 The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested
 - The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)
- 4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded
 - Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change Burlington will ensure compliance with this rule in the future.
- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally The notification of closure will include the following:
 - 1. Operator's name
 - II. Location by Unit Letter, Section, Township, and Range Well name and API number

Notification is attached.

6 Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15 17 13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19 15 17 13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	11 3 ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	136 ug/kG
TPH	EPA SW-846 418.1	2500	66 0 mg/kg
GRO/DRO	EPA SW-846 8015M	500	32.8 mg/Kg
Chlorides	EPA 300 1	1000/ 500	240 mg/L

9 Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on .
Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13 Notification will be sent to OCD when the reclaimed area is seeded

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14 BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following. Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, BLM, CANYON LARGO UNIT COM 318F, UL-M, Sec. 13, T 24N, R 6W, API # 30-039-30540

Tafoya, Crystal

From:

Tafoya, Crystal

Sent:

Sunday, January 31, 2010 9 50 AM 'mark_kelly@nm blm gov'

To:

Cc:

Subject:

Tafoya, Crystal Temporary Pits Closed On-site

The following locations temporary pit is closed onsite. Please contact me if you have any questions

Canyon Largo Unit Com 318E Canyon Largo Unit Com 318F

Thank you,

Crystal Tafoya Regulatory Technician Phone: (505) 326-9837

Email: crystal.tafoya@conocophillips.com

[&]quot;Safety has no quitting time"

District I 1625 N French Dr., Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd , Aztec, NM 87410 District IV 1220 S St Francis Dr., Santa Fe, NM 87505 State of New Mexico
Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION O 3 Submit to A 1220 South St. Francis Dr.
Santa Fe, NM 87505 Sureau of Land Management Farmington Field Office Form C-102 Revised October 12, 2005
Submit to Appropriate District Office
State Lease - 7 Copies Fee Lease - 3 Copies

☐ AMMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

30	NPI Number	305 ^L		Pool Code 1599		³ Pool Name BASIN DAKOTA			
Property Cox 6838	de	5 Proporty Name CANYON LARGO UNIT COM					⁶ Well Number 318F		
7 OGRID N 14538	0		8 Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY LP						⁹ Elevation 6485
					10 SURFACE	LOCATION			
UL or lat no M	Section 13	Township 24-N	Range 6-W	Lot Idn	Feet from the 855	North/South line SOUTH	Feet from the 845	East/West line WEST	County RIO ARRIBA
			11 E	ottom H	ole Location	If Different Fro	m Surface		
UL or lot no. M	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acre 320.00		or Infill	Consolidation	Code 15	Order No			· · · · · · · · · · · · · · · · · · ·	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION


16			OPERATOR CERTIFICATION
USA SF - 079086			I hereby certify that the information contained herein is true and complete to the hest of my knowledge and belief and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling arrier heretofore entered by the drygnon.
		<u>-</u>	Signeture
		. (Crystal Walker
,		4	Printed Name Regulatory Technician
(ι	USA SF - 080594-A	Į,	Title and E-mail Address
			April 15th, 2008
		ļ	Date
			18 SURVEYOR CERTIFICATION
W/2 DEDICATE USA SF-I IS SECTION ST-24-N, R	080594 ON 13		I hereby cerufy that the well location shown on this plat was plated from felld notes of actual surveys made by nee or under my supervision, and that the same is true and correct to the best of my belief Date of Survey: 2/11/08 Signature and Seal of Professional Surveyor.
NAD LAT:	36.307933° N		S. BACADIUM
NAD LAT:	<u>G: 107.426192° W</u> 27 36°18.475252' N G: 107°25.535347' W		
Z Z N 89'44' W N 89'58'16" W		5259.5' (R) 5258.0' (M)	Certificate Humber: NM 11393

BURLINGTON RESOURCES OIL & GAS COMPANY LP

CANYON LARGO UNIT COM #318F

855' FSL, 845' FWL





SIDE). ABOVE SHALLOW (OVERFLOW-3' WIDE AND SIDE ABOVE DEEP œ ဥ RESERVE PIT DIKE:

PRIOR UNMARKED BURIED (2) WORKING DAYS OT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES. CALL ONE—CALL FOR LOCATION OF ANY MARKED OR ON WELL PAD AND OR ACCESS ROAD AT LEAST TWO C.C.I. SURVEYS IS NOT (CONTRACTOR SHOULD CAPPLINES OR CABLES ON

5

TO CONSTRUCTION.

CCI

PO BOX 328 CHENAULT CONSULTING INC. BLOOMFIELD, NM, 87413 PHONE (505) 325-7707 PIT CROSS SECTION

NAD 83 LAT 36 307933°N / LONG : 107 426192°W

330' x 400' = 3.030 ACRES



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client	ConocoPhillips	Project #:	96052-0026
Sample ID:	Canyon Largo Unit Com #318F	Date Reported:	03-11-09
Laboratory Number:	49194	Date Sampled:	03-04-09
Chain of Custody No:	5887	Date Received:	03-05-09
Sample Matrix:	* Soil	Date Extracted:	03-09-09
Preservative:	Cool	Date Analyzed:	03-10-09
Condition:	· Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	5.1	0.2	
Diesel Range (C10 - C28)	27.7	0.1	
Total Petroleum Hydrocarbons	32.8	0.2	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Drilling Pit Sample.



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Canyon Largo Unit Com #318F	Date Reported:	03-11-09
Laboratory Number:	4 9195	Date Sampled:	03-04-09
Chain of Custody No:	5887	Date Received:	03-05-09
Sample Matrix:	Soil	Date Extracted:	03-09-09
Preservative:	Cool	Date Analyzed:	03-10-09
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND .	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Drilling Pit Sample, Background.



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client	QA/QC		Project #:		N/A
Sample ID:	03-10-09 QA/	'QC	Date Reported:		03-11-09
Laboratory Number:	49192		Date Sampled:		N/A
Sample Matrix:	Methylene Chlo	ride	Date Received:		N/A
Preservative:	N/A		Date Analyzed:		03-10-09
Condition:	N/A		Analysis Reques	ted:	TPH
	r je se (40 0)/Daje	· · · · · · · · · · · · · · · · · · ·	C-Call RP	%.Giference	a Accepta Range
Gasoline Range C5 - C10	05-07-07	1.0109E+003	1.0113E+003	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	9.8182E+002	9.8221E+002	0.04%	0 - 15%

Blank(Com; (mg/L-mg/Kg)	Concentrations	- Defection Emile
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND ND	0.2

Duplicate Contained Kill	Sample	Duplicate	% Difference	Accept Renge
Gasoline Range C5 - C10	1.7	1.6	5.9%	0 - 30%
Diesel Range C10 - C28	5.2	5.4	3.8%	0 - 30%

Spike Cone. (mg/kg)	S ample	Spike/Added	Spika Reciji.	Water Contains	Accept Range
Gasoline Range C5 - C10	1.7	250	235	93.5%	75 - 125%
Diesel Range C10 - C28	5.2	250	242	94.9%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 49192 - 49201.



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Canyon Largo Unit Com #318F	Date Reported:	03-11-09
Laboratory Number:	49194	Date Sampled:	03-04-09
Chain of Custody:	5887	Date Received:	03-05-09
Sample Matrix	Soil	Date Analyzed:	03-10-09
Preservative:	Cool	Date Extracted:	03-09-09
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	11.3	0.9 ·
Toluene	28.0	1.0
Ethylbenzene	11.4	1.0
p,m-Xylene	61.2	1.2
o-Xylene	24.3	0.9
Total BTEX	136	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery	
	Fluorobenzene	97.0 %	
	1,4-difluorobenzene	97.0 % ·	
	Bromochlorobenzene	97.0 %	

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Drilling Pit Sample.



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project#:	96052-0026
Sample ID:	Canyon Largo Unit Com #318F	Date Reported:	03-11-09
Laboratory Number:	49195	Date Sampled:	03-04-09
Chain of Custody:	5887	Date Received:	03-05-09
Sample Matrix:	Soil	Date Analyzed:	03-10-09
Preservative:	Cool	Date Extracted:	03-09-09
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Damas	4.0	
Benzene Toluene	1.9 3.0	0.9 1.0
Ethylbenzene	1.6	1.0
p,m-Xylene	3.6	1.2
o-Xylene	5.3	0.9
Total BTEX	15.4	•

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery	
	Fluorobenzene	98.0 %	
	1,4-difluorobenzene	98.0 % .	
	Bromochlorobenzene	98.0 %	

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Drilling Pit Sample, Background.

Analyst

Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client	N/A	Project #:	N/A
Sample ID.	03-10-BT QA/QC	Date Reported:	03-11-09
Laboratory Number:	49192	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	03-10-09
Condition:	N/A	Analysis:	BTEX

Contration and Detection Limits (Ug/L)	TECAIRE:	C.C.al PKF: Accept Rand	a Yabitia Je Q = 15% °°	Blank Conc	Detect Lipit
Benzene	3.1834E+005	3.1898E+005	0.2%	ND	0.1
Toluene	4.0477E+005	4.0559E+005	0.2%	ND	0.1
Ethylbenzene	3.9150E+005	3.9228E+005	0.2%	ND	0.1
p,m-Xylene	9.5857E+005	9.6049E+005	0.2%	ND	0.1
o-Xylene	4.6274E+005	4.6367E+005	0.2%	ND	0.1

Dumlicate (Sone (Un)/(u)/	g Semple D	oplicate 🐩	* % (3)(1)	Alexical Range	Detect Limit !
Benzene	22.2	23.5	5.9%	0 - 30%	0.9
Toluene	17.9	18.1	1.1%	0 - 30%	1.0
Ethylbenzene	15.8	18.2	15.2%	0 - 30%	1.0
p,m-Xylene	43.7	46.7	6.9%	0 - 30%	1.2
o-Xvlene	27.2	28.0	2.9%	0 - 30%	0.9

SpikeConc (ug/Kg)	Semple Amo	unt Spikedis Sal	œd Sample	%/ficewep	Accept Range
Benzene	22.2	50.0	67.8	93.9%	39 - 150
Toluene	17.9	50.0	64.9	95.6%	46 - 148
Ethylbenzene	15.8	50.0	64.8	98.5%	32 - 160
p,m-Xylene	43.7	100	142	98.5%	46 - 148
o-Xylene	27.2	50.0	75.5	97.8%	46 - 148

ND - Parameter not detected at the stated detection limit.

References:

Method 50308, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 49192 - 49201.

Analyst



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client	ConocoPhillips	Project #:	96052-0026
Sample ID:	Canyon Largo Unit Com #318F	Date Reported:	03-12-09
Laboratory Number:	49194	Date Sampled:	03-04-09
Chain of Custody No:	5887	Date Received:	03-05-09
Sample Matrix:	Soil	Date Extracted:	03-06-09
Preservative:	Cool	Date Analyzed:	03-06-09
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

66.0

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Drilling Pit Sample.



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client	ConocoPhillips	Project #:	96052-0026
Sample ID:	Canyon Largo Unit Com #3	118F Date Reported:	03-12-09
Laboratory Number:	49195	Date Sampled:	03-04-09
Chain of Custody No:	5887	Date Received:	03-05-09
Sample Matrix:	Soil	Date Extracted:	03-06-09
Preservative:	Cool	Date Analyzed:	03-06-09
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

30.0

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Drilling Pit Sample Background.



EPA METHOD 418.1 TOTAL PETROLEUM **HYROCARBONS QUALITY ASSURANCE REPORT**

Client: Sample ID:

QA/QC QA/QC Project #: Date Reported: N/A

Laboratory Number:

03-06-TPH.QA/QC 49192

Date Sampled:

03-12-09 **N/A**

Sample Matrix: Preservative:

Freon-113 N/A N/A

Date Analyzed: Date Extracted: 03-06-09 03-06-09

TPH

Calibration

Condition:

I-Cal Date 02-13-09 C-Cal Date 03-06-09

I-Cal RF: 1,500 C-Cal RF: 1,600

Analysis Needed:

% Difference 6.7%

Accept. Range +/- 10%

Blank Conc. (mg/Kg)

Concentration

Detection Limit

TPH

ND

18.0

Duplicate Conc. (mg/Kg) **TPH**

Sample 72.0

60.0

Duplicate % Difference Accept. Range 16.7%

+/- 30%

Spike Conc. (mg/Kg) Sample Spike Added Spike Result & Recovery Accept Range **TPH**

72.0

2,000

1,800

86.9%

80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 49192 - 49201.



Chloride

Client: Sample ID: Lab ID#: Sample Matrix: Preservative:	ConocoPhillips Canyon Largo Unit Com #318F 49194 Soil Cool	Project #: Date Reported: Date Sampled: Date Received: Date Analyzed:	96052-0026 03-12-09 03-04-09 03-05-09 03-06-09
Preservative:	Cool	Date Analyzed:	03-06-09
Condition:	Intact	Chain of Custody:	5887

Parameter

Concentration (mg/Kg)

Total Chloride

240

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Drilling Pit Sample.

Money H

Review



Chloride

Cliante	ConsesShilling	Designat #h	96052-0026
Client	ConocoPhillips	Project #:	90052-0020
Sample ID:	Canyon Largo Unit Com #318F	Date Reported:	03-12-09
Lab ID#:	49195	Date Sampled:	03-04-09
Sample Matrix:	Soil	Date Received:	03-05-09
Preservative:	Cool	Date Analyzed:	03-06-09
Condition:	Intact	Chain of Custody:	5887

Concentration (mg/Kg)

Total Chloride

10

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Drilling Pit Sample. -

Background.

Subinit To Appropr Two Copies District I	iate District	Office		State of New				Mexico atural Resources				Form C-105 July 17, 2008						
1625 N French Dr District II	, Hobbs, NM	1 88240		Emergy, Williams and Natural Resources					1. WELL API NO.									
1301 W Grand Ave District III	enue, Artesia	, NM 88210		Oil Conservation Division					-	30-039-30540 2 Type of Lease								
1000 Rio Brazos Ro District IV	l, Aztec, NN	A 87410				20 South S				r.		STATE FEE FED/INDIAN						
1220 S St Francis	Dr , Santa Fe	e, NM 87505				Santa Fe, N	NM 8	375()5			3 State Oil 8 SF-080594		Lease No			ļ	
		ETION (OR F	RECO	MPL	ETION RE	POR	RT A	ND	LOG								
4 Reason for fili	ng											5 Lease Nam						
☐ COMPLETI	ON REPO	ORT (Fill in	boxes :	#1 throu	gh #31 1	for State and Fe	e wells	only))			CANYON LARGO UNIT COM 6 Well Number						
C-144 CLOS #33, attach this ar	nd the plat										/or	318F						
7 Type of Comp ✓ NEW V		WORKOV	ER □	DEEPE	NING	□PLUGBACI	к П і	OIFFE	EREN	NT RESERV	OIR	R 🗆 OTHER						
8 Name of Opera	itor											9 OGRID			••			
Burlington R 10 Address of Op		Oil Gas	Com	pany,	LP							14538 11 Pool name	or W	ıldcat				
PO Box 4298, Fa		NM 87499																
12.Location	Unit Ltr	Section		Towns	hıp	Range	Lot			Feet from t	he	N/S Line	Feet	from the	E/W Lı	ne	County	
Surface:									\dashv									
BH: 13 Date Spudded	I I4 Det	e T D Reac	had	15 5	ata Dia	Released			1.6	Data Campl	lotod	l (Ready to Proc	luca)	17	Elevetic	one (DE	and RKB,	
13 Date Spudded	14 Dat	e i D Reac	neu		1/2008	Released			10	Date Comp	ieteu	i (Ready to Proc	iuce)		Γ, GR, etc		and KKD,	
18 Total Measure	ed Depth o	f Well		19 P	lug Bac	k Measured De	pth		20	Was Direct	iona	al Survey Made)	21 Тур	e Electric	and Ot	her Logs Run	
22 Producing Int	erval(s), of	this comple	tion - T	Γop, Bot	tom, Na	ıme							_					
23						ING REC	ORI) (R			ring							
CASING SIZ	ZE	WEIGH	ΓLB /I	T		DEPTH SET			НО	LE SIZE		CEMENTIN	G RE	CORD	AM	OUNT	PULLED	
			·····			· · · · · · · · · · · · · · · · · · ·								-				
24	1				LINI	ER RECORD					25	5 TUBING RECORD						
SIZE	TOP		BO	MOT		SACKS CEM	IENT				SIZ	DEPTH SET PACKE			ER SET			
	<u> </u>		+															
26 Perforation	record (int	erval, sıze, a	nd nur	nber)		1		27	ACI	D, SHOT,	FR.	ACTURE, CE	EMEN	IT, SQUI	EEZE, E	TC		
								DEF	PTH	INTERVAL		AMOUNT A	ND K	IND MA	TERIAL	USED		
												 						
28										ΓΙΟΝ								
Date First Produc	etion	F	roduct	ion Met	nod <i>(Fla</i>	owing, gas lift, p	ขนทpเทยู	g - Sız	ze and	d type pump)	Well Status	s (Prod	d or Shut-	-in)			
Date of Test	Hours	Tested	Cho	oke Size		Prod'n For Test Period		Oıl -	- Bbl		Ga	s - MCF	W	ater - Bbl		Gas - C	Dil Ratio	
Flow Tubing Press	Casing	Pressure		culated 2 ur Rate	24-	Oıl - Bbl		\	Gas ·	- MCF	<u>' </u>	Water - Bbl	1	Oıl Gra	vity - AP	1 - (Cor	r)	
29 Disposition o	f Gas <i>(Sola</i>	l, used for fu	el, ven	ted, etc)									30 7	l Test Witne	ssed By			
31 List Attachme	ents				·								<u> </u>					
32 If a temporar	y pit was us	sed at the we	ll, atta	ch a plat	with th	e location of the	tempo	rary p	oit									
33 If an on-site b	ourial was t	ised at the w	ell, rep	ort the	xact loc	cation of the on-	site bui	rial										
		Latitud	36.30)815°N	Long	gitude 107.426	19°W	NAD		927 🛮 198	3							
I hereby certij	_	-			Prir	nted	-			•						! beliej	f	
Signature		6	///		Nan	ne Crystal T	l'afoya	a 7	Γitle	: Regula	tor	y Tech I	Date:	2/1/0	20/0			
E-mail Addre	E-mail Address crystal.tafoya@conocophillips.com																	

.

ConocoPhillips

Pit Closure Form:	
Date: 7/14/09	
Well Name: Canyon Lorgo uni	t#318F
Footages:	Unit Letter:M
Section: <u>13</u> , T- <u>24</u> -N, R- <u>6</u> -W	, County: ᠒¡ⴰ Α̞̞̞ː ես State: ო. ო.
Contractor Closing Pit: Aztuc	
Construction Inspector: Sales	Date: 7/14/09
Inspector Signature:	<u> </u>

Tafoya, Crystal

From:

Silverman, Jason M

Sent:

Tuesday, July 07, 2009 1 59 PM

To:

Brandon Powell@state nm us: Mark Kelly: Robert Switzer, Sherrie Landon

Cc:

'BOS', 'Aztec Excavation', 'Randy Flaherty', Becker, Joey W, Bonilla, Amanda, Bowker, Terry D, Busse, Dollie L, Chavez, Virgil E, Gordon Chenault, GRP SJBU Production Leads, Hockett, Christy R, Johnson, Kirk L, KENDAL BASSING, Kennedy, Jim R, Lopez, Richard A, Nelson, Terry J, O'Nan, Mike J, Peace, James T, Pierce, Richard M, Poulson, Mark E, Richards, Brian, Silverman, Jason M, Smith, Randall O, Stamets, Steve A, Thacker, LARRY, Work, Jim A, Faver Norman (faverconsulting@yahoo com), Jared Chavez, Scott Smith, Smith Eric

(sconsulting eric@gmail.com), Terry Lowe, Blair, Maxwell O

(Maxwell O Blair@conocophillips com), Blakley, Maclovia, Clark, Joan E

(Joni.E Clark@conocophillips com), Farrell, Juanita R (Juanita R Farrell@conocophillips com), Gillette, Steven L (Gray Surface Specialties and Consulting, Ltd.), Greer, David A, Hines, Derek J (Finney Land Co.), Maxwell, Mary Alice, McWilliams, Peggy L, Seabolt, Elmo F

(Elmo F Seabolt@conocophillips com), Stallsmith, Mark R

Subject:

Reclamation Notice Canyon Largo Unit Com 318F

Importance: High

Attachments: Canyon Largo Unit Com 318F pdf

Aztec Excavation will move a tractor to the Canyon Largo Unit

Com 318F on Monday, July 13th, 2009 to start the reclamation process.

Please contact Eric Smith (608-1387) if you have any questions or need further assistance.

Thanks, Jason Silverman

Burlington Resources Well- Network # 10223617

Rio Arriba County, NM:

Canyon Largo Unit Com 318F - BLM surface / BLM minerals

Twin: n/a

855' FSL, 845' FWL Sec. 13, T24N, R6W Unit Letter 'M'

Lease #: USA SF-080594

API #: 30-039-30540

Latitude: 36° 18′ 28.55880″ N (NAD 83)

Longitude: 107° 25′ 34.29120″ W

Elevation: 6485'

Jason Silverman -----Construction Technician
ConocoPhillips Company - SJBU

Construction Department
P.O. Box 4289
Farmington, NM 87499-4289
505-326-9821
Jason.M.Silverman@ConocoPhillips.com


Conoco hilips V


Reclamation Form:	
Date: 1/28/09	 -
Well Name: Canyon I	argo unit#318f
Footages: 855'fs/	- 845'ful Unit Letter: M
Section: <u>\3</u> , T- <u>24</u> -	N, H-6 -W, County: 2: Amba State: w. h.
Reclamation Contractor:	Aztee
Reclamation Date:	7/25/09
Road Completion Date:	7/28/09
Seeding Date:	7/28/09
Construction Inspector:	Eric Sn.74 Date: 7/29/09
Inspector Signature:	E 28-


BESOURCES

ON #

CANYON LARGO UNIT COM #318F
LATITUDE 36° 18 MIN. 28.55880 SEC. N (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONGITUDE 107° 25 MIN. 34.29120 SEC. W (NAD 83)
LONG







WELL PAD SAFETY AND ENVIRONMENTAL CHECK LIST

WELL NAME:	Canyon Largo U	Canyon Largo Unit Com 318F API#			30-039-30540
DATE	INSPECTOR	SAFETY CHECK	LOCATION	PICTURES TAKEN	COMMENTS
1/5/2009	S Smith	х	х	х	Fence & liner in good condition, crew installing facilities on loaction
10/13/2008	S Smith	×	x	Х	Fence & liner in good condition
10/21/2008	S Smith	x	×	Х	Fence & liner in good condition
11/17/2008	S Smith	x	x	х	Preparing to move rig on location
12/3/2008	S Smith	x	×	х	Tears in liner, liner not keyed-in property at NW edge of reserve pit where apron was cut back, no diversion ditch or berm at pit, contacted OCD
12/8/2008	S Smith				Rig on location
12/15/2008	S Smith	х	x	x	Fence in good condition, liner appears to be in good condition (covered is now, hard to tell)
12/21/2008	S Smith	х	x	х	Flowback crew on location
1/7/2009	S Smith	х	x	x	Liner in good condition, fence needs repaired-loose, cut and not properly tied together
1/19/2009	S Smith	1			Rig on location
1/28/2009	S Smith	х	x	x	Fence M barbed wire on West side of reserve pit, tears in liner at apron, line burned at blowpit, called Nobles to haul water, location needs bladed, access road muddy & rutted, trash in blowpit (pieces of liner), no diversion ditch at pit Contacted OCD
2/18/2009	S Smith	х	х	х	Fence & liner in good condition, no diversion ditchat pit, 2 each frac trank: & cellar form still on location, called Nobles to haul water
2/20/2009	S Smith	Х	х	х	Fence & liner in good condition, no diversion ditch at pit
3/11/2009	S Smith	х	х	×	steam and hydrovac blowpit, tanks & cellar still on location, no diversion ditch at pit, called HSE for COW, location sign bent, needs replaced - called Construction
3/17/2009	S Smith	х	х	×	Fence & liner in good condition, location needs bladed, tanks & cellar line left on location, no diversion ditch at pit
3/19/2009	S Smith	х	х	x	Fence & liner in good condition, 2 each frac tanks & cellar liner left on location, no diversion ditch at pit
4/6/2009	S Smith	х	х	x	Fence & liner in good condition, cellar liner left on location, no diversion ditch at pit
4/13/2009	S Smith	х	х	х	Fence & liner in good condition, cellar liner left on location, no diversion drich at pit
4/20/2009	S Smith	X	X	Х	Fence & liner in good condition, no diversion ditch at pit
5/4/2009	S Smith	X	X	Х	Fence & liner in good condition, no diversion ditch at pit
5/18/2009	S Smith	X	X	X	Fence & liner in good condition, no diversion ditch at pit
5/26/2009	S Smith	X	X	Х	Fence & liner in good condition, no diversion ditch at pit
6/10/2009	S Smith	x	X X	X	Fence & liner in good condition, access road & location muddy, no diversion ditch at pit Fence & liner in good condition, no diversion ditch at pit
6/17/2009 7/6/2009	S Smith S Smith	- X	X	X	Fence & liner in good condition, no diversion affen at pit Fence & liner in good condition, called Nobles to drain pit
7/6/2009	E Smith	 ^-		^	Prit Closed
7 14 / 2007	C STIMIT	-			TH Closed
		 		-	
·- <u></u>		1			