State of New Mexico Energy Minerals and Natural Resources Form C-144 July 21, 2008

District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S St Francis Dr , Santa Fe, NM 87505

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

-	<u>1 10 L</u>	bosed Atternative Method Fernitt of Closure Flan Application
7003	Type of action	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
, •		X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
		Modification to an existing permit
		Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
		below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the

environment. Nor does approval relieve the operator of its responsibility to comply v	run any other applicable governmental authorny's rules, regulations of ordinances
Operator: Burlington Resources Oil & Gas Company, LP	OGRID#: 14538
Address: P.O. Box 4289, Farmington, NM 87499	
Facility or well name CANYON LARGO UNIT 239P	
API Number. 30-039-30882	OCD Permit Number
U/L or Qtr/Qtr F(SE/NW) Section: 1 Township: 25N	Range: 6W County: Rio Arriba
Center of Proposed Design: Latitude: 36.431574 °N	Longitude. <u>107.423068</u> °W NAD: 1927 X 1983
Surface Owner X Federal State Private T	ribal Trust or Indian Allotment
X Pit: Subsection F or G of 19 15 17 11 NMAC Temporary X Drilling Workover Permanent Emergency Cavitation P&A X Lined Unlined Liner type Thickness 20 mil X String-Reinforced	X LLDPE HDPE PVC Other
Liner Seams X Welded X Factory Other	Volume <u>7700</u> bbl Dimensions L <u>120'</u> x W <u>55'</u> x D <u>12'</u>
Closed-loop System: Subsection H of 19 15 17 11 NMAC Type of Operation P&A Drilling a new well Workover notice of in Drying Pad Above Ground Steel Tanks Haul-off Bins Lined Unlined Liner type Thickness mil Liner Seams Welded Factory Other	Other LLDPE HDPE PVD Other Other
	er, 6-inch lift and automatic overflow shut-off Other Other
5 Alternative Method: Submittal of an exception request is required Exceptions must be submitted to	

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)			
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify	tion or church,	,	
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)			
8			
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC			
9			
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance			
Please check a box if one or more of the following is requested, if not leave blank:			
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration (Fencing/BGT Liner)	eration of appr	oval	
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval			
Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No	
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	NA		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No	
(Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	□NA		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No	
- NM Office of the State Engineer - tWATERS database search, Visual inspection (certification) of the proposed site.			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No	
 Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes	No	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No	
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society, Topographic map	Yes	No	
Within a 100-year floodplain	Yes	No	

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19 15 17 9 NMAC
Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API or Permit
12
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9
NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15.17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17 11 NMAC
Dike Protection and Structural Integrity Design. based upon the appropriate requirements of 19.15 17 11 NMAC Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
☐ Erosion Control Plan ☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
14 Proposed Closure: 19 15 17 13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative
Proposed Closure Method Waste Excavation and Removal
Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC
Ste Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Grou	nd Steel Tanks or Haul-off Bins Only:(19 15 17 13 D NMAC)				
Instructions Please identify the facility or facilities for the disposal of liquids, d facilities are required	rilling fluids and drill cuttings Use attachment if more than two				
Disposal Facility Name	Disposal Facility Permit #				
Disposal Facility Name	Disposal Facility Permit #				
Will any of the proposed closed-loop system operations and associated Yes (If yes, please provide the information No		service and			
Required for impacted areas which will not be used for future service and opera Soil Backfill and Cover Design Specification - based upon the ap Re-vegetation Plan - based upon the appropriate requirements of S Site Reclamation Plan - based upon the appropriate requirements of	ppropriate requirements of Subsection H of 19 15 17 13 N Subsection I of 19 15 17 13 NMAC	IMAC			
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 1) Instructions Each siting criteria requires a demonstration of compliance in the closure placertain string criteria may require administrative approval from the appropriate district of office for consideration of approval. Justifications and/or demonstrations of equivalency of the consideration of approval.	an Recommendations of acceptable source material are provided below ffice or may be considered an exception which must be submitted to the S				
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Database Search, USGS Database Search, USGS Database Search, USGS Database Search	ata obtained from nearby wells	Yes No			
Crown division in between 50 and 100 Graduals and all areas 601.	d wests				
Ground water is between 50 and 100 feet below the bottom of the burie - NM Office of the State Engineer - iWATERS database search, USGS, Da		∐Yes ∐No □N/A			
•	·				
Ground water is more than 100 feet below the bottom of the buried was - NM Office of the State Engineer - iWATERS database search, USGS, Da		Yes No			
	•				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other (measured from the ordinary high-water mark)	significant watercourse or lakebed, sinkhole, or playa lake	Yes No			
- Topographic map, Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or chu - Visual inspection (certification) of the proposed site, Aerial photo, satellite		Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that le purposes, or within 1000 horizontal fee of any other fresh water well or spring, in NM Office of the State Engineer - iWATERS database, Visual inspection	in existence at the time of the initial application (certification) of the proposed site	∐Yes ∐No			
Within incorporated municipal boundaries or within a defined municipal fresh wa pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written appro-		Yes No			
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visu		Yes No			
Within the area overlying a subsurface mine	rat hispection (certification) of the proposed site	Yes No			
- Written confiramtion or verification or map from the NM EMNRD-Mining	g and Mineral Division				
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geolog	y & Mineral Resources, USGS, NM Geological Society,	Yes No			
Topographic map Within a 100-year floodplain - FEMA map		Yes No			
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: by a check mark in the box, that the documents are attached.	Each of the following items must bee attached to the cla	osure plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the app	•				
Proof of Surface Owner Notice - based upon the appropriate req		•			
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17 11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					

Form C-144 Oil Conservation Division Page 4 of 5

19
Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date:
e-mail address Telephone
20 OCD Approval: Permit Application (including closure plan) Closure Plan-(only) OCD Conditions (see attachment)
OCD Representative Signature: (Approval Date: 9/27/2011
Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
X Closure Completion Date: July 27, 2011
22
Closure Method:
Waste Excavation and Removal X On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain
Cleave Penant Peranting Wests Penantal Cleave For Cleard Ion Systems That Litilian Above Cround Steel Tanks on Haul off Pins Only
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24 <u>Closure Report Attachment Checklist:</u> Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.
X Proof of Closure Notice (surface owner and division)
X Proof of Deed Notice (required for on-site closure)
X Plot Plan (for on-site closures and temporary pits)
X Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
X Soil Backfilling and Cover Installation X Re-vegetation Application Rates and Seeding Technique
X Site Reclamation (Photo Documentation) On-site Closure Location
On-site Closure Location Latitude. 36.431801 °N Longitude 107.423116 °W NAD 1927 X 1983
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) Jamie Goodwin Title. Regulatory Tech.
Signature Goodwa Date 9/26/11
e-mail address / jamie i goodwin@conocophillips.com Telephone 505-326-9784

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: CANYON LARGO UNIT 239P

API No.: 30-039-30882

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	2.4 ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	117 ug/kG
TPH	EPA SW-846 418.1	2500	458mg/kg
GRO/DRO	EPA SW-846 8015M	500	ND mg/Kg
Chlorides	EPA 300.1	(1000/500	25 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, BLM, CANYON LARGO UNIT 239P, UL-F, Sec. 1, T 25N, R 6W, API # 30-039-30882

Busse, Dollie L

From:

Busse, Dollie L

Sent:

Thursday, December 10, 2009 10:32 AM

To:

Cc:

Mark_Kelly@blm.gov
Jaramillo, Marie E; Tafoya, Crystal; Sessions, Tamra D
Surface Owner Notification

Subject:

The following locations will have a temporary pit closed on-site. Please let me know if you have any questions.

San Juan 28-7 Unit 100N Turner Federal 2M Hardie 2N Canyon Largo Unit 250P Canyon Largo Unit 239P San Juan 32-8 Unit 29P Jicarilla E 15F Jicarilla E 10N San Juan 28-7 Unit 243P Delhi Turner 1M

Thank you.

Dollie L. Busse

ConocoPhillips Company-SJBU Regulatory Staff Regulatory Tech 505-324-6104 505-599-4062 (fax) Dollie.L.Busse@conocophillips.com

[&]quot;Before someone's tomorrow has been taken away, cherish those you love appreciate them today."

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III

1000 Rio Brazos Rd., Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505


Form C-102 Revised October 12, 2005 Submit to Appropriate District Office State Lease - 7 Copies Fee Lease - 3 Copies


☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

1 API Number 2 Poor			Pool Code		³ Pool Name BASIN DAKOTA / BLANCO MESAVERDE				
⁴ Property Cod	e	5 Property Name CANYON LARGO UNIT						⁶ Well Number 239P	
7 OGRID N).	8 Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY LP				1	⁹ Elevation 6682		
					10 SURFACE	LOCATION			
JL or lot no. F	Section 1	Township 25-N	Range 6-W	Lot Idn	Feet from the 1571	North/South line NORTH	Feet from the 1396	East/West line WEST	County RIO ARRIBA
		 	11 E	ottom H	ole Location 1	f Different Fro	m Surface	<u></u>	<u> </u>
IL or lot no.	Section	Township	Range		Feet from the	North/South line	Feet from the	East/West line	County
D	1	25-N	6-W		975	NORTH	520	WEST	RIO ARRIBA
² Dedicated Acres 320.60	13 Joint	or Infill	Consolidation	Code 15	Order No.				

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION





용

ဥ PRIOR UNMARKED BURIED (2) WORKING DAYS OR PIPELINES. Y MARKED OR UNMAR AT LEAST TWO (2) V C.C.I. SURY CONTRACTO PIPELINES



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Burlington	Project #:	92115-1271
Reserve Pit	Date Reported:	07-08-11
58813	Sampled:	07-06-11
11989	Date Received:	07-06-11
Soil	Date Extracted:	07-07-11
Cool	Date Analyzed:	07-07 - 11
Intact	Analysis Requested:	8015 TPH
	Reserve Pit 58813 11989 Soil Cool	Reserve Pit Date Reported: 58813 Sampled: 11989 Date Received: Soil Date Extracted: Cool Date Analyzed:

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

Waste, SW-846, USEPA, December 1996.

Comments:

Canyon Largo Unit 239P

Analyst



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington	Project #:	92115-1271
Sample ID:	Back Ground	Date Reported:	07-08-11
Laboratory Number:	58814	Sampled:	07-06-11
Chain of Custody No:	11989	Date Received:	07-06-11
Sample Matrix:	Soil	Date Extracted:	07-07-11
Preservative:	Cool	Date Analyzed:	07-07-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

Waste, SW-846, USEPA, December 1996.

Comments:

Canyon Largo Unit 239P

Analyst



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	07-07-11 QA/QC	Date Reported:	07-08-11
Laboratory Number:	58813	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	07-07-11
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	Difference	Accept Range
Gasoline Range C5 - C10	07/07/11	9.996E+02	1.000E+03	0.04%	0 - 15%
Diesel Range C10 - C28	07/07/11	9.996E+02	1.000E+03	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	20.0	0.2
Diesel Range C10 - C28	34.2	0.1

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Range
Gasoline Range C5 - C10	ND	ND	0.00%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.00%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	ND	250	254	101%	75 - 125%
Diesel Range C10 - C28	ND	250	245	98.0%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 58813-58816, 58821-58828, 58830-58831

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington	Project #:	92115-1271
Sample ID:	Reserve Pit	Date Reported:	07-08-11
Laboratory Number:	58813	Date Sampled:	07-06-11
Chain of Custody:	11989	Date Received:	07-06-11
Sample Matrix:	Soil	Date Analyzed:	07-07-11
Preservative:	Cool	Date Extracted:	07-07-11
Condition:	intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
_			
Benzene	2.4	0.9	
Toluene	23.2	1.0	
Ethylbenzene	10.6	1.0	
p,m-Xylene	60.9	1.2	
o-Xylene	20.1	0.9	
Total BTEX	117		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	84.3 %
	1,4-difluorobenzene	90.1 %
	Bromochlorobenzene	119 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Canyon Largo Unit 239P

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington	Project #:	92115-1271
Sample ID:	Back Ground	Date Reported:	07-08-11
Laboratory Number:	58814	Date Sampled:	07-06-11
Chain of Custody:	11989	Date Received:	07-06-11
Sample Matrix:	Soil	Date Analyzed:	07-07-11
Preservative:	Cool	Date Extracted:	07-07-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

	Dilduon.	
Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	4.0	0.9 1.0
Ethylbenzene	ND	1.0
p,m-Xylene	3.0	1.2
o-Xylene	2.4	0.9
Total BTEX	9.4	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	90.9 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	104 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Canyon Largo Unit 239P

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	1	Project#:		N/A
Sample ID:	0707BBLK QA/Q0	ا ت	Date Reported:		07-07-11
_aboratory Number:	58821	ı	Date Sampled:		N/A
Sample Matrix:	Soil	(Date Received:		N/A
Preservative:	N/A	1	Date Analyzed:		07-07-11
Condition:	N/A		Analysis:		BTEX
		1	Dilution:		10
Calibration and	l-Cal RF	. C-Cal RF:	11%Diff	Blank	See Self. on the Properties of the See Section 14 constitution
Detection Limits (ug/L)		C-Cal RF:	%Diff=k/ ie.0 = 15%	Blank Conc	Detect. Limit
Detection Limits (ug/L)	3.9998E+006	C-Cal RF: Accept: Rang 4.0078E+006	ie 0 = 15% 0.2%	Blank Conc	Detect. Limit
Detection, Limits (ug/L).4 Benzene Toluene		C-Cal RF:	0.2% 0.2%	Blank Conce ND ND	Detect. Limit 0.1 0.1
Detection, Limits (ug/L).4 Benzene Toluene Ethylbenzene	3.9998E+006	C-Cal RF: Accept: Rang 4.0078E+006	ie 0 = 15% 0.2%	Blank Conc	Detect. Limit
Calibration: and Calibration: and Calibration: and Calibration: Limits (ug/L). Benzene Toluene Ethylbenzene p,m-Xylene	3.9998E+006 4.2167E+006	4.0078E+006 4.2251E+006	0.2% 0.2%	Blank Conce ND ND	Detect. Limit 0.1 0.1

Duplicate Conc. (ug/Kg)	Sample D	uplicate 🕬	%Diff_()	Accept Range	Detect. Limit
Benzene	3.6	2.6	27.8%	0 - 30%	0.9
Toluene	36.0	35.6	1.1%	0 - 30%	1.0
Ethylbenzene	2.5	2.4	4.0%	0 - 30%	1.0
p,m-Xylene	18.9	17.4	7.9%	0 - 30%	1.2
o-Xylene	6.4	5.5	14.1%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample Amo	unt Spiked Spi	ked Sample %	Recovery	Accept Range.
Benzene	3.6	500	473	93.8%	39 - 150
Toluene	36.0	500	539	101%	46 - 148
Ethylbenzene	2.5	500	501	100%	32 - 160
p,m-Xylene	18.9	1000	1,020	100%	46 - 148
o-Xylene	6.4	500	508	100%	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Voiatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 58813-58816, 58821-58824

Analyst



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Burlington	Project #:	92115-1271
Sample ID:	Reserve Pit	Date Reported:	07/07/11
Laboratory Number:	58813	Date Sampled:	07/06/11
Chain of Custody No:	11989	Date Received:	07/06/11
Sample Matrix:	Soil	Date Extracted:	07/07/11
Preservative:	Cool	Date Analyzed:	07/07/11
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration •	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

458

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Canyon Largo Unit 239P Comments:



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Burlington	Project #:	92115-1271
Sample ID:	Back Ground	Date Reported:	07/07/11
Laboratory Number:	58814	Date Sampled:	07/06/11
Chain of Custody No:	11989	Date Received:	07/06/11
Sample Matrix:	Soil	Date Extracted:	07/07/11
Preservative:	Cool	Date Analyzed:	07/07/11
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

15.5

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Canyon Largo Unit 239P Comments:

(~

Analyst



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS **QUALITY ASSURANCE REPORT**

Client:

QA/QC

Project #:

N/A

Sample ID:

QA/QC 07-07-TPH.QA/QC 58813 Date Reported: Date Sampled:

07/07/11 N/A

Laboratory Number: Sample Matrix:

Freon-113

Date Analyzed:

07/07/11

Preservative:

N/A

Date Extracted:

07/07/11

Condition:

N/A

Analysis Needed:

TPH

Calibration

I-Cal Date 06/14/11 C-Cal Date 07/07/11

I-Cal RF:

C-Cal RF: % Difference

1,610

8.5%

Accept. Range +/- 10%

Blank Conc. (mg/Kg)

Concentration

Detection Limit

TPH

TPH

8.5

1,760

5.0

Duplicate Conc. (mg/Kg) **TPH**

Sample 458

Duplicate 522

2,260

% Difference

13.8%

Accept. Range, +/- 30%

Spike Conc. (mg/Kg)

Sample 458

Spike Added Spike Result % Recovery 2,000

91.9%

Accept Range 80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 58813-58816, 58821-58825

Analyst

lab@envirotech-inc.com envirotech-inc com Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865



Chloride

Client: Burlington Project #: 92115-1271 Sample ID: Reserve Pit Date Reported: 07/07/11 Lab ID#: 58813 Date Sampled: 07/06/11 Sample Matrix: Soil Date Received: 07/06/11 Preservative: Cool Date Analyzed: 07/07/11 Condition: Intact Chain of Custody: 11989

Parameter	Concentration (mg/Kg)

Total Chloride

25

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Canyon Largo Unit 239P

Analyst



Chloride

Client: Burlington Project #: 92115-1271 Sample ID: **Back Ground** Date Reported: 07/07/11 Lab ID#: 58814 Date Sampled: 07/06/11 Sample Matrix: Soil Date Received: 07/06/11 Preservative: Cool Date Analyzed: 07/07/11 Condition: Intact Chain of Custody: 11989

Parameter

Concentration (mg/Kg)

Total Chloride

ND

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Canyon Largo Unit 239P

Analyst

Submit To Appropri Two Copies District I			State of New Mexico Energy, Minerals and Natural Resources					Form C-105 July 17, 2008						
1625 N French Dr, District II 1301 W Grand Ave		1						١.	1. WELL API NO. 30-039-30882					
District III 1000 Rio Brazos Rd District IV 1220 S St Francis I	, Aztec, NM	87410	1220 South St. Francis Dr.				2 Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN 3 State Oil & Gas Lease No							
		TION OR	RECOMPL	ETION RE	POF	RT AND	LOG	6	SF - 07888					
4 Reason for film		T (Edler boys	a #1 through #21	for State and Ea	a walla	omly.)		L	5 Lease Name CANYON	LAR			ne	_
C-144 CLOS #33, attach this an	URE ATTA	CHMENT (F	fill in boxes #1 th	rough #9, #15 D	ate Rig	Released		- 1	6 Well Numb 239P	er				
7 Type of Compl	letion		☐ DEEPENING					—L OIR	OTHER					
8 Name of Opera Burlington Re	tor						11 11 15 15 15 15 15 15 15 15 15 15 15 1		9 OGRID 14538					
10 Address of Op PO Box 4298, Far	erator		mpany, Li						11 Pool name	or Wı	ldcat			
	Unit Ltr	Section	Township	Range	Lot		Feet from th	ne l	N/S Line	Feet	from the	E/W L	ine	County
Surface:	OIII EII	Section	Township	Kungo	100		Teet Holli th		TVO BINC	1000	Tom the	E, E		County
вн:														
13 Date Spudded	14 Date	T D Reached	15 Date Ri 4/7/2011	g Released		16	Date Comple	eted	(Ready to Prod	uce)		Elevatı T, GR, et		and RKB,
18 Total Measure	ed Depth of	Well	19 Plug Ba	ck Measured De	pth	20	Was Direction	onal	Survey Made?		21 Typ	e Electric	c and Ot	her Logs Run
22 Producing Inte	erval(s), of the	his completion	- Top, Bottom, N	ame										
23				SING REC	ORI			ing						
CASING SIZ	ZE	WEIGHT LB	/FT	DEPTH SET		HO	DLE SIZE		CEMENTIN	G REC	CORD	AM	IOUNT	PULLED
									 -					
				ED DECORD				2.5		LIDIA	IC DEC	000		
SIZE	TOP	В	DTTOM	ER RECORD SACKS CEM	IENT	SCREE		25 SIZ			NG RECO		PACKE	ER SET
										-				
26 Perforation	record (inter	val, size, and n	umber)					FRA	CTURE, CE					
						DEPTH	INTERVAL		AMOUNT A	ND K	IND MA	TERIAL	USED	
28					PRO	DDUC	TION							
Date First Product	tion	Produ	ction Method (Fi	lowing, gas lift, p	oumpin	g - Size ar	nd type pump)		Well Status	(Proa	l or Shut-	-ın)	-	
Date of Test	Hours Te	ested C	hoke Size	Prod'n For Test Period		Oıl - Bb	1	Gas	- MCF	Wa	ater - Bbl		Gas - C	ul Ratio
Flow Tubing Press	Casing P		alculated 24- lour Rate	Oıl - Bbl		Gas	- MCF	1	Vater - Bbl		Oıl Gra	vity - AP	I - (Cori	r)
29 Disposition of	·	used for fuel, v	ented, etc)		-					30 T	est Witne	essed By	-	
31 List Attachme		d at the small of	took o wlat with t											
32 If a temporary 33 If an on-site b	•	•	•		•		·							
		Latitude 36	.431801°N Lo	ongitude 107.42	3116°V	V NAD[<u>]1927 ⊠</u> 19	83_						
I hereby certif	\hat{y} that the	information	shown on bot	th sides of thi. nted	s form	is true	and comple	ete	to the best o	f my	knowled	dge and	l belief	· · · · · · · · · · · · · · · · · · ·
Signature	μmi	iliood		me Jamie G	oodwi	in Tit	le: Regula	itor	y Tech.	Date	: 9/26/2	.011		
E-mail Address	ss jamie l	goodwin@c	conocophillips	s com										

ConocoPhillips

Pit Closure Form:
Date: 7/27/11
Well Name: Canyon Large 40. \$ 23917
Footages: 1571 FAL 1396 FWL Unit Letter: F
Section:, T-25-N, R-6-W, County: Rio Acc. ba State: MM
Contractor Closing Pit: Au Services
Construction Inspector: S. McGlasson Date: 7/27/11 Inspector Signature:
Revised 11/4/10
Office Use Only: Subtask DSM Folder

Goodwin, Jamie L

From: Sent:

Payne, Wendy F

Tuesday, July 26, 2011 12 09 PM

To:

(Brandon.Powell@state nm.us); GRP:SJBU Regulatory; Eli (Cimarron)

(eliv@gwestoffice.net); James (Cimarron) (iwood@cimarronsvc.com), Mark Kelly; Randy

McKee, Robert Switzer; Sherrie Landon, Bassing, Kendal R.; Berenz

(mxberenz@yahoo.com), Chavez Darrell (dchavez0330@yahoo.com); Crawford, Lea A; Elmer Perry, Faver Norman; Fred Martinez; Jared Chavez; Lowe, Terry; McDonald Johnny (Jr_mcdonald@msn.com); Payne, Wendy F; Smith, Mike W; Spearman, Bobby E; Steve McGlasson; Tally, Ethel; Becker, Joey W; Bowker, Terry D; Frost, Ryan M; Goosey, Paul P; Gordon Chenault; Green, Cary J; GRP:SJBU Production Leads; Hockett, Christy R; Johnson, Kirk L; Bassing, Kendal R.; Kennedy, Jim R; Lopez, Richard A; Nelson, Garry D; O'Nan, Mike J.; Peace, James T; Pierce, Richard M; Poulson, Mark E; Schaaphok, Bill; Smith, Randall O; Souther, Tappan G; Spearman, Bobby E; Stamets, Steve A; Thacker, LARRY; Thibodeaux,

Gordon A; Work, Jim A; Corey Alfandre; 'isaiah@crossfire-llc.com'; Jerid Cabot

(Jerid@crossfire-llc.com); Blair, Maxwell O; Blakley, Mac; Farrell, Juanita R; Gillette, Steven L (PAC); Hines, Derek J; Maxwell, Mary Alice; McWilliams, Peggy L; Saiz, Kooper (Finney Land

Co.); Seabolt, Elmo F; Thayer, Ashley A; Thompson, Trey E (Finney Land Co.)

Cc:

Ace Services

Subject:

Reclamation Notice. Canyon Largo Unit 239P

Importance:

High

Attachments:

Canyon Largo Unit 239P.pdf

ACE Services will move a tractor to the **Canyon Largo Unit 239P** to start the reclamation process on Thursday, July, 28, 2011. Please contact Steve McGlasson (716-3285) if you have questions or need further assistance.



Canyon Largo Unit 239P.pdf (31...

Burlington Resources Well - Network # 10293046 - Activity Code D250 (reclamation) & D260 (pit closure) - (PO:Kaitlw) Rio Arriba County, NM

Canyon Largo Unit 239P - BLM surface/BLM minerals

Onsite: Mike Flaniken - 4/9/09

Twin: Canyon Largo Unit 239E (existing)

1571' FNL, 1396' FWL Sec.1,T25N,R6W Unit Letter "F" Lease # SF-078885 Unit # NMNM78383D

BH. NWNW,Sec.1,T25N,R6W Latitude: 36° 25' 53" N (NAD 83) Longitude: 107° 25' 23" W (NAD 83)

Elevation: 6682'

Total Acres Disturbed: 3.03 acres

Access Road: n/a API # 30-039-30882 Within City Limits: NO Pit Lined **YES**

Note: Arch monitoring is NOT required on the location.


Wendy Payne ConocoPhillips-SJBU


505-326-9533

Wendy.F.Payne@conocophillips.com

ConocoPhillips


Reclamation Form:
Date: $\frac{9/7/11}{2397}$
Well Name: Caryon Largo Unit 2307
Footages: 1571 FNL 1396 FWL Unit Letter: F
Section:, T25-N, RW, County: RisAmba State:
Reclamation Contractor:
Reclamation Date: 8/3/11
Road Completion Date: $\frac{3}{5}/1$
Seeding Date: $\frac{3/5/11}{}$
**PIT MARKER STATUS (When Required): Picture of Marker set needed
MARKER PLACED: 36 40 Kga 8/5/11 (DATE)
LATATUDE: 36.43169
LONGITUDE: 107, 42283
Pit Manifold removed 7/28/11 (DATE)
Construction Inspector: S.MG 930m Date: 9/7/11
Inspector Signature:
Office Use Only: Subtask DSM Folder Pictures Revised 11/4/10





BURLINGTON

CANYON LARGO UNIT #239P
LATITUDE 36° 25 MIN 53 SEC N (NAD83)
LONGITUDE 107° 25 MIN 23 SEC W (NAD 83)
UNIT F SEC 1 T25N RO6W
BH: NWNW SEC 1 T25N RO6W
1571' FNL 1396' FWL / API#30-039-30882
LEASE# SF-078885 ELEV. 6682'
RIO ARRIBA COUNTY, NEW MEXICO
EMERGENCY CONTACT: 1-505-324-5170



	WELL NAME:	OPEN P	IT INSPE	CTION	ORM			Con	ocoPh	illips
-	Canyon Largo Unit 239P INSPECTOR	JARED CHAVEZ	JARED CHAVEZ	JARED CHAVEZ	JARED CHAVEZ	JARED CHAVEZ	\$ 3 T	JARED CHAVEZ	E. Perry	E. Perry
	DATE	03/14/11	03/21/11	03/29/11	04/05/11	04/12/11	Mark	04/27/11	05/04/11	05/10/11
	*Please request for pit extention after 26 weeks PIT STATUS	Week 1 Drilled Completed Clean-Up	Week 2 Drilled Completed Clean-Up	Week 3 Drilled Completed Clean-Up	Week 4 Drilled Completed Clean-Up	Week 5 ☑ Drilled ☐ Completed ☐ Clean-Up	Week 6 Drilled Completed Clean-Up	Week 7 ☑ Drilled ☐ Completed ☐ Clean-Up	Week 8 ☑ Drilled ☐ Completed ☐ Clean-Up	Week 9 ☑ Drilled ☐ Completed ☐ Clean-Up
CATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	Yes No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No
7001	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	Yes No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No
	Is the access road in good driving condition? (deep ruts, bladed)	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	Yes No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	✓ Yes 🗌 No	☑ Yes ☐ No	Yes No	☐ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No	☑ Yes ☐ No
	Is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	☑ Yes ☐ No	Yes No	☐ Yes ☐ No	☑ Yes ☐ No	Yes No	✓ Yes □ No	✓ Yes 🗌 No	☑ Yes ☐ No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	Yes No	☑ Yes ☐ No	Yes No	☑ Yes ☐ No	☐ Yes ☑ No	☑ Yes ☐ No
OMPLIAN	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	Yes No	✓ Yes ☐ No	☐ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes 🗌 No
၂ပ	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	Yes No	☐ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes □ No	☐ Yes ☑ No	☐ Yes ☑ No
ENVIRONMENTAL	Does the pit contain two feet of free board? (check the water levels)	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	Yes No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No	✓ Yes 🗌 No
RON	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
EN S	Are the pits free of trash and oil?	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	Yes No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes □ No	☐ Yes ☑ No	☐ Yes ☑ No
	Are there diversion ditches around the pits for natural drainage?	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No
	Is there a Manifold on location?	✓ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	Yes No	☑ Yes ☐ No	Yes No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
၁၀	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	☐ Yes ☐ No	☐ Yes ☑ No	Yes No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	Yes No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ✓ No	☑ Yes ☐ No
	COMMENTS		LOCATION IS IN GOOD CONDITION	AWS 673 IS ON LOCATION	AWS 673 IS ON LOCATION	PIT AND LOCATION IS IN GOOD CONDITION		PIT AND LOCATION IS IN GOOD CONDITION	Fence Down Stains on Loc Oil in Pit	Stains on Loc Oil in Pit

WELL NAME:										
Canyon Largo Unit 239P		A STATE OF THE STA					7		E.Perry E. Perry	
\vdash	INSPECTOR DATE		E. Perry 05/24/11	E. Perry 06/01/11	E. Perry 06/07/11	E. Perry 6/15/`11	E. Perry 06/21/11	E. Perry 06/29/11	E.Perry 07/06/11	07/11/11
	*Please request for pit extention after 26 weeks	Week 10	Week 11	Week 12	Week 13	Week 14	Week 15	Week 16	Week 17	Week 18
PIT STATUS		✓ Drilled ☐ Completed ☐ Clean-Up	✓ Drilled ☐ Completed ☐ Ciean-Up	✓ Drilled ☐ Completed ☐ Clean-Up	✓ Drilled ☐ Completed ☐ Clean-Up	✓ Drilled ☐ Completed ☐ Clean-Up	✓ Drilled ☐ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up
CATION	ls the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
10CA	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	· 🗹 Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
-4826	ls the access road in good driving condition? (deep ruts, bladed)	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes 🗌 No
	Is the top of the location bladed and in good operating condition?	✓ Yes □ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☑ No	☐ Yes ☑ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
OMPLIANCE	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No
Ü	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No
ENVIRONMENTAL	Does the pit contain two feet of free board? (check the water levels)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No
	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes V No	☐ Yes ☑ No
	Are the pits free of trash and oil?	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No
	Are there diversion ditches around the pits for natural drainage?	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Is there a Manifold on location?	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No
	Is the Manifold free of leaks? Are the hoses in good condition?	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
ی د	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes V No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	COMMENTS	Fence Loose Stains on Loc	Stains on Loc Pit cleaned up as good as possible	Fence Loose Stains on Loc	Fence Loose Stains on Loc	Stains on Loc Completion Rig on Loc	Stains on Loc Rig on Loc	Fence Loose Facility crew cleaned up Loc	GOOD	GOOD

	WELL NAME:			the great the second of the se						
	Canyon Largo Unit 239P		\$70 p.		4,5			· .	·	
<u> </u>	INSPECTOR DATE	JON BERENZ 07/18/11	Jon Berenz 07/19/11	E. Perry 07/26/11	E. Perry 08/02/11	08/08/11				
ļ	*Please request for pit extention after 26 weeks	Week 19	Week 20	Week 21	Week 22	Week 23	Week 24	Week 25	*Week 26*	Week 27
PIT STATUS		✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	☐ Drilled☐ Completed☐ Clean-Up	☐ Drilled☐ Completed☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled☐ Completed☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up
LOCATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
	Is the temporary well sign on location and visible from access road?	✓ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
ENVIRONMENTAL COMPLIANCE	Is the access road in good driving condition? (deep ruts, bladed)	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the top of the location bladed and in good operating condition?	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☐ Yes ☑ No	☐ Yes ☑ No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Does the pit contain two feet of free board? (check the water levels)	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Are the pits free of trash and oil?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is there a Manifold on location?	✓ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
၁၀	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	Yes No	Yes No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	COMMENTS	Location is good		Sign on Facility Fence Reoaired	PIT CLOSED	PIT CLOSED				